



EASO

Democratic Republic of Congo (DRC)

*Medical Country of Origin Information
Report*

August 2021

More information on the European Union is available on the Internet (<http://europa.eu>)

PDF ISBN: 978-92-9485-769-9 doi: 10.2847/40625 BZ-06-20-137-EN-N

© European Asylum Support Office, 2021

Cover photo, © iStock, photo from theme industry and accessed 29 July 2021.

Reproduction is authorised provided the source is acknowledged. For any use or reproduction of photos or other material that is not under the EASO copyright, permission must be sought directly from the copyright holders.

Acknowledgements

EASO acknowledges International SOS (Intl.SOS) as the drafter of this report.

The following departments and organisations have reviewed the report:


- EASO, MedCOI Sector, Third Country Research Unit, Asylum Knowledge Centre,
- Belgian Desk on Accessibility (BDA) at the Belgian Immigration Department,
- Department for Asylum and Migration Policy at the International and European Affairs Unit within the Ministry of the Interior of the Czech Republic,
- Country of Origin Information (COI) Unit at the Ministry of Immigration and Integration within the Danish Immigration Service, and
- COI Information Desk / Documentation of COI documents and case law at the German Federal Office for Migration and Refugees.

It must be noted that the review carried out by the mentioned departments, experts or organisations contributes to the overall quality of the report but does not necessarily imply their formal endorsement of the final report, which is the full responsibility of EASO.

Contents

Acknowledgements.....	3
Contents.....	4
Disclaimer.....	8
Glossary and Abbreviations	9
Introduction	11
Methodology	11
Defining the terms of reference.....	11
Collecting information.....	12
Quality control.....	13
Structure and use of the report.....	13
Referencing.....	13
Map	14
1. General information.....	15
1.1 Geography and demographics.....	15
1.2 Political context	16
1.3 Economic context	17
1.4 Historical background	17
2 Health system organisation	18
2.1 Impact of COVID-19	18
2.2 Overview	18
2.3 Public healthcare	22
2.4 Private healthcare.....	24
3 Healthcare human resources.....	26
4 Pharmaceutical sector	28
5 National policy on blood transfusion and related services organisation	30
6 Patient pathways	31
7 Risk-pooling mechanism	32
7.1 Health services provided by the State / public authorities	32
7.2 Public health insurance.....	32
7.3 Community-based health insurance schemes.....	33
7.4 Private health insurance schemes	34
7.5 Other social security plans.....	34

7.6 Work injury	35
7.7 Minimum wage	35
7.8 Poverty alleviation measures	35
8 Out-of-pocket health expenditure	36
8.1 Cost of consultations	36
8.2 Treatment cost	37
8.3 Cost of medication.....	37
9 Cardiovascular diseases	38
9.1 General information	38
9.1.1 Epidemiological context	38
9.1.2 Strategies and policies for treatment and management of CVD	38
9.1.3 Healthcare provisions for treatment and management of CVD	39
9.2 Access to treatment.....	40
9.3 Cost of treatment	41
9.4 Cost of medication.....	42
9.5 NGOs	45
10 Diabetes	46
10.1 General information	46
10.1.1 Epidemiological context	46
10.1.2 Strategy and policies for treatment and management of diabetes.....	46
10.1.3 Healthcare provisions for treatment and management of diabetes	46
10.2 Access to treatment.....	47
10.3 Cost of treatment	48
10.4 Cost of medication.....	50
10.5 NGOs.....	52
11 Haematology: anaemia and blood clotting disorders.....	53
11.1 General information	53
11.1.1 Epidemiological context	53
11.1.2 Strategy and policies for treatment and management of haematological disorders.....	54
11.1.3 Healthcare provisions for treatment and management of haematological disorders	55
11.1.4 Human resources	55
11.2 Access to treatment.....	55
11.3 Cost of treatment	57
11.4 Cost of medication.....	59
11.5 NGOs.....	59
12 Hepatitis B and C.....	60



12.1 General information	60
12.1.1 Epidemiological context	60
12.1.2 Strategies and policies for treatment and management of hepatitis.....	60
12.1.3 Healthcare provisions for treatment and management of hepatitis	61
12.2 Access to treatment.....	62
12.3 Cost of treatment	62
12.4 Cost of medication.....	64
12.5 NGOs.....	65
13 HIV/AIDS.....	65
13.1 General information	65
13.1.1 Epidemiological context	65
13.1.2 Strategies and policies for treatment and management of HIVAIDS.....	66
13.1.3 Healthcare provisions for treatment and management of HIV/AIDS	66
13.2 Access to treatment.....	67
13.3 Cost of treatment	67
13.4 Cost of medication.....	69
13.5 NGOs.....	71
14 Nephrology.....	71
14.1 General information	71
14.1.1 Epidemiological context	71
14.1.2 Strategies and policies for treatment and management of kidney disease	72
14.1.3 Healthcare provisions for treatment and management of kidney disease	72
14.2 Access to treatment.....	74
14.3 Cost of treatment	74
14.4 Cost of medication.....	76
14.5 NGOs.....	76
15 Neurology: epilepsy and cerebrovascular accident (stroke)	77
15.1 General information	77
15.1.1 Epidemiological context	77
15.1.2 Strategies and policies for treatment and management of CVD	77
15.1.3 Healthcare provisions for neurology.....	78
15.2 Access to treatment.....	78
15.3 Cost of treatment	79
15.4 Cost of medication.....	80
15.5 NGOs.....	82
16 Psychiatry.....	84

16.1 General Information	84
16.1.1 Epidemiological context	84
16.1.2 Strategies and policies for psychiatry	85
16.1.3 Healthcare provisions for psychiatry.....	85
16.1.4 Human resources	86
16.2 Access to treatment.....	86
16.3 Cost of treatment	87
16.4 Cost of medication.....	88
16.5 NGOs.....	90
17 Pulmonology: Asthma, Chronic Obstructive Pulmonary Disease and Obstructive Sleep Apnoea ..	92
17.1 General information	92
17.1.1 Epidemiological context	92
17.1.2 Strategies and policies for treatment and management of respiratory illness	93
17.1.3 Healthcare provisions for treatment and management of respiratory illness	94
17.2 Access to treatment.....	94
17.3 Cost of treatment	95
17.4 Cost of medication.....	96
17.5 NGOs.....	97
18 Tuberculosis	98
18.1 General information	98
18.1.1 Epidemiology.....	98
18.1.2 Policies and strategies.....	98
18.1.3 The national response.....	99
18.2 Access to treatment.....	100
18.3 Cost of treatment	101
18.4 Cost of medication.....	102
18.5 NGOs.....	104
Annex 1: Core medicines price list.....	105
Annex 2: Bibliography	109
Annex 3: Terms of reference for the MedCOI report on the Democratic Republic of Congo (DRC) ..	120
Topical reports:	120
Detailed content instructions topical reports:	120
General information.....	120
Access to treatment:	120



Disclaimer

This report was written according to the EASO COI Report Methodology (2019).¹ The report is based on carefully selected sources of information. All sources used are referenced.

The information contained in this report has been researched, evaluated and analysed with utmost care. However, this document does not claim to be exhaustive. If a particular event, person or organisation is not mentioned in the report, this does not mean that the event has not taken place or that the person or organisation does not exist.

Furthermore, this report is not conclusive as to the determination or merit of any particular application for international protection. Terminology used should not be regarded as indicative of a particular legal position.

‘Refugee’, ‘risk’ and similar terminology are used as generic terminology and not in the legal sense as applied in the EU Asylum Acquis, the 1951 Refugee Convention and the 1967 Protocol relating to the Status of Refugees.

Neither EASO nor any person acting on its behalf may be held responsible for the use which may be made of the information contained in this report.

More information on the reference period for this report can be found in the methodology section of the [Introduction](#).

¹ The 2019 EASO COI Report Methodology can be downloaded from the EASO COI Portal [url](#)

Glossary and Abbreviations

Abbrev.	Explanation
ART	Antiretroviral Therapy
BDOM	Bureau Diocésain des Oeuvres Médicales
CHW	Community Health Worker
CT	Computerised Tomography
CKD	Chronic Kidney Disease
CNPP	Centre Neuro-Psycho-Pathologique
COPD	Chronic Obstructive Pulmonary Disease
CPLT	Coordinations Provinciales Lèpre et Tuberculose
CVD	Cardiovascular Disease
COI	Country of Origin
DHS	Demographic Health Survey
DOTS	Directly Observed Treatment Short Course
DRC	Democratic Republic of the Congo
EEG	Electroencephalography
GDF	Global Drug Facility
GDP	Gross Domestic Product
HRW	Human Rights Watch
IDP	Internally Displaced Population
INGO	International Non-Government Organisation
Intl.SOS	International SOS
MDR-TB	Multidrug-Resistant Tuberculosis
MESP	Mutuelle de Santé des Enseignants des Écoles Catholiques du Congo
MHO	Mutual Health Organisation
MSF	Médecins Sans Frontières
NGO	Non-Government Organisation
PEPFAR	President's Emergency Plan for AIDS Relief
PNDS	Plan National de Développement Sanitaire
PNLT	Plan Stratégique National de Lutte Contre La Tuberculose
PNSM	Programme National de Santé Mentale
POMUCO	Plateforme des Organisations Promotrices des Mutuelles de Santé du Congo
PSNHIV	Plan Stratégique National de Lutte contre le VIH



SCD	Sickle Cell Disease
TB	Tuberculosis
UN	United Nations
WHO	World Health Organization

Introduction

This report is a minor update to the December 2020 MedCOI report on the Democratic Republic of the Congo (DRC).

The purpose of the report is to provide information on access to healthcare in the Democratic Republic of the Congo (DRC). This information is relevant to the enforcement of EU+ countries' immigration legislation and to the international protection status determination (refugee status and subsidiary protection).

Methodology

Defining the terms of reference

The terms of reference for this Medical Country of Origin Information Report are based on the Belgian Desk of Accessibility's 'Researcher's guide,' developed in the framework of the MedCOI4 project. The guide includes a list of questions to be addressed in the report. This was used to develop a 'Questionnaire on access to healthcare,' which included a medication and consultation price list containing common treatment and medication questions. This report is produced in line with the [EASO COI Report Methodology \(2019\)](#) and the [EASO COI Writing and Referencing Style Guide \(2019\)](#).

For the specific terms of reference see [Annex 3](#) of this report.

Minor version update

This report is an update to the December 2020 MedCOI report on DRC. It was updated in August 2021 for the following reasons:

- to adjust some inconsistencies found and avoid confusion (about specific treatments and medicines that are available and unavailable) with the MedCOI availability service. The following was changed: the term 'available' in the medication and treatment price tables has been eliminated. Availability of treatment and medication is collected within the MedCOI service following a strict methodology. In the context of this report, only the cost of the treatments and medication has been investigated. When no treatment price was found (for whatever reason), a dash marks the absence of data. When no prices were found for a line of entry, the row was removed in order to improve the readability of the tables.

- to adjust and add extra information related to haemodialysis which was received after the publication of the report (in April 2021).

On the first point, the adjustments related to the tables with treatment and medication prices are mentioned in the separate chapters 9-18 about accessibility information on specific disease groups and in annex 1.

On the second point, the adjustments and extra information related to haemodialysis are mentioned in separate chapter 14: Nephrology.

Besides a new cover photo and some minor editing there were no adjustments for other reasons. The previous version of the report is still available in the EASO COI Portal, however this report should be considered with the most current and updated information available.

Collecting information

The European Asylum Support Office (EASO) contracted Intl.SOS to manage the report delivery including data collection. Intl.SOS recruited and managed a public health lead to author the report and a local consultant to collect data. The public health lead was selected from Intl.SOS' existing pool of consultants. The consultant was selected based on their experience in leading comparable projects and on their experience working in DRC.

Key Informant Interviews

Key informant interviews were carried out by the local consultant in Kinshasa, during August and September 2020. Interviews were conducted with five medical doctors who work in varied roles related to healthcare delivery. This included individuals within the Ministry of Health, as well as Clinic managers. An anonymised list of interviewees is given in table 1 which describes the core functions of their roles.

Key Informant Code	Role Description
EASO1	Medical Doctor and local consultant responsible for in-country data collection of the report.
EASO2	Director of a national programme within the Ministry of Health. Responsible for national implementation of the strategy. Medical Director and Head of Cardiology at prominent Kinshasa-based facility.
EASO3	Deputy Manager of a priority national programme. Responsible for national implementation of the strategy.
EASO4	Medical Doctor and Monitoring and Evaluation officer in the Ministry of Health.
EASO5	Medical Director of a prominent Kinshasa-based clinic.
EASO6	Senior Medical Advisor of an international healthcare company.

Table 1: Anonymised key informants

Literature review

The local consultant collected documents and strategies to populate the questionnaire with additional findings. Supplementary information was gathered from publicly available resources, by the report author. Resources included national strategies, policies, grey literature and journal articles. Sources were carefully selected following the EASO Country of Origin Information (COI) Report Methodology (2019) and are referenced in footnotes on each page and included in the bibliography.

Medication and treatment prices

A comprehensive, although non-exhaustive, list of medication prices is given in the Annex I to this report and in each of the chapters on individual diseases. The data presented in these were collected by the local consultant between August and November 2020. Price of medications was gathered from eight pharmacies in Kinshasa. The prices of medicines in Kinshasa are comparable with other cities.²

The costs of treatments and medical examinations were drawn from price lists of the major public and private hospitals in Kinshasa (Clinique Ngaliema, Centre Médical de Kinshasa, Centre Médical Diamant and Hôpital Biamba Marie Mutombo). The cost of treatments in Kinshasa can be considered indicative

² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

of the national prices, particularly as many specialised treatments are only available in Kinshasa-based facilities. However, there may nonetheless be some regional variation in prices for some treatments that has not been captured.³

Due to the variable value of the Congolese Francs, health facilities typically price medications and treatments in United States dollar (USD). As such, all prices have been provided in USD. Of note, community members can pay in either currency.⁴

More information on the working method can be found in the Standard Operating Procedures (SOP) and the Accessibility Guidelines published on the MedCOI website⁵ and in the EASO COI Report Methodology.⁶

Quality control

Quality control of the report was carried out both on content and form.

The accuracy of information included in the report was reviewed, to the extent possible, using information provided by the local expert through other contacts, reports, scientific publications and articles.

The form and content were reviewed by various partners (see [Acknowledgements](#) section).

Structure and use of the report

The report starts with a general introduction to the country and the healthcare system organisation. Separate sections are dedicated to human resources in healthcare, the pharmaceutical sector, blood transfusion policies, patient pathways, insurance aspects and out-of-pocket expenditure. Lastly, separate chapters contain accessibility information on specific disease groups: cardiovascular diseases, diabetes, haematology, hepatitis, HIV/AIDS, nephrology, neurology, psychiatry, pulmonology, and finally tuberculosis.

Referencing


Recommended referencing for this report: 'EASO MedCOI, Medical Country of Origin Information Report: Democratic Republic of Congo (DRC), August 2021, [hyperlink].'

³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵ EASO MedCOI, [url](#)

⁶ EASO, European Asylum Support Office, Country of Origin Information (COI) Report Methodology, June 2019, [url](#)



Map



Figure 1: Map of the Democratic Republic of Congo ⁷

⁷ Central Intelligence Agency, The World Factbook, The Democratic Republic of Congo, 2021, <https://www.cia.gov/the-world-factbook/countries/congo-democratic-republic-of-the/map>

1. General information

1.1 Geography and Demographics

The Democratic Republic of the Congo (DRC) is situated in Central Africa. It is the second largest country in Africa covering a total area of 2 344 858 square kilometres, equivalent to that of Western Europe.⁸ DRC has land borders with eight countries, the Republic of the Congo to the West, the Central African Republic and South Sudan to the North, Uganda, Rwanda, Burundi and Tanzania to the East and Zambia, and Angola to the south.

DRC is almost entirely landlocked except for a small area of coastline located in the West, measuring 37 kilometres.⁹ In spite of this limited access to sea resources, DRC has vast sources of freshwater. The Congo River is the second largest river in the world by discharge volume. The river and its tributaries spread throughout the country. Eastern provinces form part of Africa's Great Lakes region. DRC is also rich in vegetation and natural resources; the Congo Rainforest is the second largest rainforest in the world after the Amazon.¹⁰

The population of DRC is estimated to be around 101 million people.¹¹ DRC has a high fertility rate with an average of 4.7 live births per woman.¹² Current projections estimate the total population will have doubled by the year 2050.¹³ The capital Kinshasa has a population of approximately 14 million people and is located in the West along the Congo River. Other urban clusters are located in Eastern provinces along the borders with Uganda and Rwanda. DRC is experiencing rapid rural-urban migration. Although at present 55% of the population live in rural settings, it is estimated that by 2035 the urban population will have doubled and will surpass the proportion living in rural contexts.¹⁴ The life expectancy at birth in DRC is one of the lowest in the world. At 61.6 years, life expectancy is 14th worst and significantly lower than the global average of 73.2 years.¹⁵ There is a small variation in life expectancy between men and women, which stand at 60.0 years and 63.2 years respectively.¹⁶ Overall, DRC has a young population with an estimated 60% of the population aged under 25 years.¹⁷ There is an equal ratio of men to women when the entire population is considered.¹⁸ However, this varies by age categorisation with the greatest disparity in those aged over 65 years with a ratio of 0.74 males/female.¹⁹

In addition to life expectancy, DRC performs poorly across a range of other health indicators. Child mortality rates are high with DRC ranked 12th worst globally for number of deaths of children under five.²⁰ However, child mortality rate has been consistently decreasing and currently stands at 85 per 1 000 live births relative to 115 per 1 000 live births in 2010.²¹ DRC is one of the most linguistically diverse countries in the world, with over 200 languages spoken.²² French is the official administrative language widely used in education and government. The four most commonly spoken national

⁸ World Bank, Country Overview, May 2020, [url](#)

⁹ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

¹⁰ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

¹¹ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

¹² IHME, Institute for Health Metrics, DRC dashboard, October 2020, [url](#)

¹³ IHME, Institute for Health Metrics, DRC dashboard, October 2020, [url](#)

¹⁴ World Bank, Directions in Development, Democratic Republic of Congo Urbanization Review, 2018, [url](#), p.12

¹⁵ UNDP, United Nations development programme, Human Development Report, DRC Dashboard, 2019, [url](#)

¹⁶ UNDP, United Nations development programme, Human Development Report, DRC Dashboard, 2019, [url](#)

¹⁷ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

¹⁸ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

¹⁹ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

²⁰ The World Bank, Mortality rate, under-5, 2019, [url](#)

²¹ The World Bank, Mortality rate, under-5 2019, [url](#)

²² Translators Without Borders, Language data for the Democratic Republic of Congo (DRC), 2016, [url](#)



languages are Lingala, Swahili, Tshiluba and Kikongo (Kituba). There are also more than 250 ethnic groups identified in DRC. Ethnic tensions have also driven numerous periods of intercommunal violence²³ as discussed below.

1.2 Political Context

As outlined in the constitution promulgated in 2006, DRC is headed by a president that shares power with the prime minister.²⁴ Under the constitution, the president cannot run for more than two 5-year terms.²⁵ DRC is decentralised with power and governance devolved to 26 administrative provinces.²⁶ Provinces are presided over by governors and up to 10 provincial ministers.²⁷

Since 1990, DRC has had a multi-party system elected into office by the population. In 2018, Felix Tshisekedi, leader of the Union for Democracy and Social Progress (Union pour la Démocratie et le Progrès Social, UDPS), was voted successor to Joseph Kabila. The 2018 was considered by several independent groups to have been deeply flawed with several instances of voter fraud recorded.²⁸ The leader of the main opposition party, Martin Fayulu, challenged the results in the constitutional courts.²⁹ In spite of this, many foreign leaders endorsed and praised the election results with some claiming that to reject the result could lead to more civil unrest.³⁰

Due to what is considered to be a weak political system and broader insecurity, DRC is characterised as a fragile state.³¹ According to the Fragile States Index which compiles 12 indicators assessing social cohesion, economic context, political context and social context, DRC is ranked as the fifth most fragile country.³²

According to the United Nations High Commissioner for Refugees (UNHCR), as of September 2019, there were over 5.01 million internally displaced people across DRC. According to the same source, as of February 2020, there were over 918 000 DRC refugees and asylum seekers being hosted across African countries.³³ Internally displaced populations are located across the country. In eastern provinces, there are more than 100 armed groups active in the region, including the Allied Democratic Forces, the Democratic Forces for the Liberation of Rwanda, and various Mai Mai militias.³⁴ In central and southern provinces of the Kasai region, conflict between government troops and armed groups in 2017 led to the displacement of 1.4 million people.³⁵ Both sides have been accused of war crimes with an estimated 3 000 lives claimed.³⁶

In south-eastern provinces, there was a long-standing conflict between Bantu and Twa ethnic communities in the south eastern province of Tanganyika during which over 557 000 people were displaced.³⁷ In 2015, a peace accord was signed between leaders of the two community groups; however, many remain displaced and episodes of violence have resurged, most recently in 2017.³⁸

²³ HRW, Human Rights Watch, DR Congo: Chronology, August 2009, [url](#)

²⁴ Britannica, DRC government and society, 2020, [url](#)

²⁵ Britannica, Democratic Republic of the Congo, 2020, [url](#)

²⁶ The Guardian, Congo election runner-up rejects Tshisekedi victory as 'electoral coup, January 2019, [url](#)

²⁷ Britannica, Democratic Republic of the Congo, 2020, [url](#)

²⁸ FP, Foreign Policy, How Washington Got on Board With Congo's Rigged Election, February 2019, [url](#)

²⁹ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

³⁰ FP, Foreign Policy, How Washington Got on Board With Congo's Rigged Election, February 2019, [url](#); BBC, DR Congo election: African leaders congratulate Tshisekedi, January 2019, [url](#)

³¹ Fragile States Index, Measuring Fragility, 2020, [url](#)

³² Fragile states Index, Indicators, 2020, [url](#)

³³ UNHCR, United Nations High Commissioner for Refugees, DR Congo emergency, March 2020, [url](#)

³⁴ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

³⁵ UNHCR, United Nations High Commissioner for Refugees, September 2020, [url](#)

³⁶ BBC, DR Congo's Kasai crisis: War crimes committed by both sides, UN says, June 2018, [url](#)

³⁷ IRC, International Rescue Committee, A Silent Crisis in Congo: The Bantu and the Twa in Tanganyika, n.d., [url](#), p.2

³⁸ IRC, International Rescue Committee, A Silent Crisis in Congo: The Bantu and the Twa in Tanganyika, n.d., [url](#), p.8

DRC is also a host country for refugees from neighbouring countries.³⁹ The Rwandan genocide of 1994 led to a huge influx of Rwandan refugees into DRC.⁴⁰ In addition, thousands of refugees have fled to DRC from neighbouring countries, including the Central African Republic and Burundi.⁴¹

The United Nations Organization Stabilization Mission in the Democratic Republic of the Congo (MONUSCO) has operated in the region since 1999 and is the largest and most expensive UN peacekeeping mission in the world.⁴²

1.3 Economic Context

DRC is classified as a low-income country.⁴³ While the proportion of the population living in poverty (defined as living on less than USD 1.90 a day) has been steadily decreasing since 2004, it still stands at an estimated 77% of the total population. Per capita expenditure on healthcare, at USD 19.43, is well below the Sub-Saharan Africa average, which stands at USD 83.78.⁴⁴

In 2019, the Gross Domestic Product (GDP) of DRC was USD 47.32 billion and annual growth at 5.3%.⁴⁵ Domestic agriculture is the main source of food and income for the majority of the population and accounts for 20% of GDP.⁴⁶ Mining and resource extraction also constitute an important industry. In 2018, although the extractive sector represented 98% of exports and 18% of GDP, it only employed 11% of the active population.⁴⁷ Mining is concentrated in southern and eastern provinces.⁴⁸ Except for gold and copper, informal and small-scale mining account for a substantial portion of extracted raw materials.⁴⁹

1.4 Historical Background

DRC gained its independence from Belgium in 1960, but its early years were characterised by political and social instability. As outlined by the Central Intelligence Agency (CIA) World Factbook, the first elected prime minister of the republic, Patrice Lumumba, was removed from office and executed by Belgian-led troops in 1961.⁵⁰ Joseph Mobutu later claimed power and retained his position for 32 years through disputed elections and force. Mobutu's government was guilty of severe human rights violations, political repression and corruption.⁵¹ A rebellion backed by Rwanda and Uganda, and fronted by Laurent Kabila ended the Mobutu rule in 1997.⁵² In 2001, Laurent Kabila was assassinated and was succeeded by his son, Joseph Kabila. Joseph Kabila's re-election in 2006 met with the general approval of international monitors. His re-election in November 2011, however, was criticised and disputed by the opposition.⁵³ In January 2019, after delayed elections, Felix Tshisekedi was sworn in as the new President of DRC.⁵⁴

³⁹ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

⁴⁰ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

⁴¹ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

⁴² CIA, Central Intelligence Agency, World Factbook, September 2020, CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

⁴³ World Bank, Data, 2019, [url](#)

⁴⁴ World Bank Data, current health expenditure, 2017, [url](#)

⁴⁵ World Bank, Data, 2019, [url](#)

⁴⁶ World Bank, Data Bank, 2018, [url](#)

⁴⁷ ITIE RDC, Initiative pour la Transparence des Industries Extractives République démocratique du Congo, June 2020, [url](#)

⁴⁸ ITIE RDC, Initiative pour la Transparence des Industries Extractives République démocratique du Congo, June 2020, [url](#)

⁴⁹ ITIE RDC, Initiative pour la Transparence des Industries Extractives République démocratique du Congo, June 2020, [url](#)

⁵⁰ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

⁵¹ HRW, Human Rights Watch, Zaire Human Rights Developments, 1994, [url](#)

⁵² CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

⁵³ FP, Foreign Policy, How Washington Got on Board With Congo's Rigged Election, February 2019, [url](#)

⁵⁴ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)



2 Health system organisation

2.1 Impact of COVID-19

DRC declared its first case of coronavirus disease 2019 (COVID-19) on March 10th, 2020.⁵⁵ Since then, Kinshasa has been the epicentre of the outbreak with over 90% of confirmed cases.⁵⁶ The health system of DRC, which is already described as being fragile and weak, has been greatly strained by the pandemic. A report by the WHO states that the number ventilators is limited and largely unknown.⁵⁷

At present, a significant proportion of health facility human and financial resources have been directed to COVID-19 related activities.⁵⁸ This reduces availability of services on an already strained health service.⁵⁹ In addition, Médecins Sans Frontières (MSF) reports that the number of consultations has decreased which is likely to have downstream impacts on health outcomes and healthcare needs.⁶⁰

2.2 Overview

Overall, the health system is described as suffering from substantial domestic underfunding with a heavy reliance on external donor funding.⁶¹ A report by the World Health Organization (WHO) describes the health system as being dysfunctional due to decades of political instability.⁶² A lack of healthcare financing by central government created a healthcare system dependent on out-of-pocket payments and external aid financing. Importantly, international aid was often provided through humanitarian assistance programmes rather than development programmes. Humanitarian assistance is typically characterised by short funding cycles based on short-term goals. As such organisations would typically focus on their individual objectives and the resources required to achieve them.⁶³ This led to multiple and parallel coordination mechanisms, such as logistics, to address disease-specific challenges through vertical programmes.⁶⁴ The Government and international aid community began addressing these challenges through the adoption of the Health System Strengthening Strategy in 2005.⁶⁵

According to the World Bank, 'the Government of the DRC has demonstrated progress in increasing its domestic health funding: the 2019 national health accounts show that the share of the national

⁵⁵ MSF, Médecins Sans Frontières, DRC: Covid-19 continues to spread, with potentially deadly secondary impacts, June 2020, [url](#)

⁵⁶ WHO, World Health Organization, Plan de Response Humanitaire Revise, June 2020, [url](#), p.9

⁵⁷ WHO, World Health Organization, Plan de Response Humanitaire Revise, June 2020, [url](#), p.10

⁵⁸ WHO, World Health Organization, Plan de Response Humanitaire Revise, June 2020, [url](#), p.10

⁵⁹ WHO, World Health Organization, Plan de Response Humanitaire Revise, June 2020, [url](#), p.10

⁶⁰ MSF, Médecins Sans Frontières, DRC: Covid-19 continues to spread, with potentially deadly secondary impacts, June 2020, [url](#)

⁶¹ Kalambay, H., and Van Lerberghe, W., Improving Health System Efficiency, World Health Organization, September 2015, [url](#), p.9

⁶² Kalambay, H., and Van Lerberghe, W., Improving Health System Efficiency, World Health Organization, September 2015, [url](#), p.9

⁶³ Kalambay, H., and Van Lerberghe, W., Improving Health System Efficiency, World Health Organization, September 2015, [url](#), p.7

⁶⁴ Kalambay, H., and Van Lerberghe, W., Improving Health System Efficiency, World Health Organization, September 2015, [url](#), p.7

⁶⁵ Kalambay, H., and Van Lerberghe, W., Improving Health System Efficiency, World Health Organization, September 2015, [url](#), p.7

budget allocated to health increased from 7.0% to 8.5% between 2016 and 2018.⁶⁶ However, this accounts for approximately only 10% of total healthcare funding.⁶⁷

The DRC health system is still supported by substantial international donor funding from multilateral, bilateral agencies and non-government organisations (NGOs).⁶⁸ This equates to approximately 40% of total healthcare funding.⁶⁹ According to data from the Organisation for Economic Cooperation and Development (OECD), in 2018 DRC was a recipient of a total of USD 2 509.8 million.⁷⁰ Of this, 23% was categorised as supporting ‘health and population’ activities.⁷¹ According to the same source, the five main donors are United States Aid, the World Bank,⁷² United Kingdom Aid, the Global Fund and German Aid.⁷³ In 2016, it was estimated that there were over 25 donors contributing to the DRC healthcare sector.⁷⁴

The remaining portion of healthcare financing comes from out-of-pocket payments by patients at the point of care.⁷⁵ Reducing the proportion of out-of-pocket payments is a key objective of the National Health Development Plan 2019-2022 (Plan National de Développement Sanitaire (PNDS)).⁷⁶

The PNDS outlines national priorities and is used to allocate funding resources.⁷⁷ The overarching strategy is further elaborated by national programmes which provide further technical and financial objectives to address specific disease areas. External funding is mostly directed to national programmes for diseases considered a national priority.⁷⁸

The healthcare system in DRC is structured according to a three-level pyramid model; central, provincial and peripheral.⁷⁹ The roles and responsibilities at these different levels are as follows:

- **Central** – also referred to as national. The functions and responsibilities at the Central level sit within the authorities of the Ministry of Health. This level is primarily responsible for general oversight and direction of the health system through the development of national policies, strategies and directives. Other responsibilities include mobilising funds through national and international resources and overseeing health system monitoring data. These functions are divided across two key directorates, the General Secretariat Office and the General Health Inspectorate.⁸⁰

⁶⁶ Global Financing Facility, Democratic Republic of Congo, 2019, [url](#)

⁶⁷ IHME, Institute for Health Metrics, DRC dashboard, October 2020, [url](#)

⁶⁸ IHME, Institute for Health Metrics, DRC dashboard, October 2020, [url](#)

⁶⁹ IHME, Institute for Health Metrics, DRC dashboard, October 2020, [url](#)

⁷⁰ OECD, Organisation for Economic Cooperation and Development, Recipient Country, 2018, [url](#)

⁷¹ OECD, Organisation for Economic Cooperation and Development, Recipient Country, 2018, [url](#)

⁷² Referred to in the source as International Development Association. Definition available in glossary of terms, [url](#)

⁷³ OECD, Organisation for Economic Cooperation and Development, Recipient Country, 2018, [url](#)

⁷⁴ Orbie, J., et al., The EU and the Emerging Global Order, 2018, [url](#)

⁷⁵ IHME, Institute for Health Metrics, DRC dashboard, October 2020, [url](#)

⁷⁶ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 45

⁷⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

⁷⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁷⁹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, Santé République Démocratique du Congo, November 2018, [url](#), pp. 10-12

⁸⁰ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, Santé République Démocratique du Congo, November 2018, [url](#), pp. 10-12

- At this level, the types of health facilities include:⁸¹
 - *University hospitals*
 - *The National hospital (National hospital Kinshasa)*
- **Intermediate** – also referred to as Provincial. Led by the Provincial Health Minister who is responsible for the Provincial Health Office, the Provincial Health Inspectorate oversees the Provincial Hospital.⁸² There is one provincial hospital per province.⁸³

The Provincial Health Office is a decentralised structure responsible for the technical training and the contextualisation of national guidelines for provincial health facilities and monitoring of health facilities. A key objective is to support the implementation of guidelines and strategies at a health facility level.⁸⁴

The Provincial Health Inspectorate is a decentralised structure primarily responsible for the quality control of health facilities through auditing and inspection. A key objective is to register and monitor the distribution of pharmaceutical interventions and specialist equipment.⁸⁵

 - At this level the types of health facilities include:⁸⁶
 - Provincial hospitals- **Peripheral** – also referred to as operational. This level is divided into 516 health zones serving a population of 100 000 to 150 000 people.⁸⁷ Health zones are further subdivided into 8,504 health areas. According to the PNDS, each health zone is managed and overseen by the Health Zone Team and a Chief Medical Officer. It is at this level that the majority of health services are provided to communities.
 - The types of health facilities include:⁸⁸
 - Health posts – basic facilities in rural contexts offering very limited services
 - Health centres – basic facilities offering a more comprehensive package of activities.⁸⁹ Health centres serve 5 000 to 10 000 community members.⁹⁰ According to the PNDS, there are 8,266 health centres distributed across 8 504 health areas.⁹¹

⁸¹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République démocratique du Congo, November 2018, [url](#), p. 48

⁸² PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, pp.31-34

⁸³ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, pp.31-34

⁸⁴ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, pp. 31-34

⁸⁵ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, pp. 31-34

⁸⁶ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 10-12

⁸⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République démocratique du Congo, November 2018, [url](#), pp. 10-12

⁸⁸ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé République Démocratique du Congo, November 2018, [url](#), p.10

⁸⁹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p.10

⁹⁰ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, p.32

⁹¹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p.10

- General reference hospitals – according to the PNDS there are 393 of these distributed across the country.⁹²

Health facilities are managed by a network of public and private organisations and structures.⁹³ Private facilities are sub-divided into for-profit and not-for-profit, the latter includes facilities those operated by NGOs and faith-based organisations.⁹⁴ An absence of national health information systems means that at present, there is an absence of national records on registered health facilities.⁹⁵

The relative role of the public and private sector in managing health facilities varies according to the type of facility.⁹⁶ A review of the health system carried out by the Demographic and Health Surveys Programme in 2017 and 2018 categorised the different types of health facilities according to whether they were publicly or privately run.⁹⁷ A total of 1 380 health facilities were purposively sampled to be representative of the health system organisation.⁹⁸ As such, the following distributions can be considered to be representative across DRC. Of note, the study used a slightly different nomenclature for different types of health facilities than the PNDS, the following health facility names have been included as written in the study.^{99, 100} A total of 832 public facilities were reviewed, of these health centres accounted for the largest proportion (45%), followed by hospitals (35%), then reference centres (17%) and lastly medical centres (3%). A total of 162 public facilities were reviewed, of these health centres accounted for the largest proportion (50%), followed by medical centres (35%), then hospitals (9%) and reference centres (6%). A total of 346 faith-based facilities were reviewed, of these hospitals accounted for the largest proportion (50%), followed by health centres (22%), then reference centres (18%) and medical centres (18%). Lastly, 40 not-for-profit facilities were reviewed, of these medical centres accounted for the largest proportion (43%), followed by hospitals (33%), then health centres (9%) and reference centres (8%).¹⁰¹

The same study also identified significant regional variation in the distribution of health facilities.¹⁰² Most health facilities were located in the north eastern province of North Kivu (7%). This was closely followed by the south western province of Kongo-Central, formerly part of greater Kinshasa, with 5.7% of facilities, then Kinshasa with 5.2%. Provinces with the fewest health facilities were located across northern and central provinces.¹⁰³

With the exception of priority diseases, notably HIV/AIDS and TB, all consultations, diagnostic services and treatments incur a fee in all types of health facilities. Fees are typically lower in public health facilities relative to private institutions.¹⁰⁴

⁹² PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p.10

⁹³ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé République Démocratique du Congo, November 2018, [url](#), p.11

⁹⁴ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p.11

⁹⁵ World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), p. 74

⁹⁶ EPSS, Evaluation des Prestations des Services de soins de Santé, April 2019, Ecole de Santé Publique de Kinshasa, [url](#), p. 19

⁹⁷ EPSS, Evaluation des Prestations des Services de soins de Santé, April 2019, Ecole de Santé Publique de Kinshasa, [url](#), p. 19

⁹⁸ EPSS, Evaluation des Prestations des Services de soins de Santé, April 2019, Ecole de Santé Publique de Kinshasa, [url](#), p. 19

⁹⁹ EPSS, Evaluation des Prestations des Services de soins de Santé, April 2019, Ecole de Santé Publique de Kinshasa, [url](#), p. 330


¹⁰⁰ The report does not include definitions for the different types of health facilities

¹⁰¹ EPSS, Evaluation des Prestations des Services de soins de Santé, April 2019, Ecole de Santé Publique de Kinshasa, [url](#), p. 19

¹⁰² EPSS, Evaluation des Prestations des Services de soins de Santé, April 2019, Ecole de Santé Publique de Kinshasa, [url](#), p. 19

¹⁰³ EPSS, Evaluation des Prestations des Services de soins de Santé, April 2019, Ecole de Santé Publique de Kinshasa, [url](#), p. 19

¹⁰⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020



2.3 Public healthcare

The overall coverage of basic public services, including healthcare, is very limited.¹⁰⁵

Public healthcare operates at three levels: primary, secondary and tertiary. The PNDS outlines a Minimum Packet of Activities and a Complementary Packet of Activities which should be provided at each level of the health system.¹⁰⁶ Of note, the services listed below include those which should be provided and available at different types of healthcare facilities, in principle. However, irregular flow of finances, lack of trained personally and weak supply chains means many health services are often not actually available at the point of care.¹⁰⁷

Primary Healthcare

Strengthening quality, availability and access to primary healthcare services is the principal goal of PNDS.¹⁰⁸ At this level, healthcare is provided at health posts and health centres by non-physician healthcare workers. This includes nurses, midwives, nutrition councillors and community health workers.¹⁰⁹

According to the PNDS, services available in health posts and health centres are: family planning interventions including modern contraceptives (condoms and contraceptive pills); basic paediatric services (treatment of moderate acute malnutrition, deworming, multi-nutrient supplements, oral rehydration); basic malaria services (diagnosis, vector control through larvicides and mosquito nets); basic tuberculosis services (treatment with first-line medications); basic HIV/AIDS services (only treatment of co-infections using cotrimoxazole medication); and nutritional supplementation for pregnant women (folic acid, vitamin A and calcium).¹¹⁰

Health centres are also expected to offer: family planning (contraceptive injections); childhood vaccinations (measles, diphtheria, tetanus toxoids and pertussis DTP, meningitis, hepatitis B, polio, tuberculosis, yellow fever); and basic tuberculosis services (microscopy diagnosis, radiography imaging).¹¹¹

However, a lack of resources, including equipment and diagnostic tests, means health posts and health centres often lack the capacity to provide healthcare.¹¹² As a result, diagnosis are often made using clinical presentation of symptoms reducing the extent to which different causes of ill health may be distinguished from each other.¹¹³ General symptoms such as fever are consequentially often assumed to be malaria and treated accordingly.¹¹⁴

¹⁰⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹⁰⁶ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

¹⁰⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹⁰⁸ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p.4

¹⁰⁹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé République Démocratique du Congo, November 2018, [url](#)

¹¹⁰ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp.87-94

¹¹¹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

¹¹² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹¹³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹¹⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

Secondary Healthcare

At this level, patients can receive more specialised and complex care at general reference hospitals and provincial hospitals, from general physicians, as well as other healthcare workers.¹¹⁵

In principle, services available in these facilities are: family planning interventions (long lasting contraceptives, safe abortions, management of ectopic pregnancies); prenatal care (treatment of syphilis, management of hypertension, pre-eclampsia and other complications); delivery and postpartum care (deliveries with skilled birth attendant, treatment of septicaemia including neonatal, haemorrhage); treatment of sexually transmitted infections and other reproductive care (syphilis, gonorrhoea, chlamydia, urinary tract infections, inflammatory pelvic disease); paediatric care (treatment of dysentery, diarrhoea, malaria, measles, antiretroviral for HIV, treatment of severe malnutrition); childhood vaccinations (same as primary care); malaria treatment; tuberculosis (TB) services (same as primary care); HIV/AIDS services (treatment with first-line medications, nutritional supplementation for pregnant women (same as primary care); and non-communicable diseases services (screening, monitoring and treatment of heart disease, and diabetes).¹¹⁶

Emergency services are included in the PNDS under tertiary care facilities. However, most hospitals, including reference and provincial, provide at least basic general emergency care.¹¹⁷ Emergency care services are extremely limited.¹¹⁸ A study carried out in 2015 on a representative sample of provincial hospitals, found that only 2 of the 12 hospitals were able to provide all essential surgery and anaesthetic services, as defined by the WHO's Emergency and Essential Surgical Care Situation Analysis Tool.¹¹⁹ Factors which contributed to an inability to provide services included no or interrupted water supply (9 of 12 hospitals), as well as no, or interrupted electricity supply (7 of 12 hospitals).¹²⁰

In addition, pain relief in DRC, including in emergency care is very limited.¹²¹ The International Narcotics Control Board (INCB) defines less than 200 daily doses per million, per day as inadequate for a population's pain management.¹²² According to the latest data from INCB, in 2013 DRC had 2 daily doses per million, per day.¹²³

Tertiary Healthcare

At this level, patients can receive specialised care from specialist physicians at university hospitals and the national hospital.¹²⁴

All services available in secondary healthcare centres are available at tertiary care centres. Additional services include: delivery and post-partum care (obstructed deliveries, corticosteroids to delay premature deliveries, induced pregnancies and treatment of neonatal septicaemia); paediatric

¹¹⁵ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

¹¹⁶ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

¹¹⁷ Kalisya, L. et al., The state of emergency care in Democratic Republic of Congo, December 2015 [url](#), pp. 156

¹¹⁸ Sion, M. et al., Global Health: Science and practice, A Resource Planning Analysis of District Hospital Surgical Services in the Democratic Republic of the Congo, 2015, [url](#), p. 1

¹¹⁹ Sion, M. et al., Global Health: Science and practice, A Resource Planning Analysis of District Hospital Surgical Services in the Democratic Republic of the Congo, 2015, [url](#), p. 1

¹²⁰ Sion, M. et al., Global Health: Science and practice, A Resource Planning Analysis of District Hospital Surgical Services in the Democratic Republic of the Congo, 2015, [url](#), p. 1

¹²¹ INCB, International Narcotic Control Board, Availability of Internationally Controlled Drugs, 2015, [url](#), p. 16

¹²² INCB, International Narcotic Control Board, Availability of Internationally Controlled Drugs, 2015, [url](#), p. 7

¹²³ INCB, International Narcotic Control Board, Availability of Internationally Controlled Drugs, 2015, [url](#), p. 16

¹²⁴ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

services (treatment of severe: diarrhoea, pneumonia, malaria and measles); TB services (diagnosis of multidrug resistance); and emergency services, including basic emergency surgery.¹²⁵

2.4 Private healthcare

As previously described, private facilities are divided into for-profit and not-for-profit, with the latter including facilities operated by NGOs and faith-based organisations.¹²⁶ Traditional medicine has also been included under private healthcare to align with the PNDS.¹²⁷

For-profit facilities

According to the PNDS, the for-profit health sector operates primarily in urban centres and economic hubs.¹²⁸ The scope of services available in private facilities are not standardised and vary significantly.¹²⁹ Generally, private facilities are more likely to have basic resources and infrastructure, including electricity, and offer a greater scope of services. As such, there is a consensus that private facilities provide higher quality care and are the preferred provider for those with the necessary financial resources.¹³⁰

There are a number of private hospitals mostly located in Kinshasa, Lubumbashi and Goma.¹³¹

Faith-based facilities

Faith-based health facilities are an important provider of health services representing approximately 40% of health facilities.¹³² As such, faith-based facilities are integrated into the public sector with referral pathways between facilities.¹³³ Some estimates suggest that faith-based organisations manage 34% of General Reference Hospitals.¹³⁴

Non-government organisations (NGOs)

There is a significant presence of national and international Non-Government Organisations (INGOs) integrated into the health sector. The Health Cluster, led by the WHO, coordinates agencies involved in providing health services in DRC. There are 24 international NGOs and 31 national NGOs involved in the DRC health cluster.¹³⁵ The majority of organisations operate in Eastern provinces and Kinshasa.¹³⁶

¹²⁵ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

¹²⁶ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 11

¹²⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 11

¹²⁸ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé République Démocratique du Congo, November 2018, [url](#), p.11

¹²⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹³⁰ Sion, M. et al., Global Health: Science and practice, A Resource Planning Analysis of District Hospital Surgical Services in the Democratic Republic of the Congo, 2015, [url](#), p.1

¹³¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹³² PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p.11 ; Wodon et., Market share of faith-inspired healthcare providers in Africa, The review of faith and international affairs, 12 March 2017, [url](#)

¹³³ Severe Malaria, DRC health system for malaria, 2017, [url](#)

¹³⁴ Severe Malaria, DRC health system for malaria, 2017, [url](#)

¹³⁵ WHO, World Health Organisation, Health Cluster Democratic Republic of Congo, June 2020, [url](#)

¹³⁶ WHO, World Health Organisation, Health Cluster Democratic Republic of Congo, June 2020, [url](#)

The role of different organisations depends on cooperation agreements, as well as on their resources and technical capacities.¹³⁷

For instance, MSF has a significant presence in DRC and manages a number of clinics.¹³⁸ This includes a specialist HIV/AIDS clinic in Kinshasa, as well as numerous Ebola Treatment Centres in Eastern provinces.¹³⁹ Similarly, International Medical Corps manages several Ebola Treatment Centres and supports with provisions of essential drugs and medical supplied across the Eastern provinces of North Kivu, South Kivu and Tanganyika.¹⁴⁰

Traditional medicine

Traditional medicine has an important role in the healthcare system.¹⁴¹ In regions with particularly scarce resources and formal health structures, such as provinces located in the centre of the DRC, traditional medicines are the first treatment source. There has been a national programme in place since 2001 that provides guidance and regulation for the traditional medicines sector.¹⁴²

¹³⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹³⁸ MSF, Doctors Without Borders, 2018, [url](#)

¹³⁹ MSF, Doctors Without Borders, 2018, [url](#)

¹⁴⁰ IMC, International Medical Corps, Democratic Republic of the Congo, n.d, [url](#)

¹⁴¹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 11

¹⁴² PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé République Démocratique du Congo, November 2018, [url](#), p. 11

3 Healthcare human resources

It is widely agreed that the DRC is faced with a critical shortage of healthcare professionals.¹⁴³ However, current and reliable data is limited. According to latest figures from the World Bank, in 2016, there were 0.074 physicians per 1 000 population, placing it 14th worst of the 264 countries included.¹⁴⁴ With regard to nurses and midwives, in 2018 there were 1.11 per 1 000 people, which is ranked as 14th worst.¹⁴⁵ The health sector is particularly lacking in specialists, including pharmacists, dentists and specialist physicians.¹⁴⁶

Healthcare professionals are unequally distributed with most concentrated in large urban areas, notably Kinshasa. According to the PNDS, the Kinshasa has the highest number of physicians at 13 851, while Bas-Uele has the fewest with 2 117.¹⁴⁷

Training of medical personnel is provided through a combination of public and private institutions known as Medical Technical Institutes and Medical Education Institutes. According to the PNDS, the annual human resources audit carried out in 2017 identified a total of 478 training institutions.¹⁴⁸ Of these, approximately 30% were state institutions, 34% were private faith-based institutions and 35% were private for-profit.¹⁴⁹

Nursing training is provided in all the provinces. In contrast, midwifery is only available at 19 training schools (of the aforementioned 478) and laboratory technicians in only 13.¹⁵⁰ Emergency Medicine is not yet established as a medical speciality in DRC.¹⁵¹ There are no postgraduate training programmes for nurses or physicians.¹⁵²

The PNDS describes professional training of medical professionals as being of poor quality. It describes a proliferation of institutions which do not meet expected standards due to a general lack of resources, equipment and high quality teachers and supervisors. The PNDS also states there is low workforce motivation and retention, in part due to regular non-payment of salaries and low wages.¹⁵³

¹⁴³ ONRHSC, Observatoire National Des Ressources Humaines de La Santé En RD. Congo, 2020, [url](#)

¹⁴⁴ World Bank, Data, 2016, [url](#)

¹⁴⁵ World Bank, Data, 2018, [url](#)

¹⁴⁶ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo November 2018, [url](#), pp. 25-27

¹⁴⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 25

¹⁴⁸ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 25

¹⁴⁹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

¹⁵⁰ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 25

¹⁵¹ Kalisya, L. et al., The state of emergency care in Democratic Republic of Congo, December 2015, [url](#), p. 153

¹⁵² Kalisya, L. et al., The state of emergency care in Democratic Republic of Congo, December 2015, [url](#), p. 154

¹⁵³ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 25-26


The health sector is also supported by a network of Community Health Workers (CHWs, known locally as relais communautaires).¹⁵⁴ CHWs are typically existing members of the communities within which they operate.¹⁵⁵ They function as an important intermediary between formal health structures and communities. Their key responsibilities include providing health information to encourage positive hygiene practices and healthy behaviours, as well as increase healthcare seeking behaviours for communicable and non-communicable diseases.¹⁵⁶ CHWs are typically volunteers mobilised by NGOs and so are most active in areas with a large presence of organisations.¹⁵⁷

¹⁵⁴ PNL, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secrétariat Général, République Démocratique du Congo, 2017, p. 64

¹⁵⁵ Millington, K, Effectiveness of Community Health Workers, , Knowledge, evidence and learning for development, November 2018, [url](#), p. 2

¹⁵⁶ Millington, K, Effectiveness of Community Health Workers, Knowledge, evidence and learning for development, November 2018, [url](#), p. 3

¹⁵⁷ Millington, K, Effectiveness of Community Health Workers, Knowledge, evidence and learning for development, November 2018, [url](#), p. 7



4 Pharmaceutical sector

A National List of Essential Medicines is published periodically.¹⁵⁸ The list was last updated in 2018 although the 2010 list is most commonly used by physicians and pharmacists.¹⁵⁹ Medications included are selected by a committee to meet the priority needs of the majority of the population. Those included on the list are prioritised by national purchasing programmes.¹⁶⁰

The supply and provision of medications is achieved through the National System for Supply of Essential Medicines. This is based on centralised purchases by the Federation of Essential Drugs Purchasing Centres and decentralised distribution through Centres of Regional Distribution of Essential Medicines. There are 19 Regional Medical Distribution Centres that are responsible for providing stock to registered distribution sites. Provincial inspectorates carry out quality assurance to ensure that the medicines are of sufficient quality and prevent circulation of counterfeit medicines. There are four laboratories approved by the Ministry of Health which conduct quality screening. Registered medical centres which receive stock through these central purchasing mechanisms include public and private (including not-for-profit) health facilities, as well as pharmacies. The centralised management and distribution to provinces aims to ensure that supply of essential medicines matches demand.¹⁶¹

However, an assessment of Regional Distribution Centres revealed that they lack operational capacity to meet demands from registered health facilities. The amount of stock provided to medical facilities often falls below their requirements.¹⁶² As described in the PNDS, Regional Distribution Centres have become weaker, particularly with regard to their role as a central purchasing unit.¹⁶³ Factors identified as undermining central purchasing and regional distribution include a lack of reliable financing, weak information management systems, lack of human resources for supervision and management and absence of local production of medicines.¹⁶⁴

As a result, some healthcare implementing partners choose to circumvent the national supply chains and operate parallel logistics chains, creating fragmentation and duplication.¹⁶⁵ In 2017, it was estimated that there were over 170 registered and unregistered wholesalers supplying 109 registered pharmacies.¹⁶⁶ The numerous registered wholesalers reduce the scope for economies of scale and efficiencies in supply chains.¹⁶⁷

The weak central purchasing and regional distribution mechanisms, as well as weak registration and inspection processes, have contributed to the proliferation of a parallel, informal market of medicines.

¹⁵⁸ EASO1, Medical doctor and local consultant responsible for in-country data collection, Email Correspondence, August – November 2020

¹⁵⁹ EASO6, Senior Medical Advisor of an international healthcare company, Email Correspondence, August 2020.

¹⁶⁰ EASO1, Medical doctor and local consultant responsible for in-country data collection, Email Correspondence, August – November 2020

¹⁶¹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, url - 29

¹⁶² World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), pp. 38-48

¹⁶³ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, url - 29

¹⁶⁴ World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), pp. 38-48

¹⁶⁵ World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), pp. 38-48

¹⁶⁶ World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), p. 10

¹⁶⁷ World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), pp. 38-48

There are numerous sources which contribute to the informal medicines market which vary in size and degree of organisation. These include large-scale organised purchasing and import of unregistered medicines from international sellers. On a smaller scale, there are individuals who travel internationally to South Africa or further, with the objective of buying medicines to sell in DRC.¹⁶⁸ Lastly, there is the opportunistic import of medicines which results from individuals, particularly the diaspora community, who import often small amounts of medicine for private/family consumption or for sale to local vendors.¹⁶⁹

These unregistered medicines are often integrated into the formal healthcare system. Private medical facilities, registered to receive stock through the central purchasing system, often supplement their stock through the informal market. In contrast, public medical facilities experiencing stockouts, are likely to direct individuals to source medicines from the informal market. For example, a doctor in a public hospital will direct family members to source a named medicine from the informal market in order to treat a patient in the hospital.¹⁷⁰

The informal market operates through individuals as well as through pharmacies. A study by the WHO in 2015 estimated that there were over 5 000 medical dispensaries operating in Kinshasa without a licence or trained pharmacist.¹⁷¹ While stakeholders critique the scale of unregistered and unregulated medical dispensaries, they also recognise that these currently play a critical role widening access to medications given the lack of trained pharmacists.¹⁷²

The scale of the informal medicines market has resulted in the proliferation of poor quality medicines which are either counterfeit or lack sufficient active ingredient to be effective.¹⁷³ According to national records, approximately 0.5% of medicines entering DRC did not meet data quality standards.¹⁷⁴ However, these statistics only represent cases identified at borders where medicines which were registered were submitted for inspection during approval processes.¹⁷⁵ When the entire medicines market is considered, the proportion of poor quality medicines is much higher. For instance, a study of medicines available in the private market in 2018 found that almost 30% of medicines were defined as being of poor quality and almost 60% were underdosed.¹⁷⁶ Addressing poor medicines quality is included as a key objective of the PNDS.¹⁷⁷

¹⁶⁸ Amwanga Z, Illegal pharmacies provide a convenient option – but not necessarily a safe one, June 2019, [url](#)

¹⁶⁹ EASO1, Medical doctor and local consultant responsible for in-country data collection, Email Correspondence, August – November 2020

¹⁷⁰ EASO1, Medical doctor and local consultant responsible for in-country data collection, Email Correspondence, August – November 2020

¹⁷¹ Berne-Waberm, Le System Sanitaire a Kinshasa: Medicaments et Soins Du VIH-Sida, de l'hypertension Arterielle, Dur Diabète de Type II et Des Troubles Mentaux, December 2014, [url](#), p. 9

¹⁷² World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), p. 39


¹⁷³ Amwanga Z, Illegal pharmacies provide a convenient option – but not necessarily a safe one, June 2019, [url](#)

¹⁷⁴ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

¹⁷⁵ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé République Démocratique du Congo, November 2018, [url](#), p.28

¹⁷⁶ Schiavetti, B. et al., The American Journal of Tropical Medicine and Hygiene, January 2018, [url](#), p. 894

¹⁷⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 28



5 National policy on blood transfusion and related services organisation

National blood transfusions are coordinated by a technical unit that sits within the Ministry of Health. The national blood transfusion policy was promulgated in 1999 and implemented in 2002. The policy aims to make quality blood products of sufficient quantity available and accessible throughout the country.¹⁷⁸ To achieve this, the policy aims to create a national network of autonomous blood transfusion structures, headed by the National Centre for Blood Transfusion located in Kinshasa.¹⁷⁹ The centre is responsible for managing 10 provincial transfusion centres managed by respective provincial medical coordinators.¹⁸⁰

Blood donations are received through a network of mobile and stationary facilities as well as in hospitals. The majority of blood donations are from family members of those requiring transfusions (61%), followed by community volunteers (34%) and lastly those receiving some form of remuneration (5%). In most health facilities providing blood transfusions, immunohaematological classification is limited to A-B-O. The phenotype of other characteristics, such as Rhesus antigens, is not systematically carried out. Rapid antigen tests are typically used to screen for antibodies to HIV, hepatitis B and hepatitis C, as well as screening for syphilis.¹⁸¹ Some central provinces conduct additional screening for trypanosomiasis.¹⁸²

In spite of these efforts to strengthen the blood supply system, DRC is characterised by a severe blood shortage and many hospitals lack resources and facilities for blood transfusions.¹⁸³ An article published in 2018 describes the story of a mother who was seeking a blood transfusion for her daughter. As the clinic located in central DRC did not have any blood in stock, she was required to source her own donor. As a result, she was required to pay the clinic and the individual which meant she could not afford the total amount that her daughter required. The provincial health minister is quoted as saying '32 people in the province died in 2017 because they didn't get blood transfusions'.¹⁸⁴

¹⁷⁸ Kabinda, J. et al, Transfusion sanguine en République Démocratique du Congo: efforts réalisés et défis à relever, 2015, [url](#), p. 342

¹⁷⁹ EASO6, Senior Medical Advisor of an international healthcare company, Email Correspondence, August 2020.

¹⁸⁰ Kabinda, J. et al, Transfusion sanguine en République Démocratique du Congo: efforts réalisés et défis à relever, 2015, [url](#), p. 342

¹⁸¹ Kabinda, J. et al, Transfusion sanguine en République Démocratique du Congo: efforts réalisés et défis à relever, 2015, [url](#), p. 345

¹⁸² EASO6, Senior Medical Advisor of an international healthcare company, Email Correspondence, August 2020.

¹⁸³ Global Press Journal, A Blood Transfusion in Africa ? It's Free in Rwanda, Unaffordable in Zimbabwe, October 2017, [url](#); Global Press Journal, Critical Shortage at DRC Blood Bank Has Fatal Consequences, August 2018, [url](#)

¹⁸⁴ Amwanga, Z, Global Press Journal, Critical Shortage at DRC Blood Bank Has Fatal Consequences, August 2018, [url](#)

6 Patient pathways

The healthcare system is centred on primary healthcare. From initial consultations at a primary healthcare facility, patients may receive onward referrals to specialist care. However, the fragmented nature of DRC's healthcare system has created an absence of clear patient pathways. For most diseases, there are no national treatment guidelines and protocols leading to a weak standardisation of care. Patients move frequently between different types of health facilities, from public to private for-profit and private not-for-profit, which further compounds the complexity of referral pathways.¹⁸⁵


Direct self-referral to specialist physicians or treatment centres is possible through informal referral routes. These informal pathways are particularly common in urban centres. Private facilities in particular operate through informal pathways whereby individuals may self-refer.¹⁸⁶

For complex care, those with necessary financial resources almost exclusively choose to travel to neighbouring countries for treatment. Key medical destinations include Rwanda, South Africa and India.¹⁸⁷

¹⁸⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹⁸⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹⁸⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020



7 Risk-pooling mechanism

DRC has weak risk-sharing mechanisms across the health system. As described in the PNDS, ‘the poor allocation of public resources for health and insufficient mechanisms to share risks, constitute one of the major challenges to achieving Universal Health Coverage’.¹⁸⁸ There are a small number of public and private risk sharing mechanisms. According to a report by the World Bank based on data from 2014, ‘private health insurance and other health benefit programmes are concentrated among formally employed people in wealthier income quintiles and reach no more than 3% to 4% of the population’.¹⁸⁹ As a result, the majority of healthcare costs are paid at the point of care, placing large proportions of the population at risk of healthcare-related catastrophic cost.¹⁹⁰ At present, access to health insurance is largely a marker of notable wealth.¹⁹¹

7.1 Health services provided by the State / public authorities

A comprehensive outline of health services is given in [chapter 2.3](#), state provision of health services are centred on primary care.¹⁹² The Ministry of Health, through provincial structures, is responsible for the payment of salaries, organisational training and replenishment of medication stocks. However, as discussed, frequent delays in salary payments as well as stock shortages are reported in public health facilities, particularly in rural districts.¹⁹³

7.2 Public health insurance

A National Programme for Promotion of Health Insurance was established in 2001 as part of the Health System Strategic Plan. However, public health insurance remains distinctly under-developed.¹⁹⁴

The only health insurance scheme supported by public financing is reserved for teachers and called the Mutual Health Insurance for Primary, Secondary and Professional Education (Mutuelle de santé des enseignants des écoles catholiques du Congo, MESP).¹⁹⁵ The insurance scheme receives co-financing from public funds equivalent to USD 1.20 per person, per month, the equivalent of 40% of the total monthly premium.¹⁹⁶ In spite of receiving support from public financing, the insurance cannot be considered a public health insurance scheme as it was established by a not-for-profit

¹⁸⁸ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p.32

¹⁸⁹ World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), p. 10

¹⁹⁰ Wagstaff, A, et al, Progress on catastrophic health spending in 133 countries: a retrospective observational study, the Lancet, February 2018, [url](#), p.176

¹⁹¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹⁹² PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p.4

¹⁹³ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

¹⁹⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹⁹⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹⁹⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

organisation in 2001 to support teachers and their families.¹⁹⁷ There are no other national insurance schemes for health in DRC.¹⁹⁸

7.3 Community-based health insurance schemes

The government of DRC has, in its health development strategy, identified Mutual-health insurance schemes as playing an important role to achieve Universal Health Coverage.¹⁹⁹ A report assessing the role of Mutual Health Organisations in DRC states, ‘to move towards strengthening the role and regulation of Mutual Health Organisations (MHOs), the government defined in law the fundamental principles of MHOs’.^{200, 201} The same source further states, ‘MHOs are a non-profit association of members that seek, via member contributions, to conduct interventions of protection, solidarity, and mutual assistance for its members and their dependants, offering the opportunity to access quality healthcare at decent prices. The law provides two options: (1) compulsory affiliation for anyone whose premium can be deducted at the source in enterprise-based, corporate, school, and student MHOs; and (2) voluntary enrolment in community-based MHOs for informal sector workers’.²⁰²

The study further describes that there are two coordinating bodies which aim to strengthen governance and management of these mutual health schemes. The first, the National Programme for the Promotion of Mutuels (Programme National de Promotion des Mutuelles de Santé) was established under the health system strategic plan in 2001. It aims to take control of a number of small fractured mutual health schemes. The second, the Platform of Organisations for the Promotion of Mutual in Health of Congo (Plateforme des organisations promotrices des mutuelles de santé du Congo, POMUCO) was established in 2015. This aims to strengthen governance and advocacy to accelerate the achievement of universal health coverage.²⁰³

Despite of this commitment to strengthen mutual health schemes, at present they remain underdeveloped and fragmented.²⁰⁴

By far the most well-established mutual health insurance scheme is the aforementioned Mutual Health Insurance for Primary, Secondary and Professional Education (Mutuelle de santé des enseignants des écoles catholiques du Congo, MESP). Membership of MESP is large enough so as to be able to leverage terms and conditions from providers to strengthen the quality healthcare provided at clinics.²⁰⁵

¹⁹⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹⁹⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

¹⁹⁹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé République Démocratique du Congo, November 2018, [url](#), p.57

²⁰⁰ The law determining the fundamental principles of MHOs (Loi organique N° 17/002) was proclaimed on 8 February 2017


²⁰¹ Criel, B, et al., Can mutual health organisations influence the quality of healthcare provision? The case of the Democratic Republic of Congo, April 2020, [url](#), p.3

²⁰² Criel, B, et al., Can mutual health organisations influence the quality of healthcare provision? The case of the Democratic Republic of Congo, April 2020, [url](#), p.3

²⁰³ Criel, B, et al., Can mutual health organisations influence the quality of healthcare provision? The case of the Democratic Republic of Congo, April 2020, [url](#), p.3

²⁰⁴ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 57

²⁰⁵ Criel, B, et al., Can mutual health organisations influence the quality of healthcare provision? The case of the Democratic Republic of Congo, April 2020, [url](#), p. 1



7.4 Private health insurance schemes

At present, private health insurance schemes have a limited role in DRC and cover only small portions of the population. Employers are required by law to contribute to access to healthcare of their employees and their families. However, contributing to healthcare through insurance schemes is not mandatory. Instead, companies can choose to pay medical fees, provide on-site services or contribute to insurance premiums. The law is not rigorously enforced across all sectors and so is largely applied to government employees, or those working for large international organisations.²⁰⁶

The coverage and types of services included in employer-sponsored health insurance vary greatly. These are often limited to coverage of primary care services but with many excluding maternal care and family planning services.²⁰⁷ Employer sponsored insurance plans account for the majority of the private sector market. As such, the private insurance market largely covers those employed in the formal sector often in relatively lucrative positions. It is estimated that only 4% of the population is covered by a private insurance plan.²⁰⁸

In 2015, the government of DRC voted to expand the private health insurance sector. The Regulation and Control of Insurance Bureau was established and charged with providing operating licences to health insurance providers. However, at present there are a few private insurance companies operating in DRC.²⁰⁹

Companies based in remote locations, such as the mining industry, often choose to provide on-site primary health services rather operating through health insurance schemes.²¹⁰

7.5 Other social security plans

The 2011 social security law defined a number of social protection measures. On the whole, these apply to those employed in the formal sector, including public sector employees, and are dependent on employee and employer contributions.²¹¹ Payments expected are typically 5% employee contribution and 5% employer contribution. Plans usually include old age pensions from the age of 60, disability pension due to permanent loss of earning capacity and survivor pensions whereby a dependent is entitled to a proportion of a deceased person's pension.²¹² These measures are not systematically enforced, and employee and employer contributions vary significantly.²¹³

There are no laws related to mandatory maternity or paternity cover.

²⁰⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²⁰⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²⁰⁸ World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), p. 10

²⁰⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²¹⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²¹¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²¹² Social Security Administration, Office of Retirement and Disability Policy, Social Security Programs Throughout the World: Africa, 2019, [url](#)

²¹³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

7.6 Work injury

Those employed in the formal sector are required to contribute 2.25% of income, to a ‘social insurance system’ to cover work injury.²¹⁴ This is matched by equal employer contributions.²¹⁵ As with pensions, this is not systematically enforced and payments are often not received for work-related injuries.²¹⁶

7.7 Minimum wage

The legal minimum wage in DRC is Congolese Francs 7 075 (equivalent to USD 3.61).²¹⁷ However, as the majority of the population work in the informal sector, the national minimum wage is often not applied.²¹⁸

7.8 Poverty alleviation measures

There are no social security systems in place for unemployed persons.²¹⁹

²¹⁴ Social Security Administration, Office of Retirement and Disability Policy, Social Security Programs Throughout the World: Africa, 2019, [url](#)

²¹⁵ Social Security Administration, Office of Retirement and Disability Policy, Social Security Programs Throughout the World: Africa, 2019, [url](#)

²¹⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²¹⁷ Wage indicator, Minimum Wage – Congo, September 2020, [url](#)

²¹⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²¹⁹ Social Security Administration, Office of Retirement and Disability Policy, Social Security Programs Throughout the World: Africa, 2019, [url](#)



8 Out-of-pocket health expenditure

The vast majority of healthcare in DRC is accessed through out-of-pocket expenditures, at the point of care.²²⁰ Out-of-pocket healthcare spending accounts for 40% of all healthcare financing in DRC.²²¹ In primary care facilities, the ratio of expenditures from out-of-pocket healthcare is approximately 32% on health centre consultations, 64% on medications and 2% on non-medical items like food.²²² Those who are unable to pay are at times held in the medical facility until fees are paid. An observational study in Lubumbashi found that over half of the 85 women unable to pay were held in the hospital for 1 to 30 days.²²³

In private facilities including faith-based organisations, user fees are the main source of income for healthcare providers, covering healthcare activities and staff remuneration. In public facilities, government financing is often unreliable and insufficient, making user fees a vital source of revenue.²²⁴ Not-for-profit institutions have more variable application of user fees depending on the organisation leading the facility.²²⁵

National programmes for priority diseases aim to remove all healthcare-related fees.²²⁶ Priority diseases include HIV/AIDS and TB. As such, consultations, diagnostic tests, medications and key treatments are free, in principle. However, it is relatively common that fees are applied prior to a positive confirmation of disease. Those with suspected HIV or TB will be expected to pay for consultations and diagnostic tests in many health facilities. These fees are often prohibitive and a limit to the access to healthcare.²²⁷

8.1 Cost of consultations

The cost of consultations depends on the type of facility.²²⁸

Cost of consultations	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price
Specialist consultation	USD 10	USD 10	USD 40	USD 40

Inpatient treatment costs include the consultation and bed. Additional costs such as medications and imaging are not included and are supplementary.²²⁹

²²⁰ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 41

²²¹ IHME, Institute for Health Metrics, DRC dashboard, October 2020, [url](#)

²²² Laokri, S., et al, Assessing out-of-pocket expenditures for primary health care, BMC Health Services Research, June 2018, [url pp.8](#)

²²³ Cowgill, K and Mukengeshayi, Hospital detention of mothers and their infants at a large provincial hospital, Reproductive Health, 2019, [url](#)

²²⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²²⁵ For instance, MSF facilities typically do not have any user fees

²²⁶ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

²²⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²²⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²²⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

8.2 Treatment cost

There is some evidence of overcharging and oversubscribing of medicines, diagnostic tests, and medical procedures by health facilities, due to the reliance on user fees.²³⁰ For example, the largest community health scheme, the MESP, has medical advisors and administrative staff who review invoices relative to treatments received. Medical advisors estimate that 95% of invoices are revised down after review by up to 25%.²³¹ For the majority of the population, the cost of treatments act as a significant, and often insurmountable, barrier to healthcare.²³² As a result, the majority of the population does not have access to care outside of primary care services.²³³

8.3 Cost of medication

The government of DRC registers and controls the distribution of pharmaceuticals throughout the provinces, through provincial health inspectors. This mechanism aims to regulate drug prices and quality.²³⁴

Medications for key priority diseases are provided for free. Notably these include, anti-retrovirals, treatment of opportunistic infections, and TB treatments, including multidrug-resistant tuberculosis (MDR-TB).²³⁵

Resourcing and supply chain challenges has resulted in a prominent informal pharmaceuticals market. Prices of medicines from these sources are variable, with instances of medications being both higher and lower than in registered facilities.²³⁶

²³⁰ Stéphanie Stasse et al., “Improving Financial Access to Health Care in the Kisantu District in the Democratic Republic of Congo: Acting upon Complexity”, *Global Health Action* 8, no. 1 (2015), [url](#), p.1

²³¹ Criel, B, et al., “Can Mutual Health Organisations Influence the Quality and the Affordability of Healthcare Provision? The Case of the Democratic Republic of Congo”, [url](#), p.2


²³² PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

²³³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²³⁴ World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), pp. 38-48

²³⁵ World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, [url](#), pp. 38-48

²³⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020



9 Cardiovascular diseases

9.1 General information

9.1.1 Epidemiological context

Cardiovascular Disease (CVD) is a general term for conditions affecting the heart and blood vessels. There is a significant lack of CVD prevalence data on CVD in DRC, although it is estimated that the prevalence is relatively high and increasing.²³⁷ Stroke is ranked as the sixth leading cause of death and first among non-communicable diseases.²³⁸ Coronary heart disease is the seventh leading cause of death.²³⁹ According to the latest WHO data published in 2018, coronary heart disease deaths in DRC stood at 28 410, or 4.27%.²⁴⁰ Hypertension is a key risk factor for CVD that increases morbidity and mortality. A screening campaign carried out in 2018 estimated the prevalence of arterial hypertension to be 26% of the adult population in Kinshasa.²⁴¹ According to the PNDS, it is likely that the prevalence is comparable in other urban areas.²⁴²

9.1.2 Strategies and policies for treatment and management of CVD

To date, the health system in DRC has largely been oriented towards addressing communicable diseases. In spite of this, in 2014 a National Programme against Cardiovascular Diseases (Programme National des Maladies Cardiovasculaires) was adopted by the Ministry of Health.²⁴³ This raised the prioritisation given to addressing the management of CVD, particularly in public facilities. The programme, however, has not been updated and has been underfinanced. This has therefore prevented realisation of the key objectives of the programme.²⁴⁴

Addressing CVD is nonetheless outlined in the National Strategic Health Plan (Plan National de Développement Sanitaire 2016-2020, PNDS) as a priority health area for the Government of DRC and the Ministry of Health of DRC.²⁴⁵ As part of this, the PNDS includes hypertension management among its key indicators for monitoring success of the strategy implementation.²⁴⁶ In addition, management of hypertension is included among the minimum packet of activities for health centres and hospitals, while screening of risk factors and treatment of cardiovascular disease is included in the packet of activities for hospitals.²⁴⁷

²³⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, Nov 2018, [url](#), p. 21

²³⁸ Institute of Health Metrics, "DRC Dashboard," 2017, [url](#)

²³⁹ Institute of Health Metrics, "DRC Dashboard," 2017, [url](#)

²⁴⁰ World Life Expectancy, DRC, 2018, [url](#)

²⁴¹ Buila, N., et al., Analysis of blood pressure and selected cardiovascular risk factors in the Democratic Republic of the Congo: the May Measurement Month 2018 results, European Heart Journal Supplements, 28 August 2018, [url](#), pp. 50-53

²⁴² PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, Nov 2018, [url](#), p. 21

²⁴³ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020. Strategy document was not made available for the report.

²⁴⁴ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020.

²⁴⁵ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, Nov 2018, [url](#), p. 21

²⁴⁶ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

²⁴⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

9.1.3 Healthcare provisions for treatment and management of CVD

CVD treatments available at primary care facilities include lifestyle consultations, risk factor monitoring and dispensing of medications, such as diuretics.²⁴⁸ However, many primary care facilities lack guidelines on the treatment of CVD, while a lack of continual professional development training for nurses leads to a poor standardisation of care.²⁴⁹ This often results in the poor management of risk factors and increased burden of ill health attributable to CVD.²⁵⁰

There are very limited specialised care services available in provincial secondary or tertiary facilities.²⁵¹ Provincial hospitals often face significant infrastructure challenges and lack a continuous supply of electricity and water.²⁵² As a result, elective surgeries are only performed in a few specialist hospitals.²⁵³ However, limited resources means patients have poor health outcomes and mortality rates are relatively high.²⁵⁴ For instance, an observational study of heart disease treatment in a private and a university hospital between 2014 and 2016, recorded a hospital mortality rate of 19%, and a 35% death rate within one year of presentation.²⁵⁵

Most seek specialised care from a select number of medical facilities located in Kinshasa.²⁵⁶ The medical facilities include:²⁵⁷

- Public sector:
 - Kinshasa University Clinic (Clinique Universitaire de Kinshasa)
 - Kinshasa General Hospital (Hôpital Général de Kinshasa)
 - Ngaliema Clinic
- Private sector (for profit):
 - HJ Hospital Kinshasa (HJ Hôpitaux Kinshasa)²⁵⁸. The HJ Hospitals also have facilities in Lubumbashi and Goma.²⁵⁹
 - Diamant Medical Centre (Centre Médical Diamant.²⁶⁰)
 - Medical Centre Kinshasa (Centre Médical de Kinshasa.²⁶¹)

²⁴⁸ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

²⁴⁹ Lulebo,A. et al., Assessment of hypertension management in primary health settings in Kinshasa, Democratic Republic of Congo, BMC Health Service Research, December 2015, [url](#), p. 3

²⁵⁰ Lulebo,A. et al., Assessment of hypertension management in primary health settings in Kinshasa, Democratic Republic of Congo, BMC Health Service Research, December 2015, [url](#), pp. 5-8

²⁵¹ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020.

²⁵² GSHP, Global Health science and practice, A Resource Planning Analysis of District Hospital Surgical Services in the Democratic Republic of the Congo, October 2018, [url](#), p. 1

²⁵³ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020.

²⁵⁴ Malamba-Lez, D. et al, Heart failure etiologies and challenges to care in the developing world: an observational study in Democratic Republic of Congo, Cardiac Failure, October 2018, pp. 854-859, [url](#), p.1

²⁵⁵ Malamba-Lez, D. et al, Heart failure etiologies and challenges to care in the developing world: an observational study in Democratic Republic of Congo, Cardiac Failure, October 2018, pp. 854-859, [url](#), p.1

²⁵⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²⁵⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²⁵⁸ HJ Hospital, n.d, [url](#)

²⁵⁹ HJ Hospital, n.d, [url](#)

²⁶⁰ Centre medical Diamant, n.d, [url](#)

²⁶¹ CMK, Centre Medical de Kinshasa, n.d, [url](#)

- Monkole Medical Centre (Centre Hospitalier Monkole).²⁶²

With regard to Ngaliema Clinic, a specialist children's cardiac ward was built in 2017.²⁶³ However, according to one source writing for Global Cardiac Surgery, by late 2018 only two surgeries had been performed.²⁶⁴

Due to a lack of specialist cardiologists, healthcare services available at these health centres is often limited.²⁶⁵ Specialist surgeries in particular are offered on an intermittent and often unreliable basis. The medical centres rely on international cardiologists to visit in order to perform a limited number of scheduled services.²⁶⁶ As a result, those with the required financial resources typically seek treatment in other countries, usually South Africa.²⁶⁷

9.2 Access to treatment

Access to healthcare in DRC is limited, particularly for specialised care. Medicines, alongside lifestyle consultations, are the main treatment options for patients with CVD in DRC.²⁶⁸ A representative sample of health centres were reviewed in 2017 and 2018 to assess availability of different diagnostic and treatment services in health facilities.²⁶⁹ This found that diuretics, used to treat high blood pressure, were relatively widely available, being present in 63% of facilities.²⁷⁰ Other medicines were much less readily available. For example, statins, used to treat high cholesterol, were in stock in fewer than 1% of the health facilities reviewed. Finally, only 22% of hospitals assessed had oxygen available for use during emergency care.²⁷¹

Lack of community awareness regarding CVD and related risk factors reduces health-seeking behaviours and contributes to late presentation at clinics. As a result, patients tend to require more complex care.²⁷²

Other factors limiting access to treatment include the cost of care (see below) and lack of affordable transport. A lack of transport facilities particularly affects access to emergency care during heart failure.²⁷³

Health services, including those for CVD, are available to all citizens with access to healthcare only dependent on ability to pay.

²⁶² CEFA, Centre Hospitalier Monkole, n.d, [url](#)

²⁶³ Clinique Ngaliema, n.d, [url](#)

²⁶⁴ Kanmounye, U, Global Cardiac Surgery, Auscultating cardiac surgery in the DR Congo, September 2018, [url](#)

²⁶⁵ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020.

²⁶⁶ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020.

²⁶⁷ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020.

²⁶⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020.

²⁶⁹ Study reviewed availability of services in a total of 1,380 Health Facilities proportionally distributed across provinces. This was carried out between November 2017 and April 2018.

²⁷⁰ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), p. 251

²⁷¹ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), p. 43

²⁷² Malamba-Lez, D. et al, Heart failure etiologies and challenges to care in the developing world: an observational study in Democratic Republic of Congo, Cardiac Failure, October 2018, pp. 854-859, [url](#), p. 1

²⁷³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

9.3 Cost of treatment

There are no financial support programmes for the treatment of CVD.²⁷⁴ The vast majority of household healthcare spending is through out-of-pocket payments at the point of care.²⁷⁵ Out-of-pocket payments at the point of care are a significant barrier to healthcare. For the majority of the population, treatment beyond primary care consultations are not economically accessible.²⁷⁶ For example, according to the aforementioned study on cardiac care outcomes in Lubumbashi, the average cost of a 10-day inpatient hospitalisation for heart failure is USD 1 000.²⁷⁷ This is almost equal to the average annual income of USD 1 080.²⁷⁸

The cost of inpatient care is more expensive in private hospitals when compared to public facilities. The increased price relates primarily to the cost of the room, rather than consultations and tests. The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing all relevant services. For instance, outpatient cardiac consultation would cost as a minimum USD 17 for admission and USD 10 for a consultation with a cardiologist. All medications incur supplementary charges. Of note, inpatient costs are not inclusive of food.²⁷⁹

Cost of treatment ²⁸⁰	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Clinical admissions					
Cardiology department (daily rates)	USD 17	USD 17	USD 50-100	USD 100-300	None
Cardiac surgery department (daily rates)	-	-	-	-	None
Specialist					
Cardiologist	USD 10	USD 10	USD 40	USD 40	None
Cardiac surgeon	-	--	USD 40	USD 40	None
Medical imaging					
Angiogram (available in only one private hospital)	--	--	USD 50-100*	USD 50-100*	None

²⁷⁴ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020

²⁷⁵ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 41

²⁷⁶ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020

²⁷⁷ Malamba-Lez, D. et al, Heart failure aetiologies and challenges to care in the developing world: an observational study in Democratic Republic of Congo, Cardiac Failure, October 2018, 24:12 pp. 854-859, [url](#), p. 1

²⁷⁸ World Bank, Data Bank, GNI per capita, PPP (current international \$) 2018, [url](#)

²⁷⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²⁸⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

Cost of treatment ²⁸⁰	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
but without permanent specialists in DRC)					
Electrocardiogram (ECG)	USD 10-30	USD 10-30	USD 30-150	USD 30-150	None
Ultrasound of the heart (= echocardiography = echocardiogram = TTE)	USD 50-100	USD 50-100	USD 50-100	USD 70-100	None
Holter monitor/ ambulatory ECG device (cardiology)	USD 100-200	USD 100-200	USD 100-200	USD 100-400	None
Treatment in case of severe heart rhythm disorder					
Placement of pacemaker*	Service by periodically visiting international doctor Price unknown	Service by periodically visiting international doctor Price unknown	Service by periodically visiting international doctor USD 2 500	Service by periodically visiting international doctor USD 2 500	None

* There are not currently any specialists based in DRC able to perform these procedures. Treatment can only be provided by visiting international doctors.²⁸¹

9.4 Cost of medication

Patients often have poor adherence to treatments, particularly for chronic conditions like those related to CVD.²⁸² This is due to prohibitive costs and lack of availability of key medications.²⁸³

The price of medications was collected from eight registered pharmacies based in Kinshasa.²⁸⁴ Medicines from the informal market have not been included.

Drug name	Form	Price per box	Is the drug included on national essential drugs lists?
Anti-hypertensive:			
Perindopril	Tablet	USD 15 (5 mg, 30 units per box) USD 32 (10 mg, 30 units per box)	No


²⁸¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020.

²⁸² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020.

²⁸³ Please refer to [chapter 4](#) for further details on the pharmaceutical sector

²⁸⁴ Please refer to the Introduction for further details on the methodology of price data collection

Drug name	Form	Price per box	Is the drug included on national essential drugs lists?
Enalapril	Tablet	USD 8 (5 mg 30 units per box) USD 11 (20 mg, 28 units per box)	Yes
Lisinopril	Tablet	USD 18 (20 mg, 28 units per box) USD 9 (5 mg, 28 units per box)	No
Bisoprolol	Tablet	USD 5 (2.5 mg, 30 units per box) USD 12 (10 mg, 30 units per box)	No
Propranolol	Tablet	USD 37.5 (160 mg, 28 units per box) USD 19 (80 mg, 28 units per box) USD 9 (40 mg, 28 units per box)	No
Carvedilol	Tablet	USD 9.5 (6.25 mg, 56 units per box). USD 32(25 mg, 30 units per box)	No
Atenolol	Tablet	USD 12.5 (100 mg, 30 units per box) USD 7(50 mg, 30 units per box)	Yes
Indapamide	Tablet	USD 11(1.5 mg, 20 units per box) USD 9 (2.5 mg, 30 units per box)	No
Furosemide	Tablet	USD 9 (40 mg, 30 units per box) USD 28.5 (10 mg, 30 units per box)	Yes
Torsemide	Tablet	USD 13 (10 mg, 30 units per box) USD 11 (5 mg, 30 units per box)	No
Eplerenone	Tablet	USD 26 (25 mg, 30 units per box)	No
Spironolactone	Tablet	USD 11 (25 mg, 30 units per box) USD 15(50 mg, 30 units per box) USD 19 (100 mg, 30 units per box)	Yes
Hydrochlorothiazide	Tablet	USD 14 (25 mg, 30 units per box) USD 19 (50 mg, 30 units per box) USD 20 (100 mg, 30 units per box)	Yes
Lisinopril + Hydrochlorothiazide (combination)	Tablet	USD 20 (20 mg Lisinopril/12.5 hydro, 30 units per box)	No
Enalapril + Hydrochlorothiazide (combination)	Tablet	USD 12.5 (20 mg/12.5 mg, 30 units per box)	No
Nifedipine	Tablet	USD 21 (30 mg, 30 units per box)	No
Losartan	Tablet	USD 11 (50 mg, 30 units per box)	No



Drug name	Form	Price per box	Is the drug included on national essential drugs lists?
		USD 15 (100 mg, 30 units per box)	
Valsartan	Tablet	USD 37.5 (160 mg, 30 units per box) USD 30.5 (80 mg, 30 units per box)	No
Olmesartan	Tablet	USD 10.5 (40 mg, 28 units per box) USD 16.5 (80 mg, 28 units per box) USD 26 (12.5 mg, 28 units per box) USD 32 (12.5 mg, 28 units per box) USD 40 (25 mg, 28 units per box) USD 45 (25 mg, 28 units per box)	No
Telmisartan	Tablet	USD 23 (40 mg, 30 units per box) USD 25 (80 mg, 30 units per box)	No
Candesartan	Tablet	USD 28 (160 mg, 28 units per box) USD 30 (80 mg, 28 units per box) USD 24 (40 mg, 28 units per box)	No
Irbesartan	Tablet	USD 15 (150 mg, 30 units per box) USD 17 (300 mg, 30 units per box)	No
Amlodipine	Tablet	USD 16.5 (10 mg, 30 units per box) USD 25 (5 mg, 30 units per box)	Yes
Lercanidipine	Tablet	USD 47 (20 mg, 28 units per box) USD 24.5 (10 mg, 28 units per box)	No
Amlodipine + Valsartan + Hydrochlorothiazide	Tablet	USD 45 (160 mg, 5 units per box) USD 65 (160 mg, 10 units per box)	No
Urapidil	Tablet	USD 27 (30 mg, 30 units per box). USD 38 (60 mg, 30 units per box)	No
Doxazosin	Tablet	USD 50 (4 mg, 28 units per box) USD 23 (4 mg, 20 units per box) USD 15 (2 mg, 28 units per box)	No
Antiplatelet aggregation:			
Aspirin	Tablet	USD 12 (500 mg, 100 units per box)	Yes

9.5 NGOs

There is a significant presence of national and international NGOs integrated into the health sector across DRC.²⁸⁵ However, most of these do not focus specifically on CVD.²⁸⁶

The Belgian NGO Chaîne de l'Espoir, is one of particular importance for CVD service provision.²⁸⁷ The NGO supports capacity strengthening by bringing international cardiac surgeons to provide specialised services and training to Kinshasa University Clinic (Clinique Universitaire de Kinshasa) and Ngaliema Clinic.²⁸⁸ The organisation focuses specifically on providing treatments to children.²⁸⁹

²⁸⁵ Barbelet, V. et al., Local Humanitarian Action in the Democratic Republic of Congo, March 2019, [url](#) pp.7

²⁸⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

²⁸⁷ Chaîne de l'espoir- Belgique, n.d, [url](#)

²⁸⁸ Chaîne de l'espoir- Belgique, n.d, [url](#)

²⁸⁹ Chaîne de l'espoir- Belgique, n.d, [url](#)



10 Diabetes

10.1 General information

10.1.1 Epidemiological context

Epidemiological data on diabetes in DRC is very limited as there is absence of a national monitoring system or protocols. The International Diabetes Federation estimates that the population prevalence of combined type 1 and type 2 diabetes in DRC is 4.8%. These estimates are based on small-scale studies and comparative countries from which data has been extrapolated and modelled.²⁹⁰ Based on this, the prevalence of diabetes in DRC is almost half of the estimated global prevalence, which stands at 8.5%.²⁹¹ However, there is evidence that the prevalence in cities may be notably higher. A screening campaign in Kinshasa in 2018 estimated the prevalence to be 15.5% of the adult population.²⁹²

The proportion of undiagnosed cases in DRC is very high. In 2019, it was estimated that there were 1 230 000 undiagnosed cases of diabetes with 28 382 diabetes-related deaths.²⁹³ The mortality rate for people with diabetes is high; most people only survive five years after the diagnosis of diabetes.²⁹⁴

10.1.2 Strategy and policies for treatment and management of diabetes

The National Health Development Plan 2019-2022 (Plan National de Développement Sanitaire, PNDS) includes the screening and treatment of diabetes among the Essential Package of Activities for Hospitals.^{295, 296} According to the PNDS, primary care facilities, such as health posts and health centres, should, subject to supply chain capacity, be able to conduct diagnostic tests using a glucometer to measure blood-glucose levels and reactive strips for urine analysis.²⁹⁷

There is evidence that a more detailed strategy or national programme to address diabetes has been developed (known as the Programme National de Lutte Contre le diabète).²⁹⁸ However, a copy of the national programme was not made available for review.

10.1.3 Healthcare provisions for treatment and management of diabetes

Diabetes treatments available from health centres and provincial hospital include lifestyle consultations, risk factor monitoring and dispensing of medications such as insulin.²⁹⁹ In principle, these services are available at health centres and provincial hospitals across the country; however, this is dependent on the availability of diagnostic tests and medicines as described below. There are very limited specialised care services available in provincial secondary or tertiary facilities. Provincial

²⁹⁰ International Diabetes Federation, IDF Atlas 9th edition, 2019, [url](#), p. 136

²⁹¹ WHO, World Health Organization, Diabetes Key Facts, June 2020, [url](#)

²⁹² PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 21

²⁹³ International Diabetes Federation, IDF Atlas 9th edition, 2019, [url](#), pp.136 -137

²⁹⁴ T1 International, Global Type 1 Map Democratic Republic of Congo, n.d, [url](#)

²⁹⁵ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

²⁹⁶ Further details on the Essential Package of Activities included in [chapter 2](#)

²⁹⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

²⁹⁸ Actualite.CD, RDC/Covid-19 : une campagne de dépistage massif du diabète et de l'hypertension prévue à Kinshasa pour réduire le risque de décès, September 2020, [url](#)

²⁹⁹ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Sante Publique de Kinshasa, April 2019, [url](#), pp. 252-255

hospitals often face significant infrastructure challenges and lack a continuous supply of electricity and water.³⁰⁰

Specialised services, such as consultations with trained specialists or specialised surgeries, are almost exclusively provided in Kinshasa.³⁰¹ Hospitals which provide specialised services for diabetes include:

- Public sector:³⁰²
 - Kinshasa University Clinic (Clinique Universitaire de Kinshasa)
 - Kinshasa General Hospital (Hôpital Général de Kinshasa)
- Private sector (for profit):³⁰³
 - HJ Hospital Kinshasa (HJ Hôpitaux Kinshasa). The HJ Hospitals also have facilities in Lubumbashi and Goma.³⁰⁴
 - Diamant Medical Centre (Centre Médical Diamant)³⁰⁵

Medical facilities which offer specialised eye care for diabetic retinopathy include:³⁰⁶

- Public:
 - St Joseph's Hospital Kinshasa (Hôpital St Joseph)
- Private:
 - Vi-zion Ophthalmology Clinic (Vi-zion Clinique D'Ophthalmologie).³⁰⁷

10.2 Access to treatment

Access to healthcare in DRC is very limited, particularly for specialised care. With regards to diabetes, there is a significant treatment gap, particularly for patients with type 1 diabetes.³⁰⁸ Factors which contribute to low coverage of healthcare include poor availability of diagnostic and treatment interventions in health facilities. A representative sample of health centres was reviewed in 2017 and 2018 to determine the availability of medicines and diagnostic tests.³⁰⁹ The study found that only 6 in 10 health facilities had diagnostic tests to conduct glycaemic testing at the time of the assessment.³¹⁰ This varied by type of health facility, with only 47% of health centres able to test for diabetes compared to 78% of hospitals. A substantial regional variation was also recorded. The lowest availability of diagnostic services (6% of health facilities) was recorded in the central-south western

³⁰⁰ Sion, M. et al., Global Health: Science and practice, A Resource Planning Analysis of District Hospital Surgical Services in the Democratic Republic of the Congo, 2015, [url](#), pp.56

³⁰¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁰² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁰³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁰⁴ HJ Hospital, n.d, [url](#)

³⁰⁵ Centre Medical Diamant, n.d, [url](#)


³⁰⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁰⁷ Vi-Zion MD, Clinique d'ophtalmologie, n.d, [url](#)

³⁰⁸ Muyer, et al., Mortality of young patients with diabetes in Kinshasa, DR Congo, Diabetic Medicine, April 2010, [url](#), p. 405

³⁰⁹ EPSS, Evaluation des Prestations des Services de soins de Santé, April 2019, Ecole de Santé Publique de Kinshasa, [url](#), pp. 252-255

³¹⁰ Availability of diagnostic services varied provincially and ranged from 6% in Lomami to 95% in Bas-Uele



province of Lomami. In contrast, 95% of health facilities in the northern province of Bas-Uele had diagnostic tests available.³¹¹

Essential medicines for diabetes, including insulin, were available in approximately 10% of health centres. As with diagnostic test, the availability of insulin varied by type of health facility and province. Insulin was available in only 9% of health centres assessed compared to 55% of hospitals. A similar provincial variation in insulin availability was reported. Health facilities in the provinces of Lomami and Kasai Oriental had the lowest availability of insulin at only 5% of health facilities. In contrast, 69% of facilities in Nord-Ubangi had insulin in stock.³¹²

As a result of poor availability of diagnostic and treatment resources, patients are required to travel to provincial hospitals where diagnostic and treatment resources are more readily available.³¹³ As the majority of the population lives in rural settings, the distance to these health facilities can be significant.³¹⁴

The variation in stock availability in rural health facilities compared to urban is significant; 77% of health facilities in urban areas were equipped to provide diabetes services, compared to 40% of health facilities in rural areas.³¹⁵ Most specialist services are provided in university hospitals located in urban centres.³¹⁶

Lack of community awareness regarding diabetes and related risk factors reduces health-seeking behaviours and contributes to late presentation at clinics.³¹⁷ Other factors limiting access to treatment include the cost of care (discussed below) and lack of affordable transport. A lack of transport facilities particularly affects access to emergency care during diabetes ketoacidosis, a serious complication associated with poorly managed blood-glucose levels.³¹⁸

10.3 Cost of treatment

There are no financial support programmes for the treatment of diabetes.³¹⁹ The vast majority of household healthcare spending is through out-of-pocket payments at the point of care, which creates a significant barrier.³²⁰ For the majority of the population, treatments beyond primary care consultations are not economically accessible.³²¹

Late presentation at a health facility means that patients are often diagnosed during periods of extreme ill health resulting from unmanaged blood sugar levels.³²² As a result, during diagnosis

³¹¹ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 252-255

³¹² EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 252-255

³¹³ T1 International, Global Type 1 Map Democratic Republic of Congo, n.d, [url](#)

³¹⁴ CIA, Central Intelligence Agency, World Factbook, September 2020, [url](#)

³¹⁵ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 252-255

³¹⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³¹⁷ Katchunga, P, et al., Connaissances de la population générale sur l'hypertension artérielle et le diabète sucré au Sud-Kivu, République Démocratique du Congo, Revue d'épidémiologie et de santé publique, March 2012, [url](#), p. 141

³¹⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³¹⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³²⁰ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, Nov 2018, [url](#), p. 41

³²¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³²² Katchunga, P, et al., Connaissances de la population générale sur l'hypertension artérielle et le diabète sucré au Sud-Kivu, République Démocratique du Congo, Revue d'épidémiologie et de santé publique, March 2012, [url](#), p. 141

patients are typically admitted to hospital for approximately 10 days. The cost of admission ranges from USD 50-100.³²³ The average annual income of USD 1 080 equates to USD 90 per month, making hospital healthcare prohibitively expensive for the majority of the population.³²⁴

The cost of inpatient care is more expensive in private hospitals when compared to public facilities. The increased price relates primarily to the cost of the room, rather than consultations and tests. The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing all relevant services. All medications incur supplementary charges. Of note, inpatient costs are not inclusive of food.³²⁵

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Clinical admission					
Admittance in internal or endocrinology department (daily rates)	USD 10-20	USD 20-30	USD 30	USD 30	None
Specialist consultations					
Internal specialist (internist)	USD 10	USD 10	USD 50	USD 50	None
Ophthalmologist	USD 10	USD 10	USD 30	USD 30	None
Endocrinologist	USD 10	USD 10	USD 60	USD 60	None
General practitioner	USD 5	USD 5	USD 20	USD 20	None
Neurologist	USD 15-25	USD 15-25	USD 50	USD 50	None
Devices for measuring blood glucose					
Blood glucose meter for self-use by patient	USD 4	USD 6	USD 15	USD 15	None
Blood glucose self-test strips for use by patient	USD 2.5	USD 4	USD 15	USD 15	None
Laboratory research					
Blood glucose (including HbA1C/ glyc.Hb)	USD 16	USD 24	USD 35	USD 35	None

³²³ T1 International, Global Type 1 Map Democratic Republic of Congo, n.d, [url](#)

³²⁴ World Bank, Data Bank, GNI per capita, PPP (current international \$) 2018, [url](#); United Nations Development Programme, Human Development Report 2016, 2016, [url](#)

³²⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Renal/ kidney function (creatinine, urea, proteinuria, sodium, potassium levels)	USD 27	USD 41	USD 170	USD 170	None
Treatment					
Laser treatment of diabetic retinopathy	-	-	USD 200	USD 200	-

10.4 Cost of medication

Patients often have poor adherence to treatments, particularly for chronic conditions like diabetes.³²⁶ This is due to prohibitive costs and lack of availability of key medications.³²⁷

The price of medications was collected from eight registered pharmacies based in Kinshasa.³²⁸ Medicines from the informal market have not been included.

Drug name	Form	Price per box	Is the drug typically included on national essential drugs medicines lists?
Oral Antidiabetics			
Metformin	Tablet	USD 1 (850 mg, 10 tablets per box) USD 1.5 (500 mg, 10 tablets per box)	Yes
Glibenclamide	Tablet	USD 15 (5 mg, 20 tablets per box)	Yes
Gliclazide	Tablet	USD 6 (40 mg, 30 tablets per box) USD 10 (80 mg, 30 tablets per box)	No
Glimepiride	Tablet	USD 5 (1 mg, 30 tablets per box) USD 10 (2 mg, 30 tablets per box) USD 19.5 (4 mg, 30 tablets per box)	No

³²⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³²⁷ Please refer to [chapter 4](#) for further details on the pharmaceutical sector

³²⁸ Please refer to the Introduction for further details on the methodology of price data collection

Drug name	Form	Price per box	Is the drug typically included on national essential drugs medicines lists?
Repaglinide	Tablet	USD 8 (1 mg, 30 units per box) USD 15 (2 mg, 30 tablets per box)	No
Insulins			
Intermediate acting [12-24 hours]; insulin NPH/isophane like Insulatard®	Injection	USD 4 (each box contains 100 pens of 5 ml, 100U/mL) USD 7 (each box contains 100 pens of 5 ml, 400U/mL)	Yes
Long acting [24 hours]; insulin detemir	Injection (insulin pens)	USD 12 (each box contains 5 pens of 5 ml, 100U/mL)	No
Long acting [24 hours]; insulin glargine like Lantus®	Injection	USD 12 (each box contains 5 pens of 5 ml, 100U/mL)	No
Premixed: combination of regular (short acting) and insulin isophane (intermediate acting) like Mixtard®	Injection	USD 4 (each box contains 100 pens of 5 ml, 100U/mL) USD 7 (each box contains 100 pens of 5 ml, 400U/mL)	Yes
Premixed: aspart (rapid acting) and aspart protamine (intermediate acting) like Novomix®	Injection	USD 12 (each box contains 5 pens of 5 ml, 100U/mL)	No
Premixed: combination of lispro (rapid acting) and insulin lispro protamine (intermediate acting)	Injection	USD 12 (each box contains 5 pens of 5 ml, 100U/mL)	No
Premixed: NPH 70/30 combination of rapid and intermediate acting insulin	Injection	USD 12 (each box contains 5 pens of 5 ml, 100U/mL)	No
Combination of insulin degludec (extra-long acting) and insulin aspart (rapid acting)	Injection	USD 15 (each box contains 5 pens of 5 ml, 100U/mL)	No

Drug name	Form	Price per box	Is the drug typically included on national essential drugs medicines lists?
Rapid acting [2-5 hours]; insulin aspart like ®Novorapid	Injection	USD 12 (each box contains 5 pens of 5 ml, 100U/mL)	No
Rapid acting [2-5 hours]; insulin lispro	Injection	USD 12 (each box contains 5 pens of 5 ml, 100U/mL)	No
Short acting [7-8 hours]; bovine, porcine or human regular insulin like ®Actrapid	Injection	USD 3.75 (each box contains 5 pens of 5 ml, 100U/mL) USD 7 (each box contains 5 pens of 5 ml, 400U/mL)	Yes
Others			
Glucagon	Injection	USD 35.85 (1 mg/ml, 1 unit per box)	Yes

10.5 NGOs

There are some examples of diabetes projects supported by NGOs in DRC.³²⁹ However, these projects are localised and not integrated into the health system. For instance, programme and research reports indicate that in 2017, Médecins Sans Frontières (MSF) was supporting an integrated diabetes clinic in Mweso Hospital in eastern Democratic Republic of Congo.³³⁰ However, there is an absence of data on whether the hospital continues to be supported by MSF for diabetes care.

The World Diabetes Foundation has delivered a variety of health system capacity strengthening and community outreach programmes mostly in Kinshasa and Eastern provinces.³³¹ These programmes have varied in length from five years of programme implementation to one year of implementation.³³²

³²⁹ World Diabetes Foundation, Improving diabetes care WDF05-128, n.d, [url](#); MSF, Médecins Sans Frontières, Evaluating the effectiveness and burden of diabetes care in a complex humanitarian emergency setting in Mweso, North Kivu, Democratic Republic of the Congo (DRC), 2015, [url](#)

³³⁰ Murphy, A., et al., Diabetes care in a complex humanitarian emergency setting: a qualitative evaluation, Health services Research, June 2017, [url](#), p. 2; MSF, Médecins Sans Frontières, Evaluating the effectiveness and burden of diabetes care in a complex humanitarian emergency setting in Mweso, North Kivu, Democratic Republic of the Congo (DRC), 2015, [url](#)

³³¹ World diabetes Foundation, n.d, [url](#)

³³² World diabetes Foundation, Integrated diabetes care, project timeline 2010 – 2015, n.d, [url](#); World diabetes Foundation, Sensitisation and Education Campaign on Diabetes in the Bukavu Health Care District, project timeline 2013 – 2014, n.d, [url](#)

11 Haematology: anaemia and blood clotting disorders

11.1 General information

11.1.1 Epidemiological context

Haematological disorders are diseases which affect the blood or blood production.³³³ This chapter will focus on sickle cell disease, anaemia and haemophilia.

Sickle cell disease

Global prevalence data shows that DRC has one of the highest burdens of sickle cell disease in the world.³³⁴ Population prevalence data is limited; however, studies estimate that approximately 30% of the population carries the sickle cell trait.³³⁵ There is evidence that the sickle cell trait is protective against malaria and therefore particularly common in regions with a high prevalence of malaria.³³⁶ However, inheriting two copies of the sickle cell trait is associated with severe ill health and mortality.³³⁷ This form of sickle cell diseases is known as sickle cell anaemia. At present, DRC does not conduct routine childhood screening for sickle cell anaemia, as a result national prevalence data is limited.³³⁸ However, regional estimates have shown the prevalence of new-borns born with sickle cell anaemia ranges from 0.96 %³³⁹ to 1.4 %.³⁴⁰ This equates to approximately 30 000 to 40 000 new-borns each year.³⁴¹ No data was found on the outcomes of children born with sickle cell disease in DRC. Regional studies on outcomes from across sub-Saharan Africa suggest that sickle cell anaemia is associated with very high rates of childhood mortality with estimates stating that between 50% and 90% of children die before the age of five.³⁴²

Iron deficient anaemia

The prevalence of iron deficient anaemia is high.³⁴³ Overall, approximately 60% of children under 5 and 40% of women aged between 15 and 49 are affected by anaemia.³⁴⁴ Iron deficient anaemia is particularly harmful to these groups given its association with impaired brain development, increased

³³³ Nature Research, Haematological diseases definition, n.d [url](#)

³³⁴ Piel, F. et al., Global burden of sickle cell anaemia in children under five, 2010-2050: modelling based on demographics, excess mortality, and interventions, Plos Med, July 2013, [url](#), p. 4

³³⁵ Aloni, M. et al., Acute Crises and Complications of Sickle Cell Anaemia Among Patients Attending a Paediatric Tertiary Unit in Kinshasa, Democratic Republic Of Congo, Haematology reports, June 2017, [url](#), p. 1

³³⁶ Piel, F. et al., Global distribution of the sickle cell gene and geographical confirmation of the malaria hypothesis, Nature Communications, November 2010, [url](#), p. 1

³³⁷ Wastnedge, E. et al., The global burden of sickle cell disease in children under five years of age: a systematic review and meta-analysis, December 2017, [url](#), pp. 5-7

³³⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³³⁹ Agasa, B. et al., Prevalence of sickle cell disease in a north-eastern region of the Democratic Republic of Congo: what impact on transfusion policy?, February 2010, [url](#), p. 1

³⁴⁰ Tshiolo, L. et al., Neonatal screening for sickle cell anaemia in the Democratic Republic of the Congo: experience from a pioneer project on 31 204 new-borns, Journal of Clinical Pathology, January 2009 [url](#), p. 1

³⁴¹ Aloni, M. et al., Acute Crises and Complications of Sickle Cell Anaemia Among Patients Attending a Paediatric Tertiary Unit in Kinshasa, Democratic Republic Of Congo, Haematology reports, June 2017, [url](#), p. 1

³⁴² Grosse, S. et al., Sickle Cell Disease in Africa, American Journal of Preventative Medicine, December 2011, [url](#), p. 1

³⁴³ DHA, Demographic and Health Survey 2013 – 2014 Democratic Republic of Congo, 2014 [url](#), p. 12

³⁴⁴ DRC National Anaemia Profile, 2014, [url](#), p. 1

risk of pre-term delivery and low birth weight delivery.³⁴⁵ Lack of iron consumption from food the main cause of iron deficient anaemia in DRC.³⁴⁶ DRC is faced with the second largest hunger crisis in the world with over 70% of the population experiencing chronic food insecurity and poor dietary diversity.³⁴⁷

Haemophilia

Haemophilia is a condition which impairs the body's ability to create blood clots to stop bleeding. There are two types of haemophilia known as haemophilia A and B. These differ with respect to the missing blood clotting factors. Data on the prevalence of haemophilia A and B in DRC is extremely limited.³⁴⁸ The World Federation of Haemophilia (WFH), an international not-for-profit organisation, estimates that haemophilia is rare, with 1 child in 10 000 born with haemophilia A and 1 in 50 000 born with haemophilia B.³⁴⁹ When applied to population demographic data for DRC, these estimates suggest that there are approximately 8 400 people living with haemophilia A and 1 600 with haemophilia B.³⁵⁰

11.1.2 Strategy and policies for treatment and management of haematological disorders

There is no overarching national strategy for the management of haematological disorders.³⁵¹ There is mention of sickle cell disease within the National Health Development Plan (Plan National de Développement Sanitaire 2019-2022, PNDS); however, this only extends to saying that the treatment of sickle cell anaemia is not yet integrated into essential primary care services.³⁵² There is evidence that a national programme specifically aimed at addressing sickle cell anaemia (Programme National de Lutte contre la Drepanocytose), has been developed by the Ministry of Health.³⁵³ However, a copy of the national programme was not made available for review.

The PNDS does not comment on the other haematological disorders included in this report.³⁵⁴ However, there is a significant focus given to addressing malnutrition which, as described, is the main underlying cause of iron deficient anaemia in DRC.³⁵⁵ A national strategy to strengthen nutritional security is likely to have a positive impact on iron deficient anaemia.³⁵⁶

Broadly, there is an absence of national guidelines for the treatment of haematological diseases. As such, treatment and care pathways are not standardised and as a result, quality of care is highly variable.³⁵⁷

³⁴⁵ DRC National Anaemia Profile, 2014, [url](#), p. 2

³⁴⁶ Messina, J. et al., Spatial and social factors drive anaemia in Congolese women, November 2013, [url](#), p. 2

³⁴⁷ World Food Programme, Democratic Republic of Congo, 2019, [url](#)

³⁴⁸ EASO3, Deputy Manager of a priority national programme. Responsible for national implementation of the strategy, Email Correspondence, August 2020

³⁴⁹ World Federation of Haemophilia, Annual Global Survey 2018, October 2019, [url](#)

³⁵⁰ Based on population estimates from CIA, Central Intelligence Agency, World Factbook, July 2020, [url](#)

³⁵¹ EASO3, Deputy Manager of a priority national programme. Responsible for national implementation of the strategy, Email Correspondence, August 2020

³⁵² PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé République Démocratique du Congo, November 2018, [url](#) pp. 22

³⁵³ Foundation Pierre Fabre, n.d, [url](#)

³⁵⁴ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

³⁵⁵ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#) pp. 15-16

³⁵⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁵⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

11.1.3 Healthcare provisions for treatment and management of haematological disorders

The availability of treatments for haematological disorders is very limited.³⁵⁸

The PNDS places an emphasis on strengthening primary care services. Treatments for haematological disorders available at a primary care level includes nutritional consultations for those suffering from nutritional anaemia and dispensing of basic medication.³⁵⁹

Specialist treatments for SCD, including blood transfusions, are available in a small number of hospitals in large urban areas, notably Lubumbashi³⁶⁰ and Kinshasa.³⁶¹ This includes a specialist sickle cell treatment centre in Monkole Hospital (Centre Hospitalier Monkole).³⁶² in Kinshasa.³⁶³ There are no specialist treatment centres for haemophilia but some treatments, such as blood transfusions, can be treated in the same centres as sickle cell disease.³⁶⁴ More details on the blood transfusion system can be found in O.

11.1.4 Human resources

There is a notable lack of medical specialists trained on the management of haematological disorders. In a study of 460 physicians treating patients with SCD, fewer than 1% had ever received specific training.³⁶⁵ Formal medical training on management of blood clotting diseases is even more limited.³⁶⁶ WFH delivers important capacity training for physicians to improve treatment of those with haemophilia. Physicians from DRC are not yet well integrated into the training programme, as none of the 42 healthcare professionals from 18 African countries trained between 2016 and 2018 were from DRC.³⁶⁷

11.2 Access to treatment

Access to healthcare in DRC is limited, particularly for specialised care such as the treatment of haematological disorders.³⁶⁸ New-born screening programmes are poorly integrated into maternity

³⁵⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁵⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁶⁰ Lubumbashi is DRC's second largest city, located in the South East

³⁶¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁶² Foundation Pierre Fabre, Support for the sickle cell treatment unit at the Centre Hospitalier Monkole, n.d, [url](#)

³⁶³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁶⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁶⁵ Mbiya, B. et al., Sickle cell disease in the Democratic Republic of Congo: Assessing Physicians' Knowledge and Practices, Tropical Medicine and Infectious Disease, July 2020, [url](#), p. 1

³⁶⁶ EASO3, Deputy Manager of a priority national programme. Responsible for national implementation of the strategy, Email Correspondence, August 2020

³⁶⁷ Diop, S., et.al., Improving access to haemophilia care in sub-Saharan Africa by capacity building, Blood advances, December 2019 [url](#), p. 3

³⁶⁸ EASO3, Deputy Manager of a priority national programme. Responsible for national implementation of the strategy, Email Correspondence, August 2020



services.³⁶⁹ As a result, haematological diseases are characterised by late presentation to health facilities and a notable treatment gap.³⁷⁰

Sickle cell disease

A cause of the treatment gap arises from a lack of diagnostic and treatment availability at health facilities.³⁷¹ A representative sample of health facilities were reviewed in 2017 and 2018 to assess the availability of different essential services.³⁷² This review, by the USAID funded Demographic and Health Surveys (DHS) Program and Kinshasa School of Public Health, found that nationally, only 1% of health facilities offer diagnostic services for sickle cell anaemia. Disaggregation by type of health facility found that no health centres and only 4% of hospitals were equipped for diagnostic testing.³⁷³ Attempts to scale-up testing of new-borns have mostly been delivered through pilot programmes in selected maternities.³⁷⁴ Although these programmes have demonstrated a positive impact, they remain fragmented and lack national reach.³⁷⁵

Key treatments of sickle cell anaemia include prevention and prompt treatment of infections, pain relief, treatment with hydroxyurea to prevent sickle formation, blood transfusions and general regular monitoring by physicians.

Iron deficient anaemia

Programmes to address iron deficient anaemia mostly focus on improving food security and nutritional diversity. Many of these programmes fall outside of the scope of the health system. From health facilities, community members may receive lifestyle consultations to increase iron consumption.³⁷⁶

Haemophilia

First-line treatments for haemophilia include a number of medications.³⁷⁷ In addition, poorly managed blood clotting disorders often require elective surgeries due to musculoskeletal complications.³⁷⁸ These medications and surgeries are largely unavailable in DRC.³⁷⁹

Poor resourcing of health facilities affects access to healthcare for all the aforementioned haematological disorders. Other factors which limit access to treatment include the cost of care

³⁶⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁷⁰ Tshiolo, L, National Development of SCD Programmes in Congo DR, Conference Presentation, October 2016 [url](#)

³⁷¹ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 42-43

³⁷² Study reviewed availability of services in a total of 1,380 Health Facilities proportionally distributed across provinces. This was carried out between November 2017 and April 2018.

³⁷³ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 42-43

³⁷⁴ Tshiolo, L, Neonatal screening for sickle cell anaemia in the Democratic Republic of the Congo: experience from a pioneer project on 31 204 new-borns, Journal of Clinical Pathology, January 2009, [url](#), p. 1

³⁷⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁷⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁷⁷ World Federation of Haemophilia, Guidelines for the Management of Haemophilia, 2020, [url](#), pp. 12-14

³⁷⁸ World Federation of Haemophilia, Guidelines for the Management of Haemophilia, 2020, [url](#), p. 14

³⁷⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

(discussed below) and lack of affordable transport. A lack of transport facilities particularly affects access to emergency care during sickle cell crisis.³⁸⁰

Health services are available to all community members and there are no restrictions according to migration status. The only condition to access treatment is ability to pay.³⁸¹

11.3 Cost of treatment

There is no national risk-sharing mechanisms or national health insurance for haematological disorders.³⁸² As a result, the majority of households use out-of-pocket payments at the point of care. Specialist treatments are expensive and costs are prohibitive for the majority of the population.³⁸³ As a result, most patients receive only basic interventions available from primary care facilities or pharmacies. These include simple pain relief and broad-spectrum antibacterial and antiviral medications.³⁸⁴

The cost of inpatient care is more expensive in private hospitals when compared to public facilities. The increased price relates primarily to the cost of the room, rather than consultations and tests. The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing all relevant services. For instance, outpatient cardiac consultation would cost as a minimum USD 17 for admission as well as USD 10 for a consultation with a cardiologist. All medications incur supplementary charges. Of note, inpatient costs are not inclusive of food.³⁸⁵

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Clinical admission					
Haematology department (daily rates)	USD 25-30	USD 30-40	USD 50	USD 50	None
Paediatric department (daily rates)	USD 10-20	USD 20-30	USD 50-100	USD 50-100	None
Intensive care treatment (daily rate)	USD 15-25	USD 25-40	USD 100-300	USD 100-300	None
Specialist Consultation					
Haematologist	USD 10-15	USD 10-15	USD 40	USD 40	None

³⁸⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁸¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁸² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁸³ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 41

³⁸⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁸⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Paediatrician	USD 10	USD 10	USD 40	USD 40	None
Laboratory tests and diagnostics					
Complete Blood Count: e.g. Hb, WBC & platelets	USD 10	USD 15	USD 40	USD 40	None
Coagulation tests: e.g. prothrombin time (PT)	USD 55	USD 82	USD 60-90	USD 60-90	None
Serologic testing of blood types (A, B, O, rhesus, +/-)	USD 19	USD 29	USD 15	USD 15	None
Measuring blood oxygen/ arterial blood gas (Astrup)	USD 35	USD 35	USD 60	USD 60	None
Treatments					
Transfusion of erythrocytes/red blood cells	USD 20	USD 20	USD 75	USD 75	None
Blood transfusion (safe; e.g. checked for HIV and hepatitis B/C)	USD 18	USD 26	USD 75	USD 75	None
Plasmapheresis	-	-	Priceunknown *	Priceunknown *	None
Platelets / thrombocytes transfusion	USD 100	USD 100	USD 225	USD 225	None
Clinical treatment in case of sickle cell crisis	USD 100-150/10 days	USD 200-300/10 days	USD 400-500/10 days	USD 400-500/10 days	None
Oxygen therapy with device like nasal catheter	-	USD 15-20/day	USD 30	USD 30	None
Diagnostic imaging					
Transcranial Doppler (TCD) to measure blood flow through brain's blood vessels.	-	-	USD 210	USD 210	None

*Information from one hospital: plasmapheresis machine is currently being repaired out of the country.

11.4 Cost of medication

Patients often have poor adherence to treatments, particularly for chronic conditions like those related to CVD.³⁸⁶ This is due to prohibitive costs and lack of availability of key medications.³⁸⁷

The price of medications was collected from eight registered pharmacies based in Kinshasa.³⁸⁸ Medicines from the informal market have not been included.

Drug name	Form	Price per box	Is the drug included on lists like national essential drugs list?
Hemostatics			
Tranexamic acid	Tablet	USD 25 (250 mg, 50 units per box) USD 23 (500 mg, 20 units per box)	Yes
	Injection	USD 15 (16 (500 g/2 ml)	
Desmopressin	Tablet	USD 45 (0.2 mg, 30 units per box)	No
Against anaemia			
Folic acid	Tablet	USD 5 (5 mg, 100 units per box)	Yes
Hydroxycarbamide or hydroxyurea (Hydre a)	Tablet	USD 13 (500 mg, 30 units per box)	No
Ferrous sulphate + folic acid (vit B9)	Tablet	USD 9 (50 mg/350 mcg, 30 units per box)	No
Iron injection			
Ferrioxidesaccharate (ferric saccharate-intravenous iron) - Venofer®	Capsule	USD 5 (200 mg, 10 units per box)	No
	Injection	30 USD (20 mg/ml)	

11.5 NGOs

Of the haematological disorders, SCD has received relatively significant support from the NGO community. For example, the Pierre Fabre Foundation financed the specialist sickle cell unit in Monkole Hospital for a two-year period during 2011 and 2012.³⁸⁹ More recently, the country's first lady Denise Nyakeru Tshisekedi, has been advocating for improved community sensitisation and health services for SCD. This has included making SCD a priority area for financial support from her foundation.³⁹⁰

³⁸⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁸⁷ Please refer to [chapter 4](#) for further details on the pharmaceutical sector

³⁸⁸ Please refer to the Introduction for further details on the methodology of price data collection

³⁸⁹ Foundation Pierre Fabre, Support for the sickle cell treatment unit at the Centre Hospitalier Monkole, n.d., [url](#)

³⁹⁰ Denise Nyakeru Tshisekedi Foundation, Projet de Lutte contre la Drepanocytose, n.d., [url](#)

12 Hepatitis B and C

12.1 General information

12.1.1 Epidemiological context

Hepatitis is an inflammation of the liver which causes numerous health problems. Hepatitis B and C refer to the virus which causes the inflammation. Hepatitis B and C are chronic conditions which, if left untreated, can lead to liver cirrhosis or cancer.³⁹¹ Data on the prevalence of hepatitis B and C in DRC varies significantly as it is not routinely monitored.³⁹²

Hepatitis B is relatively widespread throughout the country and population age groups.³⁹³ The Coalition for Global Hepatitis Elimination estimates that prevalence in DRC is approximately 4.25%, corresponding to 3 727 890 people living with this chronic infection.³⁹⁴ This is below the regional prevalence estimates which stands at 6.2% of the adult population.³⁹⁵ In 2019, there were an estimated 4,460 hepatitis B related deaths in DRC.³⁹⁶ Key transmission routes include sexual transmission, vertical transmission from mother to child and infected blood transfusions.³⁹⁷

Hepatitis C is also relatively widespread in DRC. The prevalence is ranked as high/moderate and estimated at 3.26% of the population. In 2019, there were approximately 5 000 hepatitis C related deaths.³⁹⁸ Key transmission routes for hepatitis C include inadequately sterilised medical equipment particularly syringes and infected blood transfusions. Key at risk population groups include people with diabetes, people with HIV and postpartum women.³⁹⁹

12.1.2 Strategies and policies for treatment and management of hepatitis

The Ministry of Health have not developed specific programmes to outline key priorities to address the burden of hepatitis B and C.⁴⁰⁰ However, within the National Strategic Plan against HIV/AIDS (PSNHIV, Plan Stratégique National de Lutte Contre le VIH/SIDA 2018-2021), focus is given on hepatitis co-infection.⁴⁰¹ The PSNHIV includes among its key objectives the strengthening of screening and of treatment capacities for hepatitis in patients who are HIV positive.⁴⁰² In addition, the national cooperation strategy with the World Health Organization (Stratégie de Coopération de l'OMS avec le pays République Démocratique du Congo 2017–2021) sets hepatitis B and C prevention and

³⁹¹ WHO, World Health Organization, Hepatitis, n.d, [url](#)

³⁹² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

³⁹³ Shindano, T. et al., Hepatitis B virus infection in the Democratic Republic of Congo: a systematic review of prevalence studies (2000-2016), Journal of Public Health, January 2018, [url](#), p. 1

³⁹⁴ Coalition for Global Hepatitis Elimination, Data Dashboards Democratic Republic of Congo, 2019, [url](#)

³⁹⁵ World Health Organization, Fact Sheet Hepatitis B, July 2020, [url](#)

³⁹⁶ Coalition for Global Hepatitis Elimination, Data Dashboards Democratic Republic of Congo, 2019, [url](#)

³⁹⁷ Shindano, T. et al., Hepatitis B virus infection in the Democratic Republic of Congo: a systematic review of prevalence studies (2000-2016), Journal of Public Health, January 2018, [url](#), p. 1

³⁹⁸ Coalition for Global Hepatitis Elimination, Data Dashboards Democratic Republic of Congo, 2019 [url](#)

³⁹⁹ WHO, World Health Organization, Hepatitis C, n.d, [url](#)

⁴⁰⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020.

⁴⁰¹ PSNHIV, Plan stratégique sectoriel santé de La lutte contre le vih/sida 2018-2021, Ministère de la Santé République Démocratique du Congo, April 2018 [no url], p. 7

⁴⁰² PSNHIV, Plan stratégique sectoriel santé de La lutte contre le vih/sida 2018-2021, Ministère de la Santé, République Démocratique du Congo, April 2018 [no url], p. 8

management as strategic priorities.⁴⁰³ Lastly, the National Health Development Plan 2019-2022 (Plan National de Développement Sanitaire, PNDS) includes hepatitis B vaccinations among recommended routine childhood vaccinations.⁴⁰⁴ However, there is no further reference to hepatitis B or C in the PNDS.⁴⁰⁵

12.1.3 Healthcare provisions for treatment and management of hepatitis

The PSNHIV is relatively well financed which has enabled some resource mobilisation for hepatitis healthcare activities. Beyond the PSNHIV, there has been little financing of hepatitis-related healthcare.⁴⁰⁶

The PNDS places an emphasis on strengthening primary care services.⁴⁰⁷ In principle, basic services for hepatitis B and C, including diagnostic testing and medicines, can be received at primary care structures. However, accessibility and supply chain challenges, discussed below, reduce the extent to which these services are available.⁴⁰⁸

There are very limited specialised care services available in secondary or tertiary facilities. Elective surgeries are performed only in few specialist hospitals. With respect to complex care for liver damage, these are only available in a few specialist private facilities in Kinshasa.⁴⁰⁹ The medical facilities include:⁴¹⁰

- Public sector:
 - Kinshasa University Clinic (Clinique Universitaire de Kinshasa)
- Private sector (for profit):
 - HJ Hospitals Kinshasa (HJ Hôpitaux Kinshasa). The HJ Hospitals also have facilities in Lubumbashi and Goma.⁴¹¹
 - Diamant Medical Centre (Centre Médical Diamant)⁴¹²
 - Medical Centre Kinshasa (Centre Médical de Kinshasa)⁴¹³
 - Monkole Medical Centre (Centre Hospitalier Monkole)⁴¹⁴
 - Clinique Marie Yvette⁴¹⁵

⁴⁰³ WHO, World Health Organization, Stratégie de Coopération de l'OMS avec le pays République Démocratique du Congo 2017–2021, [url](#), p. 17

⁴⁰⁴ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo November 2018, [url](#), p. 91

⁴⁰⁵ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

⁴⁰⁶ EASO4, Medical Doctor and Monitoring and Evaluation officer in the Ministry of Health, Email Correspondence, August 2020.

⁴⁰⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 4

⁴⁰⁸ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), p.42

⁴⁰⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴¹⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴¹¹ HJ Hospitals, n.d, [url](#)

⁴¹² Centre Medical Diamant, n.d, [url](#)

⁴¹³ CMK, Centre Medical de Kinshasa, n.d, [url](#)

⁴¹⁴ Centre Hospitalier Monkole, n.d, [url](#)

⁴¹⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

In general, those with the required financial resources travel internationally for all specialised care..⁴¹⁶

12.2 Access to treatment

It is estimated that the majority of those affected by hepatitis B and C are unaware of their infection status and are not receiving treatment..⁴¹⁷ As such, many of those infected develop liver cirrhosis and other complications..⁴¹⁸ Factors contributing to this treatment gap are many and include challenges to providing and accessing care..⁴¹⁹

Challenges to providing services include limited health facility resources to carry out diagnostic and monitoring tests and provide treatment interventions..⁴²⁰ Systematic screening for hepatitis is not performed within the population or at-risk groups, such as pregnant women. Primary healthcare workers are not adequately trained and equipped to diagnose and treat patients with chronic hepatitis B and C..⁴²¹

Similarly, low access to healthcare for the population is rooted in numerous factors including lack of financial resources to pay for services and inaccessibility of clinics due to geographical spread of health centres..⁴²²

In the absence of a national programme to control hepatitis, there are no targeted programmes to reduce barriers to accessing care..⁴²³ However, there are small localised trials which aim to pilot approaches to determine their effect and scalability..⁴²⁴ Examples of these include reducing mother-child transmission of hepatitis B by integrating screening, treatment and immunisation programmes into existing vertical transmission programmes..⁴²⁵

12.3 Cost of treatment

There are no financial support programmes for the treatment of hepatitis..⁴²⁶ The vast majority of household healthcare spending is through out-of-pocket payments at the point of care. Out-of-pocket payments at the point of care are significant barrier to accessing healthcare. For the majority of the population, treatment beyond primary care consultations are not economically accessible..⁴²⁷

⁴¹⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴¹⁷ Coalition for Global Hepatitis Elimination, Data Dashboards Democratic Republic of Congo, 2019, [url](#)

⁴¹⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴¹⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴²⁰ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, p. 42

⁴²¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴²² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴²³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴²⁴ Clinical Trials, Arresting vertical transmission of Hepatitis B Virus, University of North Carolina and University of Kinshasa, August 2020, [url](#)

⁴²⁵ Clinical Trials, Arresting vertical transmission of Hepatitis B Virus, Clinical Trials, University of North Carolina and University of Kinshasa, August 2020, [url](#)

⁴²⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴²⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#) pp. 41

The principal treatments options for hepatitis B and C are lengthy medications.⁴²⁸ The availability of these medications is very low and the costs of treatment is extremely high (discussed further below).⁴²⁹

Other healthcare costs such as consultations and inpatient treatment depend on the type of health facility. The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing all relevant services. All medications incur supplementary charges. Of note, in-patient costs are not inclusive of food.⁴³⁰

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Clinical admission					
Infectious disease department (daily rate)	USD 10-25	USD 25-40	Over USD 200	Over USD 30	None
Specialist					
Internist or Infectious disease specialist	USD 20	USD 20	USD 40	USD 40	None
Hepatologist	USD 20	USD 20	USD 40	USD 40	None
Gastroenterologist	USD 20	USD 20	USD 40	USD 40	None
Internal medicine (Internist)	USD 20	USD 20	USD 40	USD 40	None
Clinical biology					
Laboratory research of liver function (PT, albumin, bilirubin, transaminases: ASAT(=SGOT), ALAT(=SGPT))	USD 25	USD 35	USD 90	USD 90	None
Laboratory research of HBV antibody in case of hepatitis B	USD 10	USD 15	USD 40	USD 40	None
Laboratory research of HCV antibody in case of hepatitis C	USD 10	USD 15	USD 40	USD 40	None
Diagnostics for hepatitis					
Diagnostic imaging by means of ultrasound (of the liver)	USD 40	USD 40	USD 105	USD 105	None

⁴²⁸ WHO, World Health Organization, Hepatitis, n.d, [url](#)

⁴²⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴³⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Diagnostic research, in the form of liver biopsy	USD 90	USD 90	USD 150-205	USD 150-205	None
Diagnostic research: transient elastography; test for liver fibrosis (e.g. FibroScan)	USD 280	USD 280	USD 360	USD 360	None

12.4 Cost of medication

For most patients with hepatitis B, antiviral medications help to reduce the impact of infection but they do not provide a cure. As such, patients require life-long treatment.⁴³¹ In DRC, patients with chronic conditions usually often have poor adherence to treatments due to prohibitive costs and lack of availability of key medications.⁴³²

Direct Acting Antivirals can cure a patient of hepatitis C in 12 weeks with a success rate of over 90%.⁴³³ Licensing agreements allow for the use of some generic medicines in DRC reducing the cost of treatment to increase access.⁴³⁴ Under generic pricing structures, a 12-week course of direct-acting antiviral medications such as sofosbuvir for hepatitis C can be procured at USD 750 per patient.⁴³⁵ However, a weak central purchasing system for medications means that in spite of these vastly reduced treatments costs, these medications are mostly unavailable in DRC.⁴³⁶

The price of medications was collected from eight registered pharmacies based in Kinshasa.⁴³⁷ Medicines from the informal market have not been included.

Drug name	Form	Price per box	Is the drug included on national essential drugs list?
Hepatitis C medication			
Ledipasvir + sofosbuvir (combination)	Tablet	USD 980 (90 mg/400 mg, 30 units per box)	No
Ribavirin	Tablet	USD 360 (200 mg, 30 units per box)	No
Both Hepatitis B and C (classic medication)			

⁴³¹ WHO, World Health Organization, Guidelines on hepatitis B and C testing, February 2017, [url](#), p. 24

⁴³² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴³³ WHO, World Health Organization, Guidelines on hepatitis B and C testing, February 2017, [url](#), p. 28-29

⁴³⁴ WHO, World Health Organization, Technology and market landscape hepatitis C medicines, August 2017, [url](#), p. 54

⁴³⁵ WHO, World Health Organization, Technology and market landscape hepatitis C medicines, August 2017, [url](#), p. 59

⁴³⁶ Medical Xpress, Researchers define the burden of Hepatitis in Democratic Republic of the Congo, October 2017, [url](#)

⁴³⁷ Please refer to the Introduction for further details on the methodology of price data collection

Drug name	Form	Price per box	Is the drug included on national essential drugs list?
Interferon alfa 2a	Tablet	USD 350 (600 mg, 30 units per box)	No
Interferon alfa 2b	Tablet	USD 125 (20 0 mg, 30 units per box)	No

12.5 NGOs

The national NGO called Association d'encadrement des personnes infectées par l'hépatite (also known as SOS Hépatites), is a member of the World Hepatitis Alliance.⁴³⁸ The organisation advocates to strengthen health services for those with hepatitis.⁴³⁹

Research for the report did not identify any other NGOs supporting health services for hepatitis.

13 HIV/AIDS

13.1 General information

13.1.1 Epidemiological context

Since 2010, the prevalence of HIV has been steadily decreasing.⁴⁴⁰ However, it remains among the leading causes of death in DRC.⁴⁴¹ There are approximately 520,000 people living with HIV/AIDs in DRC representing 1.2% of the population.⁴⁴²

Prevalence data on opportunistic infections is very limited.⁴⁴³ A study on patient data from a hospital in Kinshasa identified TB as the main opportunistic infection, affecting 43%⁴⁴⁴ of patients being treated for HIV. This was followed by fungal infections, such as candidiasis (21% co-infected), pneumonia (11%), and other viral and bacterial infections, such as herpes zoster (10%) and salmonella (4%).⁴⁴⁵

⁴³⁸ World Hepatitis Alliance, Our Members, n.d, [url](#)

⁴³⁹ SOS Hépatites, August 2019, [url](#)

⁴⁴⁰ UN AIDS, Democratic Republic of Congo Fact Sheet, 2019, [url](#)

⁴⁴¹ Institute of Health Metrics, DRC Dashboard, 2017, [url](#)

⁴⁴² UN AIDS, Democratic Republic of Congo Fact Sheet, 2019, [url](#)

⁴⁴³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴⁴⁴ The study methodology does not include the total number of patients included.

⁴⁴⁵ Kamangu, NE. et al., Profiles of opportunistic infections in people living with HIV followed at the Military Hospital of Kinshasa Reference (camoKokolo), DRC, Retrovirology, May 2012, doi:10.1186/1742-4690-9-S1-P146

13.1.2 Strategies and policies for treatment and management of HIV/AIDS

Addressing the burden of HIV/AIDS is a key priority for the Government. Two current strategy documents outline the Ministry of Health⁴⁴⁶ and the multisectoral⁴⁴⁷ approach to control and prevent HIV/AIDS. In particular, these aim to reduce transmission rates, particularly from mother to child, and increase access to quality healthcare. The strategy documents aim to reduce the number of new infections by 80% by 2021.⁴⁴⁸

The national HIV/AIDS programme received 90% of financing through external resources.⁴⁴⁹ Key donors to the HIV/AIDS response are PEPFAR (the U.S. President's Emergency Plan for AIDS Relief) and the Global Fund.⁴⁵⁰ PEPFAR focuses its activities on the three key provinces Haut-Katanga, Lualaba and Kinshasa, which account for 50% of the total number of people living with HIV/AIDS in DRC.⁴⁵¹ The financial contribution from the government primarily funds health worker salaries and some infrastructure.⁴⁵²

13.1.3 Healthcare provisions for treatment and management of HIV/AIDS

In general, the care and treatment of people living with HIV/AIDS consists of three components: medical, nutritional and psychosocial. This includes promotion of prevention, testing, care, treatment (including for opportunistic infections), and viral load detection.⁴⁵³ According to the National Strategy for the Fight Against HIV/AIDS, these services should be integrated into the broader health system.⁴⁵⁴ This means that the diagnosis and treatment of HIV/AIDS should be provided by all health facilities. However, as described below, weak supply chains limit the extent to which health facilities are able to provide a comprehensive package of HIV/AIDS services.⁴⁵⁵ At a community level, networks of Community Health Workers (CHWs) act as an intermediary between health facilities and their communities. With regard to HIV, CHWs aim to increase coverage of treatment by encouraging healthcare-seeking behaviours and promote prevention messaging. Importantly, this includes addressing HIV-related stigma.⁴⁵⁶

In addition to integrated health services, a specialist HIV/AIDS medical facility known as Kabinda Day Hospital is managed by Médecins Sans Frontières in Kinshasa. The hospital provides treatment for people at all stages of HIV/AIDS infection including those with advanced AIDS.⁴⁵⁷

⁴⁴⁶ Plan Stratégique Multisectoriel Santé de la Lutte Contre le VIH/SIDA 2018-2021, Programme National de la Lutte Contre le VIH/SIDA, Ministère de la Santé, République Démocratique du Congo

⁴⁴⁷ PSNHIV, Plan Stratégique National de la Riposte au VIH/SIDA 2018-2021, Programme National Multisectoriel de Lutte contre le Sida, Secrétariat Exécutif National, pp. 26-27

⁴⁴⁸ PSNHIV, Plan stratégique sectoriel santé de La lutte contre le vih/sida 2018-2021, Ministère de la Santé, République Démocratique du Congo, April 2018, pp. 26-27

⁴⁴⁹ Plan Stratégique Multisectoriel Santé de la Lutte Contre le VIH/SIDA 2018-2021, Programme National de la Lutte Contre le VIH/SIDA, Ministère de la Santé, République Démocratique du Congo [no url], pp. 9

⁴⁵⁰ Plan Stratégique Multisectoriel Santé de la Lutte Contre le VIH/SIDA 2018-2021, Programme National de la Lutte Contre le VIH/SIDA, Ministère de la Santé, République Démocratique du Congo [no url], pp. 24-29

⁴⁵¹ PEPFAR, Democratic Republic of the Congo Country Operational Plan (COP) 2019 Strategic Direction Summary, April 2019, [url](#), p. 3

⁴⁵² PEPFAR, Democratic Republic of the Congo Country Operational Plan (COP) 2019 Strategic Direction Summary, April 2019, [url](#), pp. 55

⁴⁵³ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), p. 228

⁴⁵⁴ PSNHIV, Plan stratégique sectoriel santé de La lutte contre le vih/sida 2018-2021, Ministère de la Santé, République Démocratique du Congo, April 2018 [no url], pp. 26-27

⁴⁵⁵ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 228-230

⁴⁵⁶ DFID, Department for International Development, Effectiveness of Community Health Workers, November 2018, [url](#), p. 8

⁴⁵⁷ MSF, Médecins Sans Frontières, In Kinshasa, HIV-positive people wait until death's door before coming to receive treatment, November 2019, [url](#)

13.2 Access to treatment

In spite of being a priority disease for the Ministry of Health, UNAIDS estimates that the coverage of HIV/AIDS services is low. Approximately 53% of adults and children living with HIV receive antiretroviral therapy (ARTs), leaving a coverage gap of over 40%. This varies across different segments of the population with highest coverage in men aged over 15 at 72%, and lowest in children aged from 0 to 14, at 28% coverage. The coverage of treatments to prevent mother to child transmission is estimated at 45%.⁴⁵⁸ Details on the treatment coverage of opportunistic infections is very limited. Factors which contribute to low coverage include poor availability of diagnostics and treatment interventions in health facilities.⁴⁵⁹

A representative sample of health centres were reviewed in 2017 and 2018 to determine the extent of stock shortages in medical facilities. The assessment found that approximately 4 out of 10 health facilities did not have resources to conduct HIV screening, including rapid testing kits and ARTs which were only available in 37% of health facilities. The availability of medicines and diagnostic kits varied by type of health facility. Hospitals recorded the greatest availability of products at the point of assessment, while conversely, these were least available in Health Centres. Significant provincial variation was also recorded with treatments least available in Central and North-western provinces.⁴⁶⁰

The lack of availability of diagnostic and treatment products in community-level health facilities, creates a notable barrier to accessing HIV/AIDS services. Community members are required to travel greater distances to find facilities with medicines in stock.⁴⁶¹ Other factors limiting access to treatment include lack of affordable transport, stigma, and prohibitive cost of initial consultations.⁴⁶²

13.3 Cost of treatment

In principle, there should not be any user fees for HIV treatment services, including biological monitoring and distribution of ARTs.⁴⁶³ However, it is not uncommon for patients to be charged consultation and testing fees prior to knowing their HIV status. The price of these vary according to the type of health facility (health centre or hospital) and whether they are public or private facilities.⁴⁶⁴

Costs of treatment of associated healthcare, such as co-infections, are not systematically free of charge.⁴⁶⁵ User fees are often prohibitive and limit access to treatment for large portions of the population.⁴⁶⁶

Some targeted programmes, such as conditional cash and voucher programmes, have been implemented to reduce financial burdens and encourage use of HIV/AIDS services.⁴⁶⁷ For example, a randomised control trial conducted at an antenatal clinic gave participants USD 5 for enrolling on a

⁴⁵⁸ UNAIDS, Democratic Republic of Congo Fact Sheet, 2019, [url](#)

⁴⁵⁹ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 227-238

⁴⁶⁰ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 227-238

⁴⁶¹ Motomoke, E Village reach, On Road and River: Distributions begin in DRC, August 2017, [url](#)

⁴⁶² The conversation, HIV is still taboo in the DRC: chronicles from Kinshasa, August 2017, [url](#)

⁴⁶³ Plan Stratégique Multisectoriel Santé de la Lutte Contre le VIH/SIDA 2018-2021, Programme National de la Lutte Contre le VIH/SIDA, Ministère de la Santé, République Démocratique du Congo [no url], p. 24

⁴⁶⁴ Democratic Republic of the Congo Country Operational Plan (COP) April 2019, President's Emergency Plan For AIDS Relief, PEPFAR, [url](#), p. 43

⁴⁶⁵ EASO3, Deputy Manager of a priority national programme. Responsible for national implementation of the strategy, Email Correspondence, August 2020

⁴⁶⁶ MSF, Medecins Sans Frontieres, Left Behind by the HIV Response, December 2017, [url](#), p. 26

⁴⁶⁷ Yotebieng, M. et al., Lancet HIV, February 2016, Conditional cash transfers increase uptake of and retention in PMTCT care: A randomized controlled trial [url](#)

programme to prevent mother-to-child HIV transmission.⁴⁶⁸ Those who enrolled were given an additional dollar for each consultation visit. The study found the conditional cash programme increased the number of women who attended antenatal visits. However, these types of programmes are often localised and not integrated into the health system.⁴⁶⁹

The cost of inpatient care is more expensive in private hospitals when compared to public facilities. The increased price relates primarily to the cost of the room, rather than consultations and tests. The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing all relevant services. Of note, in-patient costs are not inclusive of food.⁴⁷⁰

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Clinical admission					
Infectious disease department (daily rate)	Free	Free	USD 95	USD 300	Free in all public facilities supported by the PSNHIV
Consultation cost by specialist					
Internist	Free	Free	USD 40	USD 40	Free in all public facilities supported by the PSNHIV
Infectious disease specialist	Free	Free	USD 40	USD 40	Free in all public facilities supported by the PSNHIV
HIV specialist	Free	Free	USD 40	USD 40	Free in all public facilities supported by the PSNHIV
Clinical biology					
CD4 count*	-	-	Free in certain not-for-profit clinics USD 100-112 in private clinics	Free in certain not-for-profit clinics USD 100-112 in private clinics	Free in certain not-for-profit clinics
Viral Load	Free	Free	USD 10	USD 10	Free in all public facilities supported by the PSNHIV

⁴⁶⁸ Yotebieng, M. et al., Lancet HIV, February 2016, Conditional cash transfers increase uptake of and retention in PMTCT care: A randomized controlled trial [url](#)

⁴⁶⁹ Tull, K, Social Protection Measures for Increasing Access to Health Services, 2018, University of Leeds Nuffield Centre for International Health and Development, November 2018, [url](#)

⁴⁷⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

* The government has not been able to mobilise resources for CD4 counts in public health facilities. These are for example covered and carried out in clinics managed by the NGO Médecins Sans Frontières.⁴⁷¹

13.4 Cost of medication

Antiretroviral treatments for HIV are free of charge at all health facilities and registered pharmacies.⁴⁷²

The price of medications was collected from eight registered pharmacies based in Kinshasa.⁴⁷³ Medicines from the informal market have not been included.

⁴⁷¹ EASO3, Deputy Manager of a priority national programme. Responsible for national implementation of the strategy, Email Correspondence, August 2020

⁴⁷² Plan Stratégique Multisectoriel Santé de la Lutte Contre le VIH/SIDA 2018-2021, Programme National de la Lutte Contre le VIH/SIDA, Ministère de la Santé, République Démocratique du Congo [no url], p. 24

⁴⁷³ Please refer to the Introduction for further details on the methodology of price data collection

Drug name	Form	Price per box	Is the drug included on national essential drugs list?
Single antiretroviral/ARVs:			
Ritonavir	Tablet	Free (100 mg, 120 units per box)	Yes
Darunavir	Tablet	Free (600 mg, 60 units per box)	Yes
Dolutegravir	Tablet	Free (50 mg, 30 units per box)	Yes
Nevirapine	Tablet	Free (50 mg, 60 units per box) Free (200 mg, 60 units per box)	Yes
Efavirenz	Tablet	Free (200 mg, 30 units per box) Free (600 mg, 30 units per box)	Yes
Lamivudine (both for hepatitis B and HIV)	Tablet	Free (150 mg, 30/60/90/120 units per box) Free (300 mg, 30/60/90/120 units per box)	Yes
Abacavir	Tablet	Free (300 mg, 60 units per box)	Yes
Zidovudine	Tablet	Free (150 mg, 30/60/90/120 units per box) Free (300 mg, 30/60/90/120 units per box)	Yes
Combination with 2, 3, or 4 antiretrovirals:			
Truvada® (combination of emtricitabine /tenofovir disoproxil)	Tablet	Free (200 mg, 30 units per box) Free (300 mg, 30 units per box)	Yes
Combivir® (combination of zidovudine / lamivudine)	Tablet	Free (150 mg, 30 units per box) Free (300 mg, 30 units per box).	Yes
Epzicom® Kivexa® (combination of abacavir and lamivudine)	Tablet	Free (300 mg, 60 units per box)	Yes
Kaletra® (combination of lopinavir / ritonavir)	Tablet	Free (100 mg, 60 units per box)	Yes

13.5 NGOs

Providing and strengthening HIV/AIDS services is a priority for the Ministry of Health and the broader global health community.⁴⁷⁴ As such, the role of national and international NGOs is extensive.⁴⁷⁵ The literature review did not elucidate existing resources providing a comprehensive overview of the role of NGOs in HIV/AIDS service provision. The role of NGOs can be understood through project documents and resources published on NGO websites.

Examples of international NGOs delivering HIV/AIDS health services include MSF,⁴⁷⁶ IMC,⁴⁷⁷ and Cordaid.⁴⁷⁸ These NGOs often work with local NGOs and civil societies to implement projects. For instance, in 2018, Cordaid worked with 28 civil society organisations to deliver HIV/AIDS services in 413 health zones across the country.⁴⁷⁹ The type of services provided by international NGOs varies from managing clinics, training medical staff to integrating specific activities, such as psychosocial support.⁴⁸⁰

MSF and IMC in particular manage a number of clinics across Eastern provinces which provide HIV services among other things. In addition, MSF manages a large specialist HIV/AIDS clinic in Kinshasa known as the Centre Hospitalier de Kabinda. In 2018, the clinic provided treatment to over 2 000 patients.⁴⁸¹

14 Nephrology

14.1 General information

14.1.1 Epidemiological context

Nephrology relates to the study of kidneys and kidney disease. Prevalence data for kidney disease in DRC is very limited.⁴⁸² Estimates for the prevalence of Chronic Kidney Disease (CKD) range from 7% to 12%⁴⁸³ of the population and end-stage renal disease is estimated to affect 0.2% of the population.⁴⁸⁴ In line with global trends as the burden of noncommunicable diseases and risk factors increase, the overall prevalence is estimated to be increasing.⁴⁸⁵ Key risk factors for CKD include hypertension and diabetes.⁴⁸⁶

⁴⁷⁴ WHO, World Health Organization, WHO Cooperation Strategy with Democratic Republic of Congo 2017-2021, 2017

⁴⁷⁵ Plan Stratégique Multisectoriel Santé de la Lutte Contre le VIH/SIDA 2018-2021, Programme National de la Lutte Contre le VIH/SIDA, Ministère de la Santé, République Démocratique du Congo [no url], p. 50

⁴⁷⁶ MSF, Doctors Without Borders, 2018, [url](#)

⁴⁷⁷ IMC, International Medical Corps, Democratic Republic of the Congo, n.d, [url](#)

⁴⁷⁸ Cordaid, Global Fund Partnership, 2018 [url](#)

⁴⁷⁹ Cordaid, Global Fund Partnership, 2018 [url](#)

⁴⁸⁰ WHO, World Health Organisation, Health Cluster Democratic Republic of Congo, June 2020, [url](#)

⁴⁸¹ MSF, Doctors Without Borders, 2018, [url](#)

⁴⁸² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴⁸³ Mannix, M. et al., Prevalence and risk factors of chronic kidney disease (CKD) in South Kivu, Democratic Republic of Congo (DRC): a population-based study, nephrology dialysis transplantation, May 2018, [url](#), p. 1; Sumaili, E. et al, Epidemiology of chronic kidney disease in the Democratic Republic of Congo: Review of cross-sectional studies from Kinshasa, the capital July 2010, [url](#), p. 1

⁴⁸⁴ Sumaili, E. et.al, Prevalence of chronic kidney disease in Kinshasa: results of a pilot study from the Democratic Republic of Congo, January 2009, [url](#), p. 1

⁴⁸⁵ Sumaili, E. et.al, Prevalence of chronic kidney disease in Kinshasa: results of a pilot study from the Democratic Republic of Congo, January 2009, [url](#), p. 1

⁴⁸⁶ Please refer to chapters on cardiovascular disease and diabetes for further information

14.1.2 Strategies and policies for treatment and management of kidney disease

A national programme or strategy specifically aimed at addressing the burden of CKD has not been developed.⁴⁸⁷ CKD is also not mentioned in the National Health Development Plan 2019-2022 (Plan National de Développement Sanitaire, PNDS).⁴⁸⁸ However, key risk factors, notably hypertension and diabetes are referred to in the PNDS and national programmes to address them have been developed.^{489,490}

14.1.3 Healthcare provisions for treatment and management of kidney disease

Primary care facilities offer basic services.⁴⁹¹ These include medications and lifestyle consultations to address risk factors, such as hypertension.⁴⁹² Specialist care for nephrology is very limited due to a lack of trained physicians and specialised equipment.⁴⁹³ With regard to human resources specialised in the treatment of kidney disease, data suggests that there are very few specialised nephrologists in DRC. A study from 2007 estimated that there were seven nephrologists (0.11/million inhabitants) for the entire population.⁴⁹⁴ While it is possible that the number of nephrologists has increased, it is probable that these are still relatively few in number.⁴⁹⁵

The local consultant provided this information in April 2021:⁴⁹⁶

- Haemodialysis centres exist both in the public and private sector.
- In general, most of the haemodialysis centres in the country are owned by the private sector.
- Although there has been significant progress, the haemodialysis centres are still unevenly distributed across the country. Haemodialysis centres are located in various regions, provinces and cities in the following way:⁴⁹⁷
- The North-western provinces (former Equateur province and former Orientale province) as well as in the central provinces (former Kasai-Oriental province, former Kasai- Occidental and former Bandundu province) appear not to have haemodialysis centres.⁴⁹⁸

⁴⁸⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴⁸⁸ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 21 and 93

⁴⁸⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴⁹⁰ Please refer to chapters on cardiovascular disease and diabetes for further information

⁴⁹¹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 9

⁴⁹² EPSS, Evaluation des Prestations des Services de soins de Santé, , Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 251-259

⁴⁹³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴⁹⁴ Krzesinski, JM., How to tackle the avalanche of chronic kidney disease in sub-Saharan Africa: the situation in the Democratic Republic of Congo as an example, nephrology dialysis transplantation, February 2007, [url](#), p. 334

⁴⁹⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁴⁹⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, April 2021

⁴⁹⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, April 2021

⁴⁹⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, April 2021

- In the South East of the country, 16 haemodialysis centres are located in Lubumbashi in the following way: ⁴⁹⁹
 - 10 at Medical Centre du Centre Ville (Centre Médical du Centre Ville = CMDC)⁵⁰⁰
 - 2 at Medical Centre Beniker (Centre Medical Beniker)
 - 1 at MedPark Clinic ⁵⁰¹
 - 2 at Medical Centre Baraka (Centre Medical Baraka) and
 - 1 at Hospital Gecamines Sud (Hôpital Gecamines Sud)⁵⁰² with the additional note that due to technical problems, the dialysis machines in Hôpital Gecamines Sud and Centre Medical Baraka may not be operational for 4 to 5 months per year. ⁵⁰³
- In the mid-North eastern part of the country haemodialysis centres are located in Bukavu and Goma. ⁵⁰⁴
- In Kinshasa, these numbers of haemodialysis machines were located in the following way: ⁵⁰⁵
 - 10 at Kinshasa University Clinic (Clinique Universitaire de Kinshasa):
 - 0 at Kinshasa General Hospital (Hôpital Général de Kinshasa/ Hôpital Général Provincial de Reference de Kinshasa): no haemodialysis machines are currently operational
 - 13 at HJ Hospital Kinshasa (HJ Hôpitaux Kinshasa) ⁵⁰⁶
 - 5 at Medical Centre Kinshasa (Centre Médical de Kinshasa)
 - 0 at Ngaliema Clinic (Clinique Ngaliema): no haemodialysis machines are currently operational
 - 9 at Medical Centre AFIA (Centre Medical AFIA)
 - 5 at Military Medical Centre Camp Lufungula (Centre Médical Militaire Camp Lufungula)
 - 8 at Ngaliema (Medical) Centre ⁵⁰⁷: 8 operational haemodialysis machines ⁵⁰⁸

The local consultant provided this information in August- November 2020:

Kidney transplants are not currently available in DRC. Kidney donor candidates are referred abroad by Congolese nephrologists. Complications upon return to DRC often cannot be adequately managed by in-country facilities, requiring the patient to travel abroad for follow-up care. ⁵⁰⁹

⁴⁹⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, April 2021

⁵⁰⁰ CMDC, Centre Médicale du Centre Ville, n.d., [url](#)

⁵⁰¹ MedPark Clinic, n.d., [url](#)

⁵⁰² Hôpital Gecamines Sud, n.d., [url](#)

⁵⁰³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, April 2021

⁵⁰⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, April 2021


⁵⁰⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, April 2021

⁵⁰⁶ HJ Hospitals, n.d., [url](#)

⁵⁰⁷ Ngaliema Medical Center, n.d.; [url](#)

⁵⁰⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, April 2021

⁵⁰⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020



14.2 Access to treatment

Access to treatment for CKD and end-stage kidney disease is very limited.⁵¹⁰ There is limited information on the national treatment gap; however, a study from 2012 in Kinshasa estimates that only 12% of those requiring dialysis are on treatment.⁵¹¹ As a result, according to a review on access to dialysis in Kinshasa, most patients with end-stage renal disease in DRC die without receiving appropriate treatment.⁵¹²

Treatment for kidney disease includes lifestyle consultations and pharmacological interventions to manage high blood pressure and high cholesterol.⁵¹³ These are similar to treatments required for cardiovascular disease.⁵¹⁴ These are accessible in primary care facilities, such as health centres.⁵¹⁵

Specialist care includes dialysis. As there are only two dialysis centres, this creates a significant geographical barrier for the majority of the population who lives in rural settings.⁵¹⁶ Other factors contributing to poor access to treatment include the prohibitive cost of healthcare (discussed below) and lack of affordable transport.⁵¹⁷

14.3 Cost of treatment

There is no national risk-sharing mechanisms or national health insurance for the treatment of kidney disease.⁵¹⁸ As a result, the majority of households use out-of-pocket payments at the point of care.⁵¹⁹

The treatment of kidney disease is prohibitively expensive for the majority of the population. Dialysis in particular requires financial resources which far exceed the average income in DRC.⁵²⁰ The total estimated cost of regular haemodialysis, including dialysis and medications, is approximately USD 28 000 per year.⁵²¹ The average annual income is USD 1 080.⁵²²

The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing

⁵¹⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵¹¹ Mukendi, S. et al., Accessibilité à la dialyse péritonéale continue en ambulatoire à Kinshasa, Journal of Nephrology, September 2012, [url](#)

⁵¹² Izeidi, P. et al., Cost estimate of chronic hemodialysis in Kinshasa, the Democratic Republic of the Congo: A prospective study in two centres, Hemodialysis International, 2020, [url](#), p. 122

⁵¹³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵¹⁴ Please refer to report on cardiovascular disease for further details.

⁵¹⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵¹⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵¹⁷ Kalisya, L. et al., The state of emergency care in Democratic Republic of Congo, African Journal of Emergency Medicine, August 2015, [url](#), p. 156

⁵¹⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵¹⁹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 41

⁵²⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵²¹ Izeidi, P. et al., Cost estimate of chronic haemodialysis in Kinshasa, the Democratic Republic of the Congo: A prospective study in two centres, Haemodialysis International, 2020, [url](#), p. 124

⁵²² World Bank, Data Bank, GNI per capita, PPP (current international \$) 2018, [url](#)

all relevant services. All medications incur supplementary charges. Of note, inpatient costs are not inclusive of food.⁵²³

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Clinical admission					
Nephrology department (daily rates)	USD 25-50	USD 50	USD 30	USD 30	No
Specialist Consultation					
Consultation by an internist	USD 10	USD 10	USD 40	USD 40	No
Consultation by a nephrologist	USD 10	USD 10	USD 50	USD 50	No
Laboratory tests					
Research for electrolytes; potassium, sodium, calcium and magnesium	USD 40	USD 55	USD 65-100	USD 65-100	No
Research / acid-base balance in blood and urine; e.g. serum and urine pH, electrolyte levels	USD 25	USD 35	USD 40-100	USD 40-100	No
Research of bacterial cultures	USD 10	USD 15	USD 30-100	USD 30-100	No
Research of renal/ kidney function (creatinine, urea, proteinuria, sodium, potassium levels)	USD 30	USD 45	USD 65-300	USD 65-300	No
Research: PTH, calcium, phosphate	USD 40	USD 60	USD 50-70	USD 50-70	No
Medical imaging					
Ultrasound of kidney	USD 30-35	USD 30-35	USD 45-100	USD 45-100	No
Treatment					
Haemodialysis (cost of one session)	-	USD 60-195 per session	USD 340-490 per session	USD 340-490 per session	No
Acute haemodialysis	-	USD 190 per session	USD 250 per session	USD 250 per session	No

⁵²³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

14.4 Cost of medication

Patients often have poor adherence to treatments, particularly for chronic conditions like those related to kidney disease.⁵²⁴ This is due to prohibitive costs and lack of availability of key medications.⁵²⁵ The estimated quarterly costs of medications for a patient with end-stage renal disease is USD 802.⁵²⁶

The price of medications was collected from eight registered pharmacies based in Kinshasa.⁵²⁷ Medicines from the informal market have not been included.

Drug name	Form	Price per box	Is the drug typically included on the national essential drugs medicines list?
Haematopoietic growth factor; for anaemia due to renal problems			
Erythropoietin	Injection	USD 30-50 (4 000 mg, 6 units per box)	Yes
Phosphate binders			
calcium carbonate	Tablets	USD 10 (500 mg, 60 units per box)	Yes
magnesium hydroxide + aluminium hydroxide (combination)	Sachet	USD 20 (400 mg 30 units per box)	Yes
	Tablet	USD 5 (400 mg, 40 units per box)	
sevelamer	Tablet	USD 100 (800 mg, 180 units per box)	Yes
Medication to treat metabolic acidosis			
sodium bicarbonate (= sodium hydrogen carbonate)	Suspension	USD 10 (250 ml 1 unit per box) USD 20 (500 ml, 1 unit per box)	Yes

14.5 NGOs

The key informant interviews and literature review did not identify any national or international NGOs who focus specifically on kidney disease.

⁵²⁴ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020

⁵²⁵ Please refer to [chapter 4](#) for further details on the pharmaceutical sector

⁵²⁶ Izeidi, P. et al., Cost estimate of chronic haemodialysis in Kinshasa, the Democratic Republic of the Congo: A prospective study in two centres, Haemodialysis International, 2020, [url](#), p. 125

⁵²⁷ Please refer to the Introduction for further details on the methodology of price data collection

15 Neurology: epilepsy and cerebrovascular accident (stroke)

15.1 General information

15.1.1 Epidemiological context

Neurological disorder includes a range of disorders; the focus here is on epilepsy and stroke. Availability of prevalence data on neurological disease in DRC varies by type of disease.⁵²⁸

WHO publishes estimates of stroke⁵²⁹ prevalence and burden of disease. According to these, in 2018 stroke accounted for 29 821 or 4.48% of total deaths in DRC and has been ranked among the top 10 causes of death throughout the last decade.⁵³⁰

The prevalence of epilepsy is significantly less well documented. Globally, epilepsy is believed to affect 4 to 10 people in every 1,000.⁵³¹ In DRC, a study carried out in Lubumbashi suggests that the prevalence is approximately 6 per 1 000 (500 000 individuals).⁵³² However, there is little data to generalise this to the wider population.⁵³³ Relative proportions of neurological disorders can be inferred from health facility patient records. Among 3 540 patients who presented to a neuropsychiatric clinic over a 1-year period, 423 (11.9%) were identified as having epilepsy.⁵³⁴ For the majority of people with epilepsy, the underlying cause is unknown. However, global estimates suggest that approximately 25% of cases result from traumatic brain injury and are therefore considered preventable.⁵³⁵ Road traffic accidents are a key driver of brain injury and the incidence of accidents is high in DRC.⁵³⁶

15.1.2 Strategies and policies for treatment and management of CVD

The National Health Development Plan 2019-2022 (Plan National de Développement Sanitaire, PNDS) does not include any reference to epilepsy or stroke.⁵³⁷ In addition a, targeted national programme has not been developed by the Ministry of Health for either of these diseases.⁵³⁸ However, the PNDS

⁵²⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵²⁹ Stroke results either from a blood clot blocking blood flow to the brain (ischaemic) or bleeding around the brain (haemorrhagic).

⁵³⁰ Institute of Health Metrics, DRC Dashboard, 2017, [url](#)

⁵³¹ WHO, World Health Organization, Epilepsy, June 2019, [url](#)

⁵³² Koba Bora, B. et al., Living with epilepsy in Lubumbashi: epidemiology, risk factors and treatment gap, Pan Africa Medical Journal, August 2015 [url](#) pp.1

⁵³³ Mukuku, O. et al., Epidemiology of Epilepsy in Lubumbashi, Hindawi Neurology Research International, June 2019, [url](#) pp.2

⁵³⁴ Koba Bora, B. et al., Living with epilepsy in Lubumbashi: epidemiology, risk factors and treatment gap, Pan Africa Medical Journal, 26 August 2015 doi: [url](#)

⁵³⁵ WHO, World Health Organization, Epilepsy, June 2019, [url](#)

⁵³⁶ Institute of Health Metrics, "DRC Dashboard," 2017, [url](#)

⁵³⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

⁵³⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

does include addressing hypertension under its key performance indicators.⁵³⁹ Hypertension is a key risk factor for stroke.

15.1.3 Healthcare provisions for neurology

The PNDS places an emphasis on strengthening primary care services.⁵⁴⁰ Neurological treatments available from primary care services are extremely limited. Services include dispensing medications when these are in stock.⁵⁴¹

Specialist treatments are available in hospitals of large urban areas notably Lubumbashi⁵⁴² and Kinshasa.⁵⁴³ There is one specialist neuropsychiatric institution located in each of these cities, these are: Centre Neuro-Psychiatrique Joseph Guislain, Lubumbashi,⁵⁴⁴ and Centre Neuro-Psychopathologique, in Kinshasa University Hospital.⁵⁴⁵ Epilepsy services available in these hospitals include diagnostic tests (electroencephalography (EEG) and computerised tomography (CT) scan, as well as treatment using anti-epileptic medications.⁵⁴⁶

The treatments for stroke aim to reduce the impact of the stroke and decrease the likelihood of reoccurrence. An important risk factor for stroke is cardiovascular disease.⁵⁴⁷ Treatments for stroke include pharmacological interventions immediately after the episode of stroke, followed by longer term physiotherapy to manage impairments. The latter is available in both of the specialist neurological centres in Kinshasa and Lubumbashi.⁵⁴⁸

15.2 Access to treatment

General access to healthcare in DRC is extremely limited. This is even more true for specialist services such as neurology.⁵⁴⁹

An observational study of patients diagnosed with epilepsy in Lubumbashi, estimated a treatment gap of 67%.⁵⁵⁰ As the estimate is based on those presenting at the hospital, the actual treatment gap is likely to be significantly greater.⁵⁵¹ Epilepsy was also characterised by late presentation to physicians with the mean duration between the onset of seizures and first consultation at 83.5 months.⁵⁵² This

⁵³⁹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 79

⁵⁴⁰ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 4

⁵⁴¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁴² DRC's second largest city located in the South East

⁵⁴³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁴⁴ Fracarita International, n.d, [url](#)

⁵⁴⁵ Univeristy de Kinshasa, Centre Neuro Pyscho Pathologique, n.d, [url](#)

⁵⁴⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁴⁷ For further details on healthcare services for CVD, please refer to the CVD report.

⁵⁴⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁴⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁵⁰ Koba Bora, B. et al., Living with epilepsy in Lubumbashi: epidemiology, risk factors and treatment gap, Pan Africa Medical Journal, August 2015 [url](#), p. 3

⁵⁵¹ Koba Bora, B. et al., Living with epilepsy in Lubumbashi: epidemiology, risk factors and treatment gap, Pan Africa Medical Journal, August 2015 [url](#), p. 2

⁵⁵² Mukuku, O. et al., Epidemiology of Epilepsy in Lubumbashi, Hindawi Neurology Research International, 29 June 2019, [url](#), p. 3

increases the likelihood of long-term impairments from unmanaged seizures.⁵⁵³ The treatment gap for stroke is unknown, as many patients and their families do not seek formal care.⁵⁵⁴

Traditional healers have an important role in epilepsy. In rural districts where formal healthcare structures are limited, traditional medicine is often the first healthcare sought for children with epilepsy.⁵⁵⁵ In the aforementioned observational study in Lubumbashi, 30% of patients with epilepsy had visited traditional healers prior to presentation at the hospital.⁵⁵⁶

Factors contributing to poor access to treatment include the prohibitive cost of healthcare (discussed below), poor availability of specialist services nationally and lack of affordable transport.⁵⁵⁷ A lack of transport facilities particularly affects access to emergency care during a stroke.⁵⁵⁸

Globally, epilepsy has a long history of association with witchcraft and evil spirits, leading to stigma that affects health-seeking behaviours. A study on perceptions of epilepsy from a rural community in Ituri, a North eastern province, found that epilepsy related stigma was common.⁵⁵⁹ Although these findings cannot be generalised to the entire population, they do demonstrate additional factors that impact health-seeking behaviours of families and access to anti-epileptic drugs.⁵⁶⁰

15.3 Cost of treatment

There are no financial support programmes for the treatment of neurological disorders.⁵⁶¹ The vast majority of household healthcare spending is through out-of-pocket payments at the point of care.⁵⁶²

Out-of-pocket payments are significant barrier to healthcare. For the majority of the population, treatments beyond primary care consultations are not economically accessible.⁵⁶³ For example, the average cost of hospitalisation in a public neurology ward is USD 17.5 - 25 per day. Diagnostic imaging, such as an EEG, is supplementary and costs on average 33.5 USD. The average annual income is approximately USD 1 080, equating to USD 90 per month.⁵⁶⁴

The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing all relevant services.⁵⁶⁵

⁵⁵³ Epilepsy Foundation, Thinking, Memory and Epilepsy, February 2014, [url](#)

⁵⁵⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁵⁵ Mukuku, O. et al., Epidemiology of Epilepsy in Lubumbashi, Hindawi Neurology Research International, June 2019, [url](#), p. 3

⁵⁵⁶ Mukuku, O. et al., Epidemiology of Epilepsy in Lubumbashi, Hindawi Neurology Research International, June 2019, [url](#), p. 4

⁵⁵⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁵⁸ Kalisya, L. et al., The state of emergency care in Democratic Republic of Congo, African Journal of Emergency Medicine, August 2015, [url](#), p. 156

⁵⁵⁹ Dolo, H. et al., Community perceptions of epilepsy and its treatment in onchocerciasis endemic region in Ituri, Infectious diseases of poverty, December 2018 [url](#), pp. 3-6

⁵⁶⁰ Mukuku, O. et al., Epidemiology of Epilepsy in Lubumbashi, Hindawi Neurology Research International, 29 June 2019, [url](#), p. 3

⁵⁶¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁶² PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, Nov 2018, [url](#), p. 41

⁵⁶³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁶⁴ World Bank, Data Bank, GNI per capita, PPP (current international \$) 2018, [url](#)

⁵⁶⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020



Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Clinical admission					
Clinical admittance in neurology department (daily rates)	USD 10-20	USD 20-25	USD 50	USD 50	No
Specialist consultation					
Neurologist	USD 15-25	USD 15-25	USD 30-50	USD 30-50	No
Rehabilitation specialist	USD 10	USD 10	USD 30	USD 30	No
Neurosurgeon	USD 15-25	USD 15-25	USD 50	USD 50	No
Internist	USD 10	USD 10	USD 40	USD 40	No
Physical therapist	USD 10	USD 10	USD 20-30	USD 20-30	No
Laboratory research and diagnostics					
EEG (Electroencephalogram)	USD 30	USD 30	USD 50-250	USD 50-250	No
CT scan	USD 100-180	USD 100-180	USD 280-450	USD 280-450	No
MRI scan	USD 190	USD 190	USD 200-500	USD 200 - 500	No

15.4 Cost of medication

Patients often have poor adherence to treatments, particularly for chronic conditions like neurological disorders.⁵⁶⁶ This is due to prohibitive costs and lack of availability of key medications.⁵⁶⁷

The price of medications was collected from eight registered pharmacies based in Kinshasa.⁵⁶⁸ Medicines from the informal market have not been included.

⁵⁶⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁶⁷ Please refer to [chapter 4](#) for further details on the pharmaceutical sector

⁵⁶⁸ Please refer to the Introduction for further details on the methodology of price data collection

Drug name	Form	Price per box	Is the drug included on the national essential drugs list?
Antiepileptics (e.g. to reduce frequency of attacks)			
Levetiracetam	Tablet	USD 30 (250 mg, units per box) USD 35 (500 mg, 50 units per box) USD 39 (1 000 mg, 30 units per box)	No
Carbamazepine	Tablet	USD 20 (100 mg, 20 units per box) USD 40 (200 mg, 20 units per box)	Yes
Valproic acid OR Valproate OR Depakine®	Tablet	USD 15 (500 mg, 40 units per box)	Yes
Pregabalin	Tablet	USD 55 (150 mg, 56 units per box) USD 45 (75 mg, 56 units per box) USD 20 (50 mg, 30 units per box) USD 15 (25 mg, 30 units per box)	No
Gabapentine	Tablet	USD 75 (300 mg, 90 units per box)	No
Phenytoin*	Tablet	USD 15 (100 mg, 100 units per box)	Yes
Phenobarbital	Tablet	USD 10 (50 mg, 15 units per box) USD 13.5 (100 mg, 15 units per box)	Yes
Ethosuximide*	Suspension	USD 10, (5 ml, 1 unit per box)	Yes
	Capsules	USD 240 (250 mg, 100 units per box)	
Clonazepam	Injection	USD 40 USD (1 mg, 6 units per box)	Yes
	Tablet	USD 25 (0.5 mg, 100 units per box) USD 20 (2.5 mg, 40 units per box)	

Drug name	Form	Price per box	Is the drug included on the national essential drugs list?
Clobazam	Tablet	USD 35 (10 mg, 30 units per box)	No
Antiepileptics to treat acute attacks/status epilepticus:			
Diazepam (rectiole / rectal suppository for epileptic attacks)*	Tablet	USD 3.50 (10 mg, 10 units per box)	No
Diazepam (i.v. Injection for epileptic attacks)	Injection	USD 10 (5 mg, 10 units per box)	Yes
Midazolam (i.m. Injection for epileptic attacks)*	Injection	USD 4 (5 mg, 5 units per box)	No
phenytoin (i.v. injection for epileptic attacks)	Solution	USD 13 (25 mg/ml, 10 units per box) USD 25 (50 mg/ml, 10 units per box)	Yes
Anti-blood-clotting medicines:			
Warfarin*	Tablet	USD 3 (2 mg, 20 units per box) USD 6 (5 mg, 20 units per box)	Yes
Acetylsalicylic acid (Aspirin®)	Tablet	USD 2.5 (100 mg, 100 units per box) USD 3 (500 mg, 30 units per packet)	Yes
Heparin	Capsule	USD 12 (200 mg, 10 units per box)	Yes
Clopidogrel	Tablet	USD 35 (75 mg, 30 units per box)	No

*The medication is typically very difficult to find.

15.5 NGOs

Fracarita International is a faith-based non-profit organisation that has an important role in the treatment of Neurological Disorders in DRC. Fracarita International supports the specialist centre of Lubumbashi, Centre Neuro-Psychiatrique Dr Joseph Guislain, with resources and capacity strengthening.⁵⁶⁹

⁵⁶⁹ Fracarita International, n.d, [url](#)

The international NGO, Humanity and Inclusion also is also active regarding disability inclusion and advocacy.⁵⁷⁰ Humanity and Inclusion aims to address the needs of all disabilities which includes, but is not exclusive to, neurological disorders. Humanity and inclusion operates primarily in the eastern province of North Kivu and central province of Kasai.⁵⁷¹

⁵⁷⁰ Humanity and Inclusion, Democratic Republic of Congo, n.d, [url](#)

⁵⁷¹ Humanity and Inclusion, Democratic Republic of Congo, n.d, [url](#)

16 Psychiatry

16.1 General information

16.1.1 Epidemiological context

Psychiatry is a medical field that addresses a range of mental health conditions. The focus here will be on depression, anxiety disorders like post-traumatic stress disorder, and psychotic disorders like schizophrenia and bipolar disorder. There is very limited reliable prevalence data on mental health disorders in DRC as data is not routinely collected and reported in clinics.⁵⁷² According to the 2019 Global Burden of Disease study, 4.21% of the population suffers from depressive disorders, equal to over 3.6 million people. This is greater than the estimated global prevalence which stands at 3.76%.⁵⁷³ Other studies and reports suggest that the prevalence is much higher at 15 million people.⁵⁷⁴ Of note, however, these studies reference the National Mental Health Programme (Programme National de Santé Mentale, PNSM), published in 2006 and so cannot be considered up to date.⁵⁷⁵

Displaced populations, including internally displaced, refugees, and returnees, are disproportionately affected by mental ill health.⁵⁷⁶ As outlined in [chapter 1](#), there are over 5 million internally displaced people and over 524 000 refugees living in DRC.⁵⁷⁷ This suggest that there is a high level of need for mental health services.

⁵⁷² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁷³ IHME, Institute for Health Metrics, Global Health Development Report, 2019, [url](#)

⁵⁷⁴ WHO, World Health Organization, Democratic Republic of Congo, Mental Health Atlas 2011, [url](#), p. 1; Le Potentiel, Au moins 15 millions de personnes atteintes des troubles mentaux en RDC, 14 October 2008. Referenced in: Immigration and Refugee Board of Canada, Democratic Republic of the Congo: The treatment of people with mental health disorders; protection and services provided by the state, June 2012, [url](#)

⁵⁷⁵ The PSNM was not made available for review

⁵⁷⁶ Morina, N., et al., Psychiatric Disorders in Refugees and Internally Displaced Persons After Forces DisplacementL A Systematic Review, September 2018, [url](#), p. 1

⁵⁷⁷ UNHCR, United Nations High Commissioner for Refugees, DR Congo emergency dashboard, September 2019, [url](#)

16.1.2 Strategies and policies for psychiatry

The burden of mental health disorder is described in detail in the National Health Development Plan (Plan National de Développement Sanitaire 2016-2020, PNDS). Although the PNDS details the estimated burden of disease, it does not go on to propose a health system response to address it.⁵⁷⁸ In addition, the lists of essential services for health centres and hospitals do not include any psychiatric services.⁵⁷⁹ Previously, a number of national strategies, referred to as programmes, were developed to strengthen the provision of mental health service. Importantly, the 1999 strategy aimed to move treatment services out of medical facilities towards a care in the community approach, by increasing service provision through primary care structures.⁵⁸⁰ This model is considered to be a fundamental step to address stigma and strengthen dignity in care for those with mental health disorders. However, the most recent national programme for mental health has not been updated since 2006.⁵⁸¹ The absence of a renewed strategy suggests that targeted health system strengthening for mental health provisions has not continued.

The WHO provides important technical support to the Ministry of Health. Key priorities of the support provided are outlined in the Strategic Cooperation of WHO with DRC 2017-2021 (Stratégie de Coopération de l'OMS avec le pays République Démocratique du Congo 2017-2021).⁵⁸² The country cooperation strategy includes the strengthening of mental health services among the key priorities.⁵⁸³ In particular, the strategy aims to focus on strengthening mental health services for women at a primary care level.⁵⁸⁴

16.1.3 Healthcare provisions for psychiatry

The health facility from which patients can receive treatment depends on the psychiatric services which they require. In principle, primary care facilities can dispense medications; however, supply chains greatly limit the availability of medications. Secondary and tertiary facilities, such as hospitals, can provide more complex treatments, including inpatient facilities during mental health crisis.⁵⁸⁵

An article from 2010 identified six hospital institutions with services for mental health disorders.⁵⁸⁶ This includes four specialised mental health facilities which are, the Neuro-Psycho-Pathology Centre (Centre Neuro-Psycho-Pathologique, CNPP) at the University of Kinshasa, the CNPP at the Katwambi Centre (Centre de Katwambi) in the province of Western Kasai and Doctor Joseph Guillain of Lubumbashi Neuropsychiatric Centre (centre neuropsychiatrique Docteur Joseph Guillain de Lubumbashi) in Katanga province, and the Karhale Psychiatric Mental Health Care Centre (centre psychiatrique Soins de santé mentale de Karhale) in South Kivu. In addition to facilities identified in

⁵⁷⁸ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 21

⁵⁷⁹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-93

⁵⁸⁰ On'okoko, M., Mental health in the Democratic Republic of Congo: a post-crisis country challenge, April 2010, [url](#), p. 41

⁵⁸¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁸² WHO, World Health Organization, Stratégie de Coopération de l'oms avec le pays République Démocratique du Congo 2017-2021, [url](#)

⁵⁸³ WHO, World Health Organization, Stratégie de Coopération de l'oms avec le pays République Démocratique du Congo 2017-2021, [url](#), p. 17

⁵⁸⁴ WHO, World Health Organization, Stratégie de Coopération de l'oms avec le pays République Démocratique du Congo 2017-2021, [url](#), p. 57

⁵⁸⁵ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁸⁶ Xinhua News Agency, RDC: un malade mental viole et tue sa mère à Kananga, 16 November 2010, [url](#)



the source, Telema Hospital in Kinshasa is an important provider of psychiatric health services.⁵⁸⁷ In 2014, it was estimated that there were 500 inpatient beds nationally.⁵⁸⁸

Psychotherapy and other forms of talking therapies, such as cognitive behavioural therapy, are almost non-existent.⁵⁸⁹ However, local women's organisations often provide support services for victims of rape.⁵⁹⁰ In addition, mental health and psychosocial support is a growing specialism within international humanitarian and development organisations.⁵⁹¹ Through these, psychologists and psychiatrists provide supplementary specialist services in conflict and post-conflict provinces.⁵⁹²

16.1.4 Human resources

There is a significant lack of trained mental health medical professionals in DRC.⁵⁹³ A more recent needs assessment conducted in 2019 in Eastern DRC suggests that significant human resource challenges persist.⁵⁹⁴ This assessment reviewed mental health service provision in six private health centres in the north eastern province of South Kivu. This found that although 6% of centres had staff with at least some mental health training, the extent of training varied from five days to one month.⁵⁹⁵

16.2 Access to treatment

Access to healthcare generally in DRC is extremely limited.⁵⁹⁶ The PNDS estimates that the treatment coverage of psychiatric services is just 5%, meaning the vast majority of those who require services do not have access.⁵⁹⁷ A contributing factor to low coverage is the poor availability of specialist services in health facilities, the PNDS states that only 3% of primary care facilities have integrated mental health services.⁵⁹⁸

Lack of availability of treatment options in clinics increases the distance communities are required to travel for healthcare.⁵⁹⁹ While there is some geographic distribution of specialist mental centres, the

⁵⁸⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁸⁸ Ikanga, J, Psychology in the Democratic Republic of the Congo: Its struggles for birth and growth, American Psychological Association, December 2014, [url](#)

⁵⁸⁹ Organisation suisse d'aide aux réfugiés OSAR, RD Congo: Soins psychiatriques, 10 June 2009. Referenced in: Organisation suisse d'aide aux réfugiés (OSAR), République démocratique du Congo : développements actuels, 6 October 2011, [url](#), p. 21

⁵⁹⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁹¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁹² Bedford, J. et al., Key considerations: mental health and psychosocial support, North Kivu, Anthrologica, October 2019 [url](#), p. 1-2

⁵⁹³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁹⁴ Thulin, E. et al., Mental Health Care and Gender Based Violence in Eastern DRC: Needs Assessment and Report of Activities, January 2020, [url](#), p. 7

⁵⁹⁵ Thulin, E., et.al., Mental Health Care and Gender Based Violence in Eastern DRC: Needs Assessment and Report of Activities, January 2020, [url](#), p. 7

⁵⁹⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁵⁹⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 21

⁵⁹⁸ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

⁵⁹⁹ Motomoke, E, Village reach, On Road and River: Distributions begin in DRC, August 2017, [url](#)

majority are located in Kinshasa. Patients from rural areas who received prescriptions from urban providers have difficulty refilling them near home.⁶⁰⁰

Other factors limiting access to psychiatric treatment include the cost of care (discussed below), lack of affordable transport, and stigma. Mental health stigma has an important role in affecting healthcare-seeking behaviours of individuals and their families.⁶⁰¹ As described ‘the shame of having a mental disorder extends to the family because each person is an integral part of a larger familial and social fabric’.⁶⁰² Children with mental health disorders are particularly affected by stigma, with some being called ‘child witches’ or cursed.⁶⁰³

Stigma associated with key risk factors of mental ill health further reduces healthcare-seeking behaviour. In particular, experiences of sexual violence and human rights abuses are associated with major depressive disorder and post-traumatic stress disorder.⁶⁰⁴ Related stigma increases the diagnostic and treatment gap.⁶⁰⁵

16.3 Cost of treatment

There are no financial support programmes for the treatment of mental health disorders.⁶⁰⁶ The vast majority of household healthcare spending is through out-of-pocket payments at the point of care.⁶⁰⁷ Out-of-pocket payments at the point of care are a significant barrier to healthcare. For the majority of the population, treatment beyond primary care consultations are not economically accessible.⁶⁰⁸

The cost of psychiatric treatment is considered high compared to average earnings. Additional hospital expenses, such as food, typically also have to be covered by patients.⁶⁰⁹

The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing all relevant services.⁶¹⁰

⁶⁰⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁰¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁰² Ikanga, J, Psychology in the Democratic Republic of the Congo: Its struggles for birth and growth, in: Psychology International, December 2014, [url](#)

⁶⁰³ UNICEF, Les enfants accusés de sorcellerie, April 2010, [url](#), p. 22

⁶⁰⁴ Johnson, K. et al., Association of Sexual Violence and Human Rights Violations With Physical and Mental Health in Territories in the Eastern Democratic Republic of the Congo, American Medical Association, August 2010, [url](#), p. 553

⁶⁰⁵ Espinoza, S, Barriers to Mental Health Treatment Within the Congolese Population, October 2016, [url](#)


⁶⁰⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁰⁷ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 41

⁶⁰⁸ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020

⁶⁰⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶¹⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020



Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Clinical admission					
Psychiatric clinic (daily rates)	USD 10-20	USD 20-25	USD 50	USD 50	No
Specialist Consultation					
Psychiatrist	USD 15-25	USD 15-25	USD 30-50	USD 30-50	No
Psychologist	USD 10	USD 10	USD 20-30	USD 20-30	No
Psychiatric nurse at home (per visit)	USD 10	USD 10	USD 20	USD 20	No
Psychotherapy session treatments					
Cognitive behavioural therapy	USD 10 per session	USD 10 per session	USD 15 per session	USD 15 per session	No
Eye Movement Desensitisation and Reprocessing	USD 25 per session	USD 25 per session	USD 25 per session	USD 25 per session	No

16.4 Cost of medication

Patients often have poor adherence to treatments, particularly for chronic conditions like those related to CVD.⁶¹¹ This is due to prohibitive costs and lack of availability of key medications.⁶¹²

The price of medications was collected from eight registered pharmacies based in Kinshasa.⁶¹³ Medicines from the informal market have not been included.

Drug name	Form	Price per box	Is the drug typically included on national essential drugs medicines list?
Antidepressants			
Paroxetine	Tablet	USD 20 (20 mg, 30 units per box)	No
Citalopram	Tablet	USD 30 (10 mg, 28 units per box)	No
Escitalopram	Tablet	USD 30 (10 mg, 28 units per box)	No
Fluoxetine	Tablet	USD 10 (20 mg, 14 units per box)	Yes
Imipramine*	Tablet	USD 2 (25 mg, 30 units per box)	No
Trazodone	Tablet	USD 20 (50 mg, 30 units per box)	No

⁶¹¹ EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020

⁶¹² Please refer to [chapter 4](#) for further details on the pharmaceutical sector

⁶¹³ Please refer to the Introduction for further details on the methodology of price data collection

Drug name	Form	Price per box	Is the drug typically included on national essential drugs medicines list?
Amitriptyline	Tablet	USD 15 (25 mg, 30 units per box) USD 12.95 (10 mg, 30 units per box)	Yes
Medication off-label use PTSD			
Alfuzosin (also with prostate complaints)	Tablet	USD 30 (10 mg, 30 units per box)	No
Lamotrigine (also antiepileptic)	Tablet	USD 70 (200 mg, 30 units per box) USD 37 (100 mg, 30 units per box) USD 22 (50 mg, 30 units per box) USD 15 (25 mg, 30 units per box)	No
Topiramate	Tablet	USD 150 (100 mg, 28 units per box)	No
Antipsychotics; classic			
Haloperidol	Injection Capsules	USD 20 (5 mg, 5 units per box) USD 10 (5 mg, 20 units per box)	Yes
Chlorpromazine	Tablet	USD 15 (25 mg, 100 units per box)	Yes
Fluphenazine	Tablet Injection	USD 160 (25 mg, 30 units per box) USD 3.2 (25 mg/ml, 3 units per box)	Yes
Antipsychotics; modern atypical			
Olanzapine	Tablet	USD 40 (5 mg, 30 units per box) USD 60 (10 mg, 30 units per box)	No
Risperidone	Tablet	USD 35 (1 mg, 30 units per box) USD 70 (2 mg, 30 units per box)	Yes
Quetiapine	Tablet	USD 100 (300 mg, 30 units per box) USD110 (300 mg, 60 units per box)	No
Anxiolytics			
Diazepam (e.g. Valium)	Tablet	USD 10 (10 mg, 30 units per box)	Yes
Bromazepam	Tablet	USD 30 (6 mg, 30 units per box) USD 15 (3 mg, 30 units per box)	Yes
Clonazepam*	Tablet	USD 5 (0.5 mg, 50 units per box)	No



Drug name	Form	Price per box	Is the drug typically included on national essential drugs medicines list?
Clorazepate	Tablet	USD 30 (5mg, 30 units per box)	No
Lorazepam	Tablet	USD 30 (1 mg, 30 units per box) USD 30 (2.5 mg, 30 units per box)	No
Medication for bipolar disorder/manic depression			
Carbamazepine (also antiepileptic)	Tablet	USD 15 (200 mg, 50 units per box)	Yes
Medication for sleeping disorder; sedatives			
Zopiclone	Tablet	USD 45 (7.5 mg, 14 units per box)	No
Zolpidem	Tablet	USD 30 (10 mg, 14 units per box)	No
Melatonin	Tablet	USD 35 (2 mg, 30 units per box)	No
Medication to treat side effects of antipsychotics/anti-Parkinsonism			
Trihexyphenidyl*	Tablet	USD 3 (5 mg, 20 units per box)	No

*The medication is typically difficult to find.

16.5 NGOs

National and international NGOs have an important role in community level provision of mental health services. Many of the NGOs focus their mental health programmes on supporting victims of sexual and gender-based violence. For instance, Médecins Sans Frontières (MSF),⁶¹⁴ International Rescue Committee,⁶¹⁵ Care International⁶¹⁶ and International Medical Corps⁶¹⁷ all provide programmes related to mental health. The activities of these NGOs are focused on Eastern provinces and the Kasai region in central DRC.

Mental health and psychosocial support programmes also target victims of the Ebola epidemic and their families. A report by UNICEF states that in 2019, there were 1 100 psychologists trained to support patients and their families.⁶¹⁸ Other organisations supporting mental health interventions include the Danish Refugee Council.⁶¹⁹

⁶¹⁴ MSF, Médecins Sans Frontières, n.d, [url](#)

⁶¹⁵ IRC, International Rescue Committee, Democratic Republic of the Congo: Strategy Action Plan, 2020, [url](#), p. 3

⁶¹⁶ Care International, Democratic Republic of Congo, n.d, [url](#)

⁶¹⁷ IMC, International Medical Corps, Democratic Republic of the Congo, n.d, [url](#)

⁶¹⁸ UNICEF, Supporting Ebola patients and their families, December 2019, [url](#)

⁶¹⁹ WHO, World Health Organization, Psychological support for life after Ebola, June 2019, [url](#)

Of note, there are over 50 national and international NGOs operating in DRC.⁶²⁰ Supporting victims of violence in all its forms is a core objective of many of these organisations. The above list of NGOs and their operations should not be considered an exhaustive depiction of all community-based mental health services.

⁶²⁰ WHO, World Health Organization, Health Cluster, September 2020, [url](#)

17 Pulmonology: asthma, chronic obstructive pulmonary disease and obstructive sleep apnoea

17.1 General information

17.1.1 Epidemiological context

Respiratory illnesses include a number of diseases which affect the lungs and other parts of the respiratory system. Respiratory illnesses, in particular asthma and chronic obstructive pulmonary disease (COPD), are a significant burden in the DRC.⁶²¹ The 2019 Global Burden of Disease (GBD) study estimates that the prevalence of chronic respiratory illnesses stands at 4.01%, equivalent to over 3.4 million people. This includes asthma and COPD for which their disaggregated prevalence is estimated at 3.09% and 1.01%, respectively.⁶²² Other studies suggest that the prevalence of different types of respiratory illnesses are significantly higher.⁶²³ A study carried out in 2017 estimated the prevalence of asthma among adults in Kinshasa to be 6.9%.⁶²⁴ In line with global trends whereby asthma is more prevalent in urban areas, the general population prevalence is likely to be slightly lower.⁶²⁵

Data on COPD in DRC is very limited. Systematic reviews estimate that the prevalence in sub-Saharan African countries is between 4% and 25% of the population.⁶²⁶ Globally, COPD is the third most common cause of death and an estimated 90% of deaths are believed to occur in low- and middle-income countries.⁶²⁷

Key risk factors for COPD and asthma in DRC are household air pollution, occupational exposures and smoking. With regard to occupational exposures, construction workers and mine workers are among key at-risk groups.⁶²⁸ In addition, asthma and COPD are important risk factors for lower respiratory tract infections and increase the likelihood and severity of a disease.⁶²⁹ In DRC, lower respiratory tract infections are the third leading cause of death.⁶³⁰

With regard to obstructive sleep apnoea, globally there is a lack of reliable prevalence data and most information is derived from studies in high-income countries. A recent estimate suggests that over 900 million people across the globe have obstructive sleep apnoea.⁶³¹ Key risk factors for obstructive sleep apnoea relate to cardiovascular diseases and include obesity.⁶³² Although the number of people

⁶²¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶²² IHME, Institute of Health Metrics, GBD Results Tool, 2019, [url](#)

⁶²³ Kabengele, B. et al., Prevalence and determinants of asthma in adults in Kinshasa, Plos One, May 2019, [url](#), p. 1

⁶²⁴ Kabengele, B. et al., Prevalence and determinants of asthma in adults in Kinshasa, Plos One, May 2019, [url](#), p. 1

⁶²⁵ The majority of the population of DRC live in rural settings.

⁶²⁶ Finney, L. et al., Chronic obstructive pulmonary disease in sub-Saharan Africa: a systematic review, Int. Journal of Tuberculosis and Lung Disease, January 2013 [url](#), p. 1

⁶²⁷ WHO, World Health Organization, Chronic obstructive pulmonary disease (COPD) Key Facts, December 2017, [url](#)

⁶²⁸ Mbelambel, E. et al., Prevalence of chronic obstructive pulmonary disease among Congolese cement workers exposed to cement dust, 16 October 2018, [url](#), p. 1

⁶²⁹ WHO, World Health Organization, The Global Impact of Respiratory Disease, 2017, [url](#)

⁶³⁰ IHME, Institute for Health Metrics, DRC Dashboard, 2019, [url](#)

⁶³¹ Benjaidel, A. et al., Estimation of the global prevalence and burden of obstructive sleep apnoea: a literature-based analysis, The Lancet, August 2019, DOI: [url](#), p. 1

⁶³² Gulotta, G. et al., Risk Factors for Obstructive Sleep Apnoea Syndrome in Children: State of the Art, September 2019, [url](#), p. 3

who are obese in DRC is increasing, the national prevalence of 3.7% is significantly lower than the global average of 13%.⁶³³ It is therefore probable that the prevalence of sleep apnoea is increasing but nonetheless lower than the global average.⁶³⁴

17.1.2 Strategies and policies for treatment and management of respiratory illness

The National Health Development Plan (Plan National de Développement Sanitaire 2016-2020, PNDS) makes some reference to respiratory infections.⁶³⁵ The list of essential health centre and hospital services includes the treatment of pneumonia.⁶³⁶ However, there is no reference to other respiratory infections or diseases.⁶³⁷

In addition to the PNDS, strategic priorities of the ministry of health are detailed in documents known as programmes.⁶³⁸ There is evidence that a national programme against acute respiratory tract infections (Programme National de Lutte Contre les Infections Respiratoires Aigues) has been developed.⁶³⁹ However, the programme was not made available for review. Similarly, a targeted national programme to address the prevalence of smoking has also been developed but was not made available.⁶⁴⁰

The PNDS does not refer to obstructive sleep apnoea, nor do the other national level documents reviewed.⁶⁴¹

The WHO provides important technical support to the Ministry of Health. The key priorities of the support provided are outlined in the Strategic Cooperation of WHO with DRC 2017-2021 (Stratégie de Coopération de l'OMS avec le pays de la République Démocratique du Congo 2017-2021).⁶⁴² Although the cooperation agreement includes the strengthening of health services for noncommunicable diseases (NCDs), details are not provided on the NCDs which will be prioritised.⁶⁴³ As a result, it is not clear whether respiratory tract illnesses, such as asthma and COPD, would be included.⁶⁴⁴ The cooperation also does not include reference to respiratory tract infections, such as pneumonia.⁶⁴⁵

⁶³³ World Health Organization, Country Profile Democratic Republic of Congo, 2016, [url](#)

⁶³⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶³⁵ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 49

⁶³⁶ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), pp. 87-94

⁶³⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶³⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶³⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁴⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁴¹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#)

⁶⁴² WHO, World Health Organization, Stratégie de Coopération de l'oms avec le pays République Démocratique du Congo 2017-2021, [url](#)

⁶⁴³ WHO, World Health Organization, Stratégie de Coopération de l'oms avec le pays République Démocratique du Congo o 2017-2021, [url](#) pp.57

⁶⁴⁴ WHO, World Health Organization, Stratégie de Coopération de l'oms avec le pays République Démocratique du Congo o 2017-2021, [url](#)

⁶⁴⁵ WHO, World Health Organization, Stratégie de Coopération de l'oms avec le pays République Démocratique du Congo 2017-2021, [url](#)

17.1.3 Healthcare provisions for treatment and management of respiratory illness

Treatments available for respiratory illnesses from primary care facilities include consultations with non-specialist medical staff and access to basic medications. At a community level, health centres should be able to treat acute respiratory illnesses, depending on the availability of medicines.⁶⁴⁶ For treatments related to chronic conditions, such as asthma, patients can access more specialist consultations at provincial level hospitals. However, provincial hospitals often face significant infrastructure challenges and lack a continuous supply of electricity and water.⁶⁴⁷ For specialist consultations, patients must visit Kinshasa where health facilities are better resourced. Health facilities able to treat chronic respiratory conditions include 'the principle large medical centres of Kinshasa'.⁶⁴⁸ These are:⁶⁴⁹

- Public sector:
 - Kinshasa University Clinic (Clinique Universitaire de Kinshasa)
 - Kinshasa General Hospital (Hôpital Général de Kinshasa)
- Private sector (For Profit):
 - HJ Hospital Kinshasa (HJ Hôpitaux Kinshasa).⁶⁵⁰ The HJ Hospitals also have facilities in Lubumbashi and Goma.⁶⁵¹
 - Diamant Medical Centre (Centre Médical Diamant)⁶⁵²
 - Medical Centre Kinshasa (Centre Médical de Kinshasa)⁶⁵³

17.2 Access to treatment

Access to healthcare in DRC is limited, particularly for specialised care. A factor contributing to low access to healthcare includes poor availability of medicines at health facilities.⁶⁵⁴ A representative sample of health centres were reviewed in 2017 and 2018 to assess availability of different diagnostic and treatment services in health facilities.⁶⁵⁵ This found that fewer than 20% of health facilities offered treatment options for asthma or COPD.⁶⁵⁶

As outlined in [chapter 1](#), DRC suffers from significant supply chain challenges which greatly limit the availability of medicines. The central and the southern province are particularly affected by the weak

⁶⁴⁶ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁴⁷ Sion, M. et al., A resource planning analysis of district hospital surgical services in the Democratic Republic of the Congo, Global Health: Science and Practice, 2015 [url](#), p. 1

⁶⁴⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁴⁹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁵⁰ HJ Hospitals, n.d, [url](#)

⁶⁵¹ HJ Hospitals, n.d, [url](#)

⁶⁵² Centre Medical Diamant, n.d, [url](#)

⁶⁵³ CMK, Centre Medical de Kinshasa, n.d, [url](#)

⁶⁵⁴ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 60-61 and 82-83

⁶⁵⁵ Study reviewed availability of services in a total of 1,380 health facilities proportionately distributed across provinces. This was carried out between November 2017 and April 2018.

⁶⁵⁶ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 251-260

supply chains and often experience the greatest duration of stock interruptions.⁶⁵⁷ Medications used to treat respiratory diseases are exposed to the same weak supply chains. As a result, individuals are often required to travel significant distances in order to find medicines or specialist care.⁶⁵⁸ Other factors which limit access to treatment include the cost of care (discussed below) and lack of affordable transport. A lack of transport facilities particularly affects access to emergency care for example during asthma attacks and pulmonology crisis.⁶⁵⁹

17.3 Cost of treatment

There are no financial support programmes for the treatment of patients with chronic lung conditions.⁶⁶⁰ The vast majority of household healthcare spending is through out-of-pocket payments at the point of care.⁶⁶¹ Out-of-pocket payments at the point of care are a significant barrier to healthcare. For the majority of the population, treatment beyond primary care consultations are not economically accessible.⁶⁶²

The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing all relevant services.⁶⁶³

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Clinical admission					
Pulmonology department (daily rates)	USD 10-20	USD 20-30	USD 30	USD 30	No
Specialist consultation					
General practitioner	USD 5	USD 5	USD 20	USD 20	No
Pulmonologist	USD 10	USD 10	USD 30	USD 30	No
Diagnostic research					
Lung function tests	USD 50	USD 50	USD 100-110	USD 100-110	No
Medical devices					

⁶⁵⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁵⁸ Motomoke, E, Village reach, On Road and River: Distributions begin in DRC, August 2017, [url](#)

⁶⁵⁹ Kalisya, L. et al., The state of emergency care in Democratic Republic of Congo, African Journal of Emergency Medicine, August 2015, [url](#), p. 156

⁶⁶⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁶¹ PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République Démocratique du Congo, November 2018, [url](#), p. 41

⁶⁶² EASO2, Director of a national programme within the Ministry of Health and Medical Director and Head of Cardiology at prominent Kinshasa based facility, Email Correspondence, August 2020

⁶⁶³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Spacer (with mask) for inhaler with asthma medication	USD 20	USD 20	USD 20	USD 20	No
Nebulizer	USD 15	USD 15	USD 15	USD 15	No
Breathing machines (ventilator, respirator, etc.)	-	USD 900	USD 900	USD 900	No
CPAP therapy	-	USD 5	USD 5	USD 5	No

17.4 Cost of medication

Many of the medicines used to treat respiratory illnesses are not available in DRC. The availability and price of medications was collected from eight registered pharmacies based in Kinshasa.⁶⁶⁴ Medicines from the informal market have not been included.

Drug name	Form	Price per box	Is the drug typically included on national essential medicines list?
Ipratropium + fenoterol (combination)	Tablet	USD 25 (50 mcg/20 mcg, 5 units per box)	No
Montelukast sodium	Tablet	USD 22 (10 mg, 30 units per box)	No
Salbutamol		USD 10 (2.5 mg /2.5 ml, 60 units per box) (Spray) USD 60 (5 mg /2.5 ml, 10 units per box) (vial) USD 3 (5 mg /2.5ml, 1 unit per box) (syrup) USD 7.125 (1 mg, 10 units per box) (Suppository)	Yes
Theophylline		USD 30 (400 mg, 50 units per box)	Yes
Beclometasone	Spray	USD 40 (250 mcg, 1 unit per box) USD 20 (125 mcg, 1 unit per box)	Yes

⁶⁶⁴ Please refer to the Introduction for further details on the methodology of price data collection

Drug name	Form	Price per box	Is the drug typically included on national essential medicines list?
Budesonide	Suspension	USD 100 (1 mg /2ml, 20 units per box)	No
Fluticasone	Spray	USD 20 (12 mcg, 1 unit per box)	No
Ipratropium bromide monohydrate	Tablet	USD 15 (10 mcg, 10 units per box)	No

17.5 NGOs

Chronic respiratory illnesses are not cited among the priority healthcare interventions supported by the large international NGOs which operate in DRC (such as MSF and IMC). There are number of advocacy organisations which aim to raise awareness of the respiratory illnesses faced by those who work in the informal mining sector.⁶⁶⁵ However to date, there has not been a large NGO response to implementing healthcare interventions.

Treatments for acute respiratory tract infections are supported by some NGOs. The medical international NGO, International Medical Corps (IMC), supports 64 clinics and hospitals. These are located in the Eastern provinces of North Kivu, South Kivu and Tanganyika. These facilities are equipped to treat lower respiratory tract infections, such as pneumonia.⁶⁶⁶

⁶⁶⁵ Amnesty, DRC: Alarming research shows long lasting harm from cobalt mine abuses, May 2020, [url](#)

⁶⁶⁶ IMC, International Medical Corps, Democratic Republic of Congo, n.d, [url](#)

18 Tuberculosis

18.1 General information

18.1.1 Epidemiology

DRC has a high burden of tuberculosis (TB) infections. DRC is ranked ninth in the world and second in Africa for total number of TB infections.⁶⁶⁷ The Global TB report publishes 3 lists of the 30 countries with highest burden of TB, TB/HIV coinfection and multidrug-resistant TB (MDR-TB). DRC is 1 of 14 countries to appear on all 3 lists.⁶⁶⁸

In 2018, approximately 270 000 people fell ill with TB, representing 321 cases per 100 000. Of these, approximately 11% were coinfecting with HIV.⁶⁶⁹ MDR-TB is a growing concern. Of new TB infections in 2018, approximately 1.7% of cases were MDR-TB cases rising to 9.5% for previously treated cases.⁶⁷⁰ In spite of these challenges, there have been notable improvements across key indicators. Since 2010, the rate of new cases has steadily declined from 327 to 321 cases per 100 000 people. Similarly, the number of deaths attributable to TB in those not co-infected with HIV has steadily decreased from 57 to 51 per 100 000 people.⁶⁷¹

18.1.2 Policies and strategies

Addressing TB is a key priority for the Ministry of Health and the Government of DRC.⁶⁷² The national response to TB is coordinated by the National Programme for the Fight Against Tuberculosis (PNLT, Plan stratégique National de Lutte Contre La Tuberculose).⁶⁷³ This coordinating body is part of the Ministry of Health and responsible for drafting and overseeing the National Strategy for the Fight Against Tuberculosis 2018-2020.⁶⁷⁴ The current strategy builds on previous strategies, the first of which was published in 1980.⁶⁷⁵ The general objective of the Strategy is to contribute to a reduction in mortality and morbidity, as well as catastrophic costs⁶⁷⁶ linked to TB. Specifically, this aims to reduce the number of deaths attributable to TB by 20% in 2020 compared to 2015.⁶⁷⁷ To do this, the strategy comprises 10 objectives which focus on different dimensions of TB diagnosis and treatment, including scaling up screening services, strengthening service provisions for treatment of HIV co-infection and MDR-TB, as well as strengthening the broader healthcare systems and structures.⁶⁷⁸

⁶⁶⁷ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secrétariat General, République Démocratique du Congo, 2017 [no url], p. 15

⁶⁶⁸ WHO, World Health Organisation, Global Tuberculosis Report, 2019, [url](#), p. 23

⁶⁶⁹ WHO, World Health Organisation, Tuberculosis Country Profile, 2020, [url](#), p. 37

⁶⁷⁰ WHO, World Health Organisation, Tuberculosis Country Profile, 2020, [url](#), p. 58

⁶⁷¹ WHO, World Health Organisation, Tuberculosis Country Profile, 2020, [url](#)

⁶⁷² EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁷³ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secrétariat General, République Démocratique du Congo, 2017 [no url]

⁶⁷⁴ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secrétariat General, République Démocratique du Congo, 2017 [no url], pp. 35 - 58

⁶⁷⁵ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secrétariat General, République Démocratique du Congo, 2017 [no url], p. 35

⁶⁷⁶ Defined as costs totalling $\geq 20\%$ of annual household income.

⁶⁷⁷ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secrétariat General, République Démocratique du Congo, 2017, p. 110

⁶⁷⁸ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secrétariat General, République Démocratique du Congo, 2017, pp. 110-111

The implementation of the TB strategy receives significant technical and financial support from numerous international agencies.⁶⁷⁹ This includes multilateral agencies, notably the World Bank and WHO, bilateral funders and international NGOs.⁶⁸⁰ Latest figures from 2018 show that the TB services were largely financed through international funds. The principal financing agency was the Global Fund which dispersed USD 46.995 million.⁶⁸¹ Domestic funding stood at USD 0.55 million.⁶⁸² Total financing needs stood at USD 74.372 million indicating a significant financing gap of USD 26.78 million.⁶⁸³ The scale of under financing has been relatively consistent since 2015 while the value of domestic contributions has varied from a peak of USD 2.75 million in 2015 and to the lowest at USD 0.188 million in 2017.⁶⁸⁴

Financial resources from State contributions are used primarily for salary and workforce costs.⁶⁸⁵

18.1.3 The national response

The PNLT strategy states that healthcare implementation and governance for TB should be as follows:⁶⁸⁶

Central Level – This includes the directorate for the PNLT situated within the Ministry of Health. The directorate is responsible for the overall coordination of tuberculosis programme activities. Central level functions also include a National Reference Laboratory, a central warehouse for anti-tuberculosis drugs and a specialist hospital in Kinshasa, ‘Centre d’Excellence Damien’. The hospital is responsible for providing specialist services for multi-drug resistant MDR- TB.⁶⁸⁷

Intermediate Level – This includes provincial health officers who form the Provincial Coordination for the fight against Leprosy and Tuberculosis (CPLT, Coordinations Provinciales Lèpre et Tuberculose). Each CPLT oversees a reference laboratory and provides technical support to their respective Health Zones.⁶⁸⁸

Peripheral Level –⁶⁸⁹ This level constitutes the main point of contact between community members and activities outlined in the PNLT. Within each health zone, all health centres are expected to be able to screen for TB and provide first-line treatment and monitoring services. At least three health centres should offer diagnostic and treatment services delivered by at least one nurse trained specifically in TB screening and treatment. These centres are consequentially called Health Centres for Diagnosis and Treatment. The principal diagnostic approach uses microscopes with 100x immersion for assessment of sputum samples. GeneXpert machines are used for the diagnosis of TB and to determine whether an individual is infected with MDR-TB. In 2016, there were 84 GeneXpert machines

⁶⁷⁹ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General République Démocratique du Congo, 2017, pp. 118-146

⁶⁸⁰ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, p. 61

⁶⁸¹ Stop TB Partnership, Country Dashboards, 2018, [url](#)

⁶⁸² WHO, World Health Organization, Global Tuberculosis Report 2020 [url](#), p. 137

⁶⁸³ Stop TB Partnership, Country Dashboards, 2018, [url](#)

⁶⁸⁴ Stop TB Partnership, Country Dashboards, 2018, [url](#)

⁶⁸⁵ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, [no url], pp. 36-38

⁶⁸⁶ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, p. 35

⁶⁸⁷ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, p. 35

⁶⁸⁸ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, p. 35

⁶⁸⁹ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, pp. 35-40

located across the country.⁶⁹⁰ The PNLT aims to have 252 machines in place by the end of 2020. Diagnosis services are also provided using magnetic resonance imaging (MRI) scanners. DRC has a lack of MRI scanners; a study by WHO in 2014 stated that there were no scanners available across the country.⁶⁹¹ Some well-resourced hospitals, such as HJ Hospital Kinshasa,⁶⁹² now have MRI scanners; however, nationally, these remain few in number.⁶⁹³

Health centres which do not have on-site diagnostic facilities are expected to transfer samples to diagnostic centres and offer treatment services. First-line treatment for drug-susceptible TB, directly observed treatment short-course (DOTS) course should be available in all health facilities.⁶⁹⁴

A network of Community Health Workers (CHWs) act as an intermediary between health facilities and their local communities.⁶⁹⁵ With regards to TB, CHWs aim to increase coverage of treatment by encouraging healthcare seeking behaviours and promote prevention messaging.⁶⁹⁶

18.2 Access to treatment

It is estimated that 63% of those requiring treatment received services, resulting in a coverage gap of approximately 40%.⁶⁹⁷

A key driver of low coverage rates is lack of availability of treatment and diagnostic services at health facilities.⁶⁹⁸ A representative sample of health centres were reviewed in 2017 and 2018 to assess availability of services.⁶⁹⁹ Of these, only half were able to provide diagnostic services either directly or through referral. This includes sputum microscopy, rapid diagnostic kits and lung radiography. Of these only 60% offered HIV testing for TB patients. Of health centres offering treatment, only half had first-line medications available at the point of the assessment. Services were least available in health centres and conversely most readily available in hospitals.⁷⁰⁰

The lack of availability of diagnostic and treatment products in community level health facilities, creates a large barrier to accessing TB services.⁷⁰¹ Community members are required to travel greater distances to find facilities with medicines in stock.⁷⁰² Other factors limiting access to treatment include, lack of affordable transport, stigma and prohibitive cost of initial consultations.⁷⁰³

⁶⁹⁰ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, pp. 37

⁶⁹¹ WHO, World Health Organization, Global Health Observatory data repository, September 2016, [url](#)

⁶⁹² HJ Hospitals, n.d, [url](#)

⁶⁹³ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, pp. 35-40

⁶⁹⁴ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, pp. 35-40

⁶⁹⁵ DFID, Department for International Development, Effectiveness of community health workers, November 2018, [url](#), p. 2

⁶⁹⁶ PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017, p. 64

⁶⁹⁷ WHO, World Health Organisation, Tuberculosis Country Profile, 2020, [url](#)

⁶⁹⁸ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁶⁹⁹ Study reviewed availability of services in a total of 1,380 Health Facilities proportionately distributed across provinces. This was carried out between November 2017 and April 2018.

⁷⁰⁰ EPSS, Evaluation des Prestations des Services de soins de Santé, Ecole de Santé Publique de Kinshasa, April 2019, [url](#), pp. 277-286

⁷⁰¹ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁷⁰² Motomoke, E, Village reach, On Road and River: Distributions begin in DRC, August 2017, [url](#)

⁷⁰³ Stop TB Partnership, TB Community, Right and Gender Assessment in Democratic Republic of the Congo 2018 Report, 2018, [url](#), p. 19

According to a report by Stop TB, key at risk populations include those who are people living with HIV, close contacts of a known case, prison populations, people who work in mines and internally displaced populations. Aside from HIV, active case finding from these other target populations remains low.⁷⁰⁴

18.3 Cost of treatment

There are few health insurance schemes in DRC. The system largely operates through point-of-care payments. These are typically out-of-pocket payments that are often be prohibitive for the poorest.⁷⁰⁵

However, many treatment and care services for TB, particularly medications, are provided free of charge to all patients.⁷⁰⁶

According to treatment protocols, diagnostic tests and medications for TB, including MDR-TB, are free at the point of care.⁷⁰⁷ The main costs incurred by patients are related to consultations and inpatient fees. It is estimated that 57% of patients faced catastrophic healthcare costs⁷⁰⁸ in 2019 as a result of their TB treatment.⁷⁰⁹ Costs vary significantly according to the type of facility in which treatment is received.⁷¹⁰

In 2018, the average cost of treating patients with drug-susceptible TB was USD 200.⁷¹¹ For patients with MDR-TB this rises to USD 4 500.⁷¹²

The Government of DRC, along with WHO, is in the process of carrying out a survey on costs faced by TB patients and their households. This aims to understand the key drivers of catastrophic costs in order to standardise the cost of care for patients.⁷¹³

The prices below were gathered from a range of clinics based in Kinshasa and provide an indication of the cost of healthcare services. The total costs incurred by patients can be approximated by summing all relevant services.⁷¹⁴

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
Specialist consultation					
Pulmonologist	USD 12.5	USD 12.5	USD 40	USD 40	Free in all public facilities supported by the PNLT

⁷⁰⁴ Stop TB Partnership, TB Community, Right and Gender Assessment in Democratic Republic of the Congo 2018 Report, 2018, [url](#), p. 49

⁷⁰⁵ PND, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé République Démocratique du Congo, November 2018, [url](#), p. 41

⁷⁰⁶ PNLT, "Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020," Ministry of Public Health, 2017, pp. 149

⁷⁰⁷ PNLT, "Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020," Ministry of Public Health, 2017

⁷⁰⁸ Defined by WHO as "expenditure is catastrophic if a household's financial contributions to the health system exceed 40% of income remaining after subsistence needs have been met", n.d, [url](#)

⁷⁰⁹ WHO, World Health Organization, Tuberculosis Country Profile, 2020, [url](#)

⁷¹⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁷¹¹ WHO, World Health Organization, Global Tuberculosis Report 2020 [url](#), p. 141

⁷¹² WHO, World Health Organization, Global Tuberculosis Report 2020 [url](#), p. 142

⁷¹³ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁷¹⁴ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

Cost of treatment	Public outpatient treatment price	Public inpatient treatment price	Private outpatient treatment price	Private inpatient treatment price	Reimbursement / special programme / free
TB specialist	USD 12.5	USD 12.5	USD 40	USD 40	Free in all public facilities supported by the PNLT
Medical imaging					
Radiography	USD 25-40	USD 25-40	USD 40-45	USD 40-45	No
Laboratory tests					
Resistance test for tuberculosis drugs	USD 5-10	USD 5-10	USD 7.5 (Colouration gram) USD 25 – 40 (standard culture and Lowenstein culture)	USD 7.5 (Coloration gram) USD 25 – 40 (standard culture and Lowenstein culture)	No
Sputum smear microscopy	-	-	USD 7.5	USD 7.5	Free in all public facilities supported by the PNLT

18.4 Cost of medication

National procurement of TB medications is supported by the Global Drug Facility (GDF) of the Stop TB partnership.⁷¹⁵ The GDF facilitates pooled procurement of medications to decrease drugs prices and directly procures medications for some countries including DRC.⁷¹⁶

TB medications are closely controlled and governed by the Ministry of Health. They are stored in a central warehouse in Kinshasa and dispersed to registered health centres according to need. In order to reduce the number of cases of MDR-TB, medications are only administered from facilities supported by the PNLT through directly observed treatment protocols.⁷¹⁷ However, drug shortages are relatively common, particularly in rural Health Centres, which in turn increases the likelihood that patients develop MDR-TB.⁷¹⁸

⁷¹⁵ The Global Development Facility, Stop TB Partnership, n.d, [url](#)

⁷¹⁶ The Global Development Facility, Stop TB Partnership, n.d, [url](#)

⁷¹⁷ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

⁷¹⁸ EASO4, Medical Doctor and Monitoring and Evaluation officer in the Ministry of Health, Email Correspondence, August 2020

Drug name	Form	Price per box	Is the drug included on lists like national essential drugs list?
First line TB medicines			
Combination of Isoniazid + Rifampicin + Ethambutol + Pyrazinamide (e.g. with brand name Forecox)	Tablet	Free (500 mg, 30/60/120/240 units per box) Free (1 g, 30/60/120/240 units per box)	Free in all public facilities supported by the PNLT
Combination of Isoniazid + Rifampicin	Tablet	Free (300 mg/600 mg, 75 mg/150 mg 840/1 000 units per box)	Free in all public facilities supported by the PNLT
Pyrazinamide	Tablet	Free (400 mg, 1 000 units per box) Free (500 mg, 1 000 units per box)	Free in all public facilities supported by the PNLT
Rifampicin	Tablet	Free (150 mg, 100 units per box)	Free in all public facilities supported by the PNLT
Ethambutol	Tablet	Free (400 mg, 100/ units per box)	Free in all public facilities supported by the PNLT
Isoniazid	Tablet	Free (100 mg, 1 000 units per box); for children Free (300 mg, 1 000 units per box); for adults	Free in all public facilities supported by the PNLT
Second/third line TB medicines (e.g. with MRD and XDR TB and/or HIV+TB)			
Moxifloxacin	Tablet	Free (400 mg, 20 units per box)	Free in all public facilities supported by the PNLT
Amikacine	Capsule	Free (1 g, 10 units per box)	Free in all public facilities supported by the PNLT
Bedaquiline	Tablet	Free (100 mg, 28 units per box)	Free in all public facilities supported by the PNLT
Linezolid	Tablet	Free (600 mg, 30 units per box)	Free in all public facilities supported by the PNLT
Terizidone	Tablet	Free (250 mg, 1 unit per box)	Free in all public facilities supported by the PNLT
Clofazimine	Tablet	Free (100 mg, 100 units per box)	Free in all public facilities supported by the PNLT
Cycloserine	Tablet	Free (250 mg, 100 units per box)	Free in all public facilities supported by the PNLT

Drug name	Form	Price per box	Is the drug included on lists like national essential drugs list?
Delamanid	Tablet	Free (100 mg, 48 units per box)	Free in all public facilities supported by the PNLT
Para aminosalicylic acid (= PAS, or 4-aminosalicylic acid)	Tablet	Free (50 mg, 16 units per box) Free (100 mg, 16 units per box)	Free in all public facilities supported by the PNLT

18.5 NGOs

There is a significant presence of national and international non-government organisations (NGOs) integrated into the health sector. The Health Cluster, led by the World Health Organization, coordinates agencies involved in providing health services in DRC. There are 24 international NGOs and 31 national NGOs involved in the DRC health cluster.⁷¹⁹ The majority of organisations operate in Eastern provinces and Kinshasa. As TB is a priority disease for the Ministry of Health, there is relatively significant NGO investment and cooperation relative to other disease areas.⁷²⁰

⁷¹⁹ WHO, World Health Organization, Health Cluster Democratic Republic of Congo, June 2020, [url](#)

⁷²⁰ EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020

Annex 1: Core medicines price list

The price of medications was collected from eight registered pharmacies based in Kinshasa.⁷²¹ Medicines from the informal market have not been included.

Drug name	Form	Price per box	Is the drug included on the national essential drugs medicines list?
Painkillers			
Morphine	Injections	USD 7.5 (10 mg, 10 units per box)	Yes
	Tablet	USD 27 (10 mg, 14 units per box) USD 30 (20 mg, 14 units per box)	
Tramadol	Injections	USD 10 (50 mg, 5 vials per box).	Yes
	Tablets	USD 55 (50 mg, 100 tablets per box) USD 18 (100 mg, 100 units per box)	
Diclofenac	Tablet	USD 11 (100mg, 100 units per box).	Yes
	Gel	USD 4 (50 g of Gel 1%)	
	Suppository	USD 6.5 (100 mg, 10 units per box)	
Antibiotics and vaccinations			
Amoxicillin	Injections	USD 0.5 (500 mg 1 unit per box)	Yes
	Tablets	USD 3 (500 mg, 50 units per box); USD 6.5 (1 000 mg, 20 units per box)	
Trimethoprim	Injections	Mostly used in combined form i.e.: Bactrim (Sulftamethoxazine+Trimethoprim)	Yes
	Tablets	Mostly used in combined form i.e.: Bactrim (Sulftamethoxazine+Trimethoprim)	

⁷²¹ Please refer to the Introduction for further details on the methodology of price data collection

Drug name	Form	Price per box	Is the drug included on the national essential drugs medicines list?
Cefuroxime	Injections	USD 6 (75 mg, 20 units per box)	Yes
	Tablets	USD 15 (500 mg, 10 units per box) USD 11 (250 mg, 10 units per box)	
Ampicillin	Injections	USD 50 (500 mg, 1 unit per box)	Yes
	Tablets	USD 25 (500 mg, 20 units per box)	
Ciprofloxacin	Injections	USD 7 (500 mg, 10 units)	Yes
	Tablets	USD 5 (500 mg, 20 units per box) USD 9 (750 mg, 20 units per box)	
Levofloxacin	Injections	USD 19 (200 mg, 10 units per box)	Yes
	Tablets	USD 41 (500 mg, 10 units per box) USD 33 (500 mg, 5 units per box) USD 17.5 (500 mg, 10 units per box)	
Penicillamine	Tablets	USD 35 (500 mg, 30 units per box)	Yes
Amoxicillin + Clavulanic acid (combination)	Injections	USD 10 (1.2g, per injection)	Yes
	Tablets	USD 9 (500mg, 16 units per box)	
	Sachet	USD 11 (1000 mg, 10 sachets per box) USD 13.5 (1g, 16 sachets per box)	
Phenoxymethylpenicillin	Injections	USD 19. 2 (1 g, 50 units per box)	Yes
	Tablets	USD 17.5 (1 g, 12 units per box)	
Trimethoprim AND Sulfamethoxazole (Cotrimoxazole)	Tablets	USD 5 (960, 10 units per box) USD 3 (480 mg, 20 units per box)	Yes

Drug name	Form	Price per box	Is the drug included on the national essential drugs medicines list?
Nitrofurantoin	Tablets	USD 24 (100 mg, 50 units per box)	Yes
Tetracycline	Tablets	USD 4.5 (250 mg, 10 units per box)	Yes
Metronidazole	Tablets	USD 5 (250 mg, 20 units per box) USD 5 (500 mg, 14 units per box)	Yes
Clindamycin	Injections	USD 12. (600 mg, 10 units per box).	Yes
	Capsules	USD 15 (300 mg, 16 units per box) USD 8 (150 mg, 12 units per box).	
Azithromycin	Tablets	USD 17.5 (250 mg, 6 units per box) USD 34 (500 mg, 6 units per box). USD 23 (500 mg, 3 units per box).	Yes
Clarithromycin	Tablets	USD 24 (500 mg, 10 units per box). USD 10 (500 mg, 10 units per box).	Yes
Diphtheria, Tetanus, Pertussis (acellular) Hib vaccine	Injection	USD 60 (0.5 mg, 10 units per box).	Yes
Poliomyelitis (inactivated) vaccine	Injection	Free 0.5 mg, (20 units per box)	Yes
Influenza vaccine	Injection	USD 45 (90.5mg, 20 units per box).	No
Measles vaccine	Injection	USD 123 (0.5 mg, 500 units per box (10 vials of 50 doses)	Yes
Mumps vaccine	Injection	USD 123 (0.5 mg, 10 units per box)	No
Pneumococcal vaccine	Injection	USD 65 (0.5 mg, 10 units per box)	No
Rubella vaccine	Injection	USD 50 (0.5 mg, 10 units per box)	No



Annex 2: Bibliography

Oral sources, including anonymous sources

EASO1, Medical Doctor and local consultant responsible for in-country data collection of the report, Email Correspondence, August-November 2020 and April 2021.

EASO2, Director of a national programme within the Ministry of Health. Responsible for national implementation of the strategy. Medical Director and Head of Cardiology at prominent Kinshasa-based facility, Email Correspondence, August 2020.

EASO3, Deputy Manager of a priority national programme. Responsible for national implementation of the strategy, Email Correspondence, August 2020.

EASO4, Medical Doctor and Monitoring and Evaluation officer in the Ministry of Health, Email Correspondence, August 2020.

EASO5, Medical Director of a prominent Kinshasa-based clinic. Email Correspondence, August 2020.

EASO6, Senior Medical Advisor of an international healthcare company, Email Correspondence, August 2020.

Public sources

All links below were accessed on 22 November 2020.

Actualite.CD, RDC/Covid-19: une campagne de dépistage massif du diabète et de l'hypertension prévue à Kinshasa pour réduire le risque de décès, September 2020, <https://actualite.cd/2020/09/16/rdccovid-19-une-campagne-de-depistage-massif-du-diabete-et-de-lhypertension-prevue>

Agasa, B., Bosunga, K., Opara, A., Tshilumba, K., Dupont, E., Vertongen, F., Cotton, F. and Gulbis, B., Prevalence of sickle cell disease in a northeastern region of the Democratic Republic of Congo: what impact on transfusion policy? February 2010, <https://pubmed.ncbi.nlm.nih.gov/19712051/>

Aloni, M., Tshimenga Kadima, B., Mfutu Ekulu, P., Nzazi Budiongo, A. and Makuala Ngiyulu, R., Acute Crises and Complications of Sickle Cell Anemia Among Patients Attending a Pediatric Tertiary Unit in Kinshasa, Democratic Republic Of Congo, Haematology reports, June 2017, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5472240/#ref1>

Amnesty, DRC: Alarming research shows long lasting harm from cobalt mine abuses, May 2020, <https://www.amnesty.org/en/latest/news/2020/05/drc-alarming-research-harm-from-cobalt-mine-abuses/>

Amwanga Z, Illegal pharmacies provide a convenient option – but not necessarily a safe one, June 2019, <https://globalpressjournal.com/africa/democratic-republic-of-congo/illegal-pharmacies-provide-access-not-safety-drc/>

Barbelet, V., Bishakabalya Kokere, P., Kandate, E., Makuta Mwambusa, P., Mushagalusa Ciza, A. and Nkundamwami Namahira, S., Local Humanitarian Action in the Democratic Republic of Congo, March 2019, <https://www.odi.org/sites/odi.org.uk/files/resource-documents/12626.pdf>

BBC, DR Congo election: African leaders congratulate Tshisekedi, January 2019, <https://www.bbc.co.uk/news/world-africa-46935898>

BBC, DR Congo's Kasai crisis: War crimes committed by both sides, UN says, June 2018, <https://www.bbc.co.uk/news/world-africa-44613147>

- Bedford, J., Jones, T., Streeb, E., Key considerations: mental health and psychosocial support, North Kivu, Anthropologica, October 2019
https://opendocs.ids.ac.uk/opendocs/bitstream/handle/20.500.12413/14088/MHPSS_key_considerations_Ebola_North_Kivu_DRC.pdf?sequence=1&isAllowed=y
- Benjadiel, A., Ayas, N., Eastwood, P., Heinzer, R., Ip, M., Morrell, M., Estimation of the global prevalence and burden of obstructive sleep apnoea: a literature-based analysis, The Lancet, 01 August 2019, DOI: [https://doi.org/10.1016/S2213-2600\(19\)30198-5](https://doi.org/10.1016/S2213-2600(19)30198-5)
- Berne-Waberm, Le System Sanitaire a Kinshasa: Medicaments et Soins Du VIH-Sida, de l'hypertension Arterielle, Dur Diabète de Type II et Des Troubles Mentaux, December 2014, <https://www.sem.admin.ch/dam/sem/fr/data/internationales/herkunftslander/afrika/cod/COD-med-lage-f.pdf.download.pdf/COD-med-lage-f.pdf>
- Britannica, Democratic Republic of the Congo, 2020, <https://www.britannica.com/place/Democratic-Republic-of-the-Congo/Government-and-society>
- Buila, N., Ngoyi, G., Bayauli, P., Katamba, F., Lubenga, Y., Kazadi, S., Kiadi, F., Kabanda, G., Kika, M., Beaney, T., Chis Ster, A., Poulter, N. and N'Buyamba-Kabangu, JR., Analysis of blood pressure and selected cardiovascular risk factors in the Democratic Republic of the Congo: the May Measurement Month 2018 results, European Heart Journal Supplements 28 August 2018, 22:1, https://academic.oup.com/eurheartjsupp/article/22/Supplement_H/H50/5898738
- Care International, Democratic Republic of Congo, n.d, <https://www.careinternational.org.uk/countries/democratic-republic-congo>
- Chaîne de l'espoir- Belgique, <https://chaine-espoir.be/nos-projets/republique-democratique-du-congo/>
- CIA, Central Intelligence Agency, World Factbook, September 2020, <https://www.cia.gov/library/publications/the-world-factbook/geos/cg.html>
- Clinical Trials, Arresting vertical transmission of Hepatitis B Virus, University of North Carolina and University of Kinshasa, August 2020, <https://clinicaltrials.gov/ct2/show/NCT03567382>
- Coalition for Global Hepatitis Elimination, Data Dashboards Democratic Republic of Congo, 2019, <https://www.globalhep.org/country-progress/congo-democratic-republic>
- Cordaid, Global Fund Partnership, 2018, <https://www.cordaid.org/en/globalfund/>
- Cowgill, K and Mukengeshayi Ntanbue, A., Hospital detention of mothers and their infants at a large provincial hospital, Reproductive Health, 2019, <https://link.springer.com/article/10.1186/s12978-019-0777-7>
- Criel, B., Waelkens, M., Kwilu Nappa, F., Coppieters, Y., Laokri, S., "Can Mutual Health Organisations Influence the Quality and the Affordability of Healthcare Provision? The Case of the Democratic Republic of Congo", <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0231660>
- Denise Nyakeru Tshisekedi Foundation, Projet de Lutte contre la Drepanocytose, n.d., <https://fondationdnt.org/nos-projets/lutte-contre-la-drepanocytose/>
- DFID, Department for International Development, Effectiveness of Community Health Workers, November 2018, https://assets.publishing.service.gov.uk/media/5c18e35d40f0b60c22fb8e8a/491_Effectiveness_of_Community_Health_Workers.pdf
- DFID, Department for International Development, Effectiveness of community health workers, November 2018, <https://www.gov.uk/research-for-development-outputs/effectiveness-of-community-health-workers>

DHA, Demographic and Health Survey 2013 – 2014 Democratic Republic of Congo, 2014

<https://dhsprogram.com/pubs/pdf/SR218/SR218.e.pdf>

Diop, S., Haffar, A., Mahlangu, J., Chami, I., Kitchen, S and Pierce, G., Improving access to haemophilia care in sub-Saharan Africa by capacity building, Blood advances, December 2019

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7034121/>

Dolo, H, Mandro, M., Rossi, D., Ngave, F., Fraeyman, J., Siewe, J., Suyerbuyk, P., Colebunders, r., Community perceptions of epilepsy and its treatment in onchocerciasis endemic region in Ituri, Infectious diseases of poverty, December 2018

<https://idpjournal.biomedcentral.com/articles/10.1186/s40249-018-0498-0>

DRC National Anemia Profile, 2014, [https://www.spring-](https://www.spring-nutrition.org/sites/default/files/publications/anemia-profiles/spring_nap_drc.pdf)

[nutrition.org/sites/default/files/publications/anemia-profiles/spring_nap_drc.pdf](https://www.spring-nutrition.org/sites/default/files/publications/anemia-profiles/spring_nap_drc.pdf)

Epilepsy Foundation, Thinking, Memory and Epilepsy, February 2014,

<https://www.epilepsy.com/learn/challenges-epilepsy/thinking-and-memory/thinking-memory-and-epilepsy>

EPSS, Evaluation des Prestations des Services de soins de Santé, April 2019, Ecole de Santé Publique de Kinshasa, <https://dhsprogram.com/pubs/pdf/SPA30/SPA30.pdf>

Espinoza, S, Barriers to Mental Health Treatment Within the Congolese Population, October 2016,

https://med.virginia.edu/family-medicine/wp-content/uploads/sites/285/2017/02/Stephanie-Espinoza-Congolese-Mental-Health_Web.pdf

Finney, L, Fear, J., Leonardi-Bee, J., Mortimer, K., Chronic obstructive pulmonary disease in sub-Saharan Africa: a systematic review, Int. Journal of Tuberculosis and Lung Disease, 31 January 2013

<https://pubmed.ncbi.nlm.nih.gov/23394105/>

Foundation Pierre Fabre, Support for the sickle cell treatment unit at the Centre Hospitalier

Monkole, n.d, <https://www.fondationpierrefabre.org/en/our-programmes/combating-sickle-cell-disease/support-sickle-cell-treatment-centre-hospitalier-monkole/>

FP, Foreign Policy, How Washington Got on Board With Congo's Rigged Election, February 2019,

<https://foreignpolicy.com/2019/02/01/how-washington-got-on-board-with-congos-rigged-election-drc-tshisekedi-kabila-great-lakes/>

Fracarita International, <https://www.fracarita-international.org/centre-neuro-psychiatrique-dr-josep>

Fractica International, n.d., <https://www.fracarita-international.org/>

GHSP, Global Health: Science and Practice, A Resource Planning Analysis of District Hospital Surgical Services in the Democratic Republic of the Congo,

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4356275/pdf/056.pdf>

Global Financing Facility, Democratic Republic of Congo, 2019,

https://www.globalfinancingfacility.org/sites/gff_new/GFF-annual-report-2019/drc/#:~:text=The%20Government%20of%20the%20DRC%20has%20demonstrated%20progress%20in%20increasing,the%20target%20of%20a%2010

Global Press Journal, A Blood Transfusion in Africa ? It's Free in Rwanda, Unaffordable in Zimbabwe,

October 2017, <https://globalpressjournal.com/africa/blood-transfusion-africa-free-rwanda-unaffordable-zimbabwe/>

Global Press Journal, Critical Shortage at DRC Blood Bank Has Fatal Consequences, August 2018,

<https://staging.globalpressjournal.com/africa/democratic-republic-of-congo/critical-shortage-drc-blood-bank-fatal-consequences/https://staging.globalpressjournal.com/africa/democratic-republic-of-congo/critical-shortage-drc-blood-bank-fatal-consequences/>

Grosse, S., Odame, I., Atrash, H., Amendah, D., Piel, F and Williams, T., Sickle Cell Disease in Africa, American Journal of Preventative Medicine, December 2011, [https://www.ajpmonline.org/article/S0749-3797\(11\)00626-X/abstract](https://www.ajpmonline.org/article/S0749-3797(11)00626-X/abstract)

GSHP, Global Health; Science and Practice, A resource planning analysis of district hospital surgical services in the Democratic Republic of the Congo, October 2018

Gulotta, G., et.al., Risk Factors for Obstructive Sleep Apnea Syndrome in Children: State of the Art, September 2019, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6765844/>

HRW, Human Rights Watch, DR Congo: Chronology, August 2009, <https://www.hrw.org/news/2009/08/21/dr-congo-chronology>

HRW, Human Rights Watch, Zaire Human Rights Developments, 1994, <https://www.hrw.org/reports/1994/WR94/Africa-10.htm>

Humanity and Inclusion, Democratic Republic of Congo, n.d., <https://humanity-inclusion.org.uk/en/country/democratic-republic-of-congo>

Humanity and Inclusion, Democratic Republic of Congo, n.d., <https://humanity-inclusion.org.uk/en/country/democratic-republic-of-congo>

IHME, Institute for Health Metrics, DRC dashboard, October 2020, <http://www.healthdata.org/democratic-republic-congo>

Ikanga, J, Psychology in the Democratic Republic of the Congo: Its struggles for birth and growth, American Psychological Association, December 2014, <https://www.apa.org/international/pi/2014/12/congo-birth-growth>

IMC, International Medical Corps, Democratic Republic of Congo, n.d, <https://internationalmedicalcorps.org/country/democratic-republic-of-congo/>

INCB, International Narcotic Control Board, Availability of Internationally Controlled Drugs, 2015, http://www.incb.org/documents/Publications/AnnualReports/AR2015/English/Supplement-AR15_availability_English.pdf

International Diabetes Federation, IDF Atlas 9th edition, 2019, <https://www.diabetesatlas.org/en/resources/>

IRC, International Rescue Committee, A Silent Crisis in Congo: The Bantu and the Twa in Tanganyika, n.d., <https://www.rescue.org/sites/default/files/document/1854/conflictspotlighttanganyikav5.pdf>

IRC, International Rescue Committee, Democratic Republic of the Congo: Strategy Action Plan, 2020, <https://www.rescue-uk.org/sites/default/files/document/753/drcstrategy.pdf>

ITIE RDC, Initiative pour la Transparence des Industries Extractives République Démocratique du Congo, June 2020, <https://eiti.org/democratic-republic-of-congo#overview>

Johnson, K., Scott, J., Rughita, B., Association of Sexual Violence and Human Rights Violations With Physical and Mental Health in Territories in the Eastern Democratic Republic of the Congo, American Medical Association, August 2010, <https://jamanetwork.com/journals/jama/fullarticle/186342>

Kabengele, B., Ntumba, K., Kalambayi, K., Zalagile, A., Kinkodi, D., Mungolo, K., Prevalence and determinants of asthma in adults in Kinshasa, Plos One, 2 May 2019, <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0176875>

Kabinda, J., Ramazani, S.Y., Misingi, P. and Dramaix-Wilmet, M., Transfusion sanguine en République Démocratique du Congo: efforts réalisés et défis à relever, 2015, https://www.jle.com/fr/revues/mst/e-docs/transfusion_sanguine_en_republique_democratique_du_congo_efforts_realises_et_defis_a_relever_306161/article.phtml

- Kalambay, H., and Van Lerberghe, W., Improving Health System Efficiency, World Health Organization, September 2015, https://apps.who.int/iris/bitstream/handle/10665/186673/WHO_HIS_HGF_CaseStudy_15.4_eng.pdf?sequence=1&isAllowed=y
- Kalisya, L., Salmon, M., Manwa, K., Mutendi Muller, M., Diango, K., Zaidi, R., Wendel, S. and Reynolds T.A., The state of emergency care in Democratic Republic of Congo, December 2015, <https://doi.org/10.1016/j.afjem.2015.08.001>
- Kamangu, NE., Situakibanza, NH., Mvumbi, LG., Kakugj, IL., Tshienda, TD. and Mesia TG., Profiles of opportunistic infections in people living with HIV followed at the Military Hospital of Kinshasa Reference (camoKokolo), DRC, Retrovirology, 25 May 2012, doi:10.1186/1742-4690-9-S1-P146
- Kanmounye, U., Global Cardiac Surgery, AUSCULTATING CARDIAC SURGERY IN THE DR CONGO, September 2018, <https://globalcardiacsurgery.com/2018/09/17/auscultating-cardiac-surgery-in-the-dr-congo/>
- Katchunga, P., Malanda, B., Mweze, M.C., Dupont, B., M'Buyamba-Kabangu, J.R., Kashongwe, Z., Kabinda, J.M. and Buyssohaert, M., Connaissances de la population générale sur l'hypertension artérielle et le diabète sucré au Sud-Kivu, République démocratique du Congo, Revue d'épidémiologie et de santé publique, March 2012, <https://www.sciencedirect.com/science/article/abs/pii/S0398762012000533?via%3Dihub>
- Kerina Tull, Social Protection Measures for Increasing Access to Health Services, 2018, University of Leeds Nuffield Centre for International Health and Development, 5 November 2018, <https://assets.publishing.service.gov.uk/media/5c6c2d5be5274a72b74654f9/health.pdf>
- Koba Bora, B., Lez, D., Luwa, D., Baguma, M., Katumbay, D., Kalula, T., Kabwa, P., Living with epilepsy in Lubumbashi: epidemiology, risk factors and treatment gap, Pan Africa Medical Journal, 26 August 2015 <https://www.panafrican-med-journal.com/content/article/21/303/pdf/303.pdf>
- Laokri, S., Soelaeman, R and Hotchkiss, D., Assessing out-of-pocket expenditures for primary health care, June 2018, <https://bmchealthservres.biomedcentral.com/articles/10.1186/s12913-018-3211-x>
- Le Potentiel, Au moins 15 millions de personnes atteintes des troubles mentaux en RDC, 14 October 2008. Referenced in: Immigration and refugee board of Canada, Democratic Republic of the Congo: The treatment of people with mental health disorders; protection and services provided by the state, June 2012, <https://www.refworld.org/docid/50eac5442.html>
- Lulebo, A., Mapatano, M., Kayembe, P., Mafuta, E., Mutumbo, P and Coppierters, Y., Assessment of hypertension management in primary health care settings in Kinshasa, Democratic Republic of Congo, BMC Health Service Research, 24/12/2015, 15:573 <https://dx.doi.org/10.1186/s12913-015-1236-y>
- Malamba-Lez, D., Ngoy-Nkulu, D., Steels, P., Tshala-Katumbay, D. and Mullens, W., Heart failure etiologies and challenges to care in the developing world: an observational study in Democratic Republic of Congo, Cardiac Failure, October 2018, pp. 854-859, <https://doi.org/10.1016/j.cardfail.2018.10.008>
- Mbelambel, E, Eitoku, M., Muchana, S., Hirota, R., Pulphus, T., Sokolo, G., Yasumitsu-Lovell, K., Komori, K., Sukanuma, N., Prevalence of chronic obstructive pulmonary disease among Congolese cement workers exposed to cement dust, 16 October 2018, <https://europepmc.org/article/med/30328036>
- Mbiya, B., Tumba-Disashi, G. and Gulbis, B., Sickle cell disease in the Democratic Republic of Congo: Assessing Physicians' Knowledge and Practices, Tropical Medicine and Infectious Disease, July 2020, <https://www.mdpi.com/2414-6366/5/3/127>

Messina, J., Mwandagilirwa, K., Taylor, SM., Emch,, M. and Meshnick, SR., Spatial and social factors drive anemia in Congolese women, November 2013,

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4801186/pdf/nihms-762347.pdf>

Millington, K, Effectiveness of Community Health Workers, November 2018, Knowledge, evidence and learning for

development,https://assets.publishing.service.gov.uk/media/5c18e35d40f0b60c22fb8e8a/491_Effectiveness_of_Community_Health_Workers.pdf

Morina, N., et al., Psychiatric Disorders in Refugees and Internally Displaced Persons After Forces DisplacementL A Systematic Review, September 2018,

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6160546/>

Motomoke, E Village reach, On Road and River: Distributions begin in DRC, August 2017,

<https://www.villagereach.org/2017/08/30/road-river-distributions-begin-drc/>

MSF, Doctors Without Borders, 2018, <https://www.doctorswithoutborders.org/what-we-do/countries/democratic-republic-congo>

MSF, Médecins Sans Frontières, DRC: Covid-19 continues to spread, with potentially deadly secondary impacts, June 2020, <https://www.doctorswithoutborders.org/what-we-do/news-stories/news/drc-covid-19-continues-spread-potentially-deadly-secondary-impacts>

MSF, Médecins Sans Frontières, Evaluating the effectiveness and burden of diabetes care in a complex humanitarian emergency setting in Mweso, North Kivu, Democratic Republic of the Congo (DRC), 2015,

[http://fieldresearch.msf.org/msf/bitstream/10144/563297/1/MSF%20OCA%20Mweso%20DM%20protocol%20v%205%20\(ID%201542\).docx](http://fieldresearch.msf.org/msf/bitstream/10144/563297/1/MSF%20OCA%20Mweso%20DM%20protocol%20v%205%20(ID%201542).docx)

MSF, Médecins Sans Frontières, In Kinshasa, HIV-positive people wait until death's door before coming to receive treatment, November 2019, <https://msf.or.ke/en/magazine/kinshasa-hiv-positive-people-wait-until-deaths-door-coming-receive-treatment>

MSF, Médecins Sans Frontières, Left Behind by the HIV Response, December

2017,<https://samumsf.org/sites/default/files/2017-11/MSF%20Kinshasa%20Report%20ENG%20WEB.pdf>

MSF, Médecins Sans Frontières, n.d, <https://www.msf.org/international-activity-report-2018/democratic-republic-congo>

Mukuku, O, et al., Epidemiology of Epilepsy in Lubumbashi, Hindawi Neurology Research International, 29 June 2019, <https://doi.org/10.1155/2020/5621461>

Murphy, A., Biringanine, M., Roberts, B., Stringer, B., Perel, P. and Jobanputra, K., Diabetes care in a complex humanitarian emergency setting: a qualitative evaluation, Health services Research, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5481869/>

Muyer, M.T., Buntinx, F., Mapatano, M.A., De Clerk, M., Truyers, C. and Muls, E., Mortality of young patients with diabetes in Kinshasa, DR Congo, Diabetic Medicine, 27:4, April 2010,

<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1464-5491.2010.02961.x>

Nature Research, Haematological diseases definition, n.d

<https://www.nature.com/subjects/haematological-diseases#:~:text=Haematological%20diseases%20are%20pathological%20conditions,blood%20cancers%20and%20haemorrhagic%20conditions>

OECD, Organisation for Economic Cooperation and Development, Recipient Country, 2018,

https://public.tableau.com/views/OECDACAidataglacebyrecipient_new/Recipients?:embed=y&:display_count=yes&:showTabs=y&:toolbar=no?&:showVizHome=no

On'okoko, M., Mental health in the Democratic Republic of Congo: a post-crisis country challenge, April 2010, <https://pdfs.semanticscholar.org/af1d/ea891fe78534b1dc2ba6049d6e2e6485e5ba.pdf>

ONRHSC, Observatoire National Des Ressources Humaines de La Santé En RD. Congo, 2020, <http://www.minisante-rhs.cd/index.php/presentation-de-l-observatoire>

Orbie, J., Steurs, L., Delputte, S. and Verschaeve, J., The EU and the Emerging Global Order, 2018, https://www.researchgate.net/publication/330619017_Donor_coordination_on_health_assistance_in_the_Democratic_Republic_of_Congo

Organisation suisse d'aide aux réfugiés OSAR, RD Congo: Soins psychiatriques, 10 June 2009. Referenced in: Organisation suisse d'aide aux réfugiés (OSAR), République démocratique du Congo : développements actuels, 6 October 2011, <https://www.refworld.org/pdfid/58510eb14.pdf>

PEPFAR, Democratic Republic of the Congo Country Operational Plan (COP) 2019 Strategic Direction Summary, April 2019, https://www.state.gov/wp-content/uploads/2019/09/DRC_COP19-Strategic-Directional-Summary_public.pdf

PEPFAR, President's Emergency Plan For AIDS Relief, Democratic Republic of the Congo Country Operational Plan (COP) April 2019, https://www.state.gov/wp-content/uploads/2019/09/DRC_COP19-Strategic-Directional-Summary_public.pdf

Piel, F., Hay, S., Gupta, S., Weatherall, D. and Williams, T., Global burden of sickle cell anaemia in children under five, 2010-2050: modelling based on demographics, excess mortality, and interventions, Plos Med, July 2013, <https://journals.plos.org/plosmedicine/article?id=10.1371/journal.pmed.1001484>

Plan Stratégique Multisectoriel Santé de la Lutte Contre le VIH/SIDA 2018-2021, Programme National de la Lutte Contre le VIH/SIDA, Ministère de la Santé, République Démocratique du Congo [no url]

PNDS, Plan National de Développement Sanitaire recadré pour la période 2019-2022, Ministère de la Santé, République démocratique du Congo, November 2018, https://santenews.info/wp-content/uploads/2020/04/PNDS-2019-2022_GOUVERNANCE.pdf

PNLT, Plan Stratégique National de Lutte Contre La Tuberculose 2018-2020, Ministère de la Santé Publique, Secretariat General, République Démocratique du Congo, 2017

PSNHIV, Plan Stratégique National de la Riposte au VIH/SIDA 2018-2021, Programme National Multisectoriel de Lutte contre le Sida, Secretariat Executif National

Schiavetti, B., Wynendaele, E., De Spiegeleer, B., Mbinze, G., Kalenda, N., Marini, R., Melotte, V., Hasker, E., Meesen, B., Ravinetto, R., Van der Elst, J. and Mutolo Ngeleka, D., The American Journal of Tropical Medicine and Hygiene, January 2018, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5930909/>

Severe Malaria, DRC health system for malaria, 2017, <https://www.severemalaria.org/countries/democratic-republic-of-congo/drc-health-system>

Shindano, T., Maotela-Kabinda, J., Mitashi, P. and Horsmans, Y, Hepatitis B virus infection in the Democratic Republic of Congo: a systematic review of prevalence studies (2000-2016), Journal of Public Health, 2 January 2018, <https://doi.org/10.1007/s10389-018-0894-8>

Sion, M., Rajan, D., Kalambay, H., Lokonga, J., Bulakali, J., Mossoko, M., Kwete, D., Schmets, G., Kelley, E., Elongo, T., Sambo, L., Cherian, M., A resource planning analysis of district hospital surgical services in the Democratic Republic of the Congo, Global Health: Science and Practice, 2015 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4356275/pdf/056.pdf>

Social Security Administration, Office of Retirement and Disability Policy, Social Security Programs Throughout the World: Africa, 2019, <https://www.ssa.gov/policy/docs/progdesc/ssptw/2018-2019/africa/congo-democratic-republic-of-the.html>

SOS Hepatitis, August 2019, <https://soshepatites.org/un-virus-peut-en-cacher-un-autre-3/>, accessed 22 November 2020

Stéphanie Stasse, Vita, D., Kimfuta, J., Campos da Silveira, V., Bossyns, P. and Criel, B., "Improving Financial Access to Health Care in the Kisanu District in the Democratic Republic of Congo: Acting upon Complexity", Global Health Action 8, no. 1 (2015), <https://doi.org/10.3402/gha.v8.25480>

Stop TB Partnership, Country Dashboards, 2018, http://stoptb.org/resources/cd/COD_Dashboard.html

Stop TB Partnership, TB Community, Right and Gender Assessment in Democratic Republic of the Congo 2018 Report, 2018, <http://www.stoptb.org/assets/documents/communities/CRG/TB%20CRG%20Assessment%20DRC.pdf>

T1 International, Global Type 1 Map Democratic Republic of Congo, n.d, <https://www.t1international.com/Democratic-Republic-of-the-Congo/>

The conversation, HIV is still taboo in the DRC: chronicles from Kinshasa, August 2017, <https://theconversation.com/hiv-is-still-taboo-in-the-drc-chronicles-from-kinshasa-82931>

The Global Development Facility, Stop TB Partnership, n.d, <http://www.stoptb.org/gdf/whatis/>

The Guardian, Congo election runner-up rejects Tshisekedi victory as 'electoral coup, January 2019, <https://www.theguardian.com/world/2019/jan/10/congo-election-felix-tshisekedi-declared-winner-in-contentious-result>

The World Bank, Mortality rate, under-5, 2019, https://data.worldbank.org/indicator/SH.DYN.MORT?most_recent_value_desc=true

Thulin, E., Spray, K., Edge, Mental Health Care and Gender Based Violence in Eastern DRC: Needs Assessment and Report of Activities, https://www.researchgate.net/publication/343218316_Mental_Health_Care_and_Gender_Based_Violence_in_Eastern_DRC_Needs_Assessment_and_Report_of_Activities

Translators Without Borders, Language data for the Democratic Republic of Congo (DRC), 2016, <https://translatorswithoutborders.org/language-data-for-the-democratic-republic-of-congo-drc/>

Tshilolo, L, Aissi, LM., Lukusa, D., Kinsiam, C., Wenbonyama, S., Gulbis, B. and Vertongen, F., Neonatal screening for sickle cell anaemia in the Democratic Republic of the Congo: experience from a pioneer project on 31 204 newborns, Journal of Clinical Pathology, January 2009 <https://pubmed.ncbi.nlm.nih.gov/19103857/>

Tshilolo, L., National Development of SCD Programmes in Congo DR, Conference Presentation, October 2016 <https://static1.squarespace.com/static/578f98d6197aead474a3dea6/t/581aec18893fc0c77e3ebb60/1478159538733/L%C3%A9on+Tshilolo+-+National+Development+of+SCD+Programmes+in+Congo+DR.pdf>

UN AIDS, Democratic Republic of Congo Fact Sheet, 2019, <https://www.unaids.org/en/regionscountries/countries/democraticrepublicofthecongo>

UNDP, United Nations development programme, Human Development Report, DRC Dashboard, 2019, <http://hdr.undp.org/en/countries/profiles/COD>

- UNHCR, United Nation High Commissioner for Refugees, September 2020, <https://www.unhcr.org/news/briefing/2020/9/5f51edc04/resurging-violence-spark-mass-displacement-drcs-kasai-unhcr-warns.html>
- UNHCR, United Nations High Commissioner for Refugees, DR Congo emergency, March 2020, <https://www.unhcr.org/uk/dr-congo-emergency.html#:~:text=Fresh%20waves%20of%20unrest%20in,Zambia%20and%20other%20neighbouring%20countries>
- UNHCR, United Nations High Commissioner for Refugees, DR Congo emergency dashboard, September 2019, <https://www.unhcr.org/uk/dr-congo-emergency.html>
- UNICEF, Les enfants accusés de sorcellerie, April 2010, https://www.unicef.org/wcaro/wcaro_Enfants-accuses-de-sorcellerie-en-Afrique.pdf
- UNICEF, Supporting Ebola patients and their families, December 2019, <https://www.unicef.org/drcongo/en/stories/supporting-ebola-patients-families>
- Wagstaff, A., Flores, G., Hsu, J., Smitz, M.F., Chepynoga, K., Buisman, L., van Wilgenburg, K. and Eozenou, P., Progress on catastrophic health spending in 133 countries: a retrospective observational study, the Lancet, February 2018, <https://www.thelancet.com/action/showPdf?pii=S2214-109X%2817%2930429-1>
- Wastnedge, E., Waters, D., Patel, S., Morrisson, K., Yi Goh, M., Adeloye, D. and Rudan, y., The global burden of sickle cell disease in children under five years of age: a systematic review and meta-analysis, December 2017, <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6286674/>
- WHO, World Health Organisation, Global Tuberculosis Report, 2019, <https://apps.who.int/iris/bitstream/handle/10665/329368/9789241565714-eng.pdf?ua=1>
- WHO, World Health Organisation, Health Cluster Democratic Republic of Congo, June 2020, <https://www.who.int/health-cluster/countries/democratic-republic-of-the-congo/en/>
- WHO, World Health Organisation, Tuberculosis Country Profile, 2020, https://worldhealthorg.shinyapps.io/tb_profiles/?inputs_&lan=%22EN%22&iso2=%22CD%22&main_tabs=%22est_tab%22
- WHO, World Health Organization, Chronic obstructive pulmonary disease (COPD) Key Facts, December 2017, [https://www.who.int/news-room/fact-sheets/detail/chronic-obstructive-pulmonary-disease-\(copd\)](https://www.who.int/news-room/fact-sheets/detail/chronic-obstructive-pulmonary-disease-(copd))
- WHO, World Health Organization, Diabetes Key Facts, June 2020, <https://www.who.int/news-room/fact-sheets/detail/diabetes>
- WHO, World Health Organization, Epilepsy, June 2019, <https://www.who.int/news-room/fact-sheets/detail/epilepsy>
- WHO, World Health Organization, Global Health Observatory data repository, September 2016, <https://apps.who.int/gho/data/node.main.510>
- WHO, World Health Organization, Global Tuberculosis Report 2020 <https://www.who.int/publications/i/item/9789240013131>
- WHO, World Health Organization, Guidelines on hepatitis B and C testing, February 2017, <https://www.who.int/hepatitis/publications/guidelines-hepatitis-c-b-testing/en/>
- WHO, World Health Organization, Health Cluster Democratic Republic of Congo, June 2020, <https://www.who.int/health-cluster/countries/democratic-republic-of-the-congo/en/>
- WHO, World Health Organization, Hepatitis C, <https://www.who.int/news-room/fact-sheets/detail/hepatitis-c>

WHO, World Health Organization, Hepatitis, https://www.who.int/health-topics/hepatitis#tab=tab_1

WHO, World Health Organization, Plan de Response Humanitaire Revise, June 2020, <https://www.who.int/health-cluster/countries/democratic-republic-of-the-congo/DRC-Humanitarian-Response-Plan-June-2020.pdf?ua=1>

WHO, World Health Organization, Psychological support for life after Ebola, June 2019, <https://reliefweb.int/report/democratic-republic-congo/psychological-support-life-after-ebola>

WHO, World Health Organization, Stratégie de Coopération de l'OMS avec le pays République démocratique du Congo 2017–2021, <https://www.who.int/emergencies/crises/cod/rdc-css-2017-2021.pdf?ua=1>

WHO, World Health Organization, Technology and market landscape hepatitis C medicines, August 2017, https://unitaid.org/assets/HCV-Medicines-Landscape_Aug-2017.pdf pp.54

WHO, World Health Organization, Tuberculosis Country Profile, 2020, https://worldhealthorg.shinyapps.io/tb_profiles/?inputs=&lan=%22EN%22&iso2=%22CD%22&main_tabs=%22est_tab%22

WHO, World Health Organization, WHO Cooperation Strategy with Democratic Republic of Congo 2017-2021, 2017

Wodon, Q., Olivier, J., Tsimpo, C. and Cong Nguyen M., Market share of faith-inspired healthcare providers in Africa, The review of faith and international affairs, 12 March 2017, <https://www.tandfonline.com/doi/full/10.1080/15570274.2013.876739?scroll=top&needAccess=true>

World Bank Data, current health expenditure, 2017, <https://data.worldbank.org/indicator/SH.XPD.CHEX.PC.CD?locations=ZG>

World Bank, Country Overview, May 2020, <https://www.worldbank.org/en/country/drc/overview>

World Bank, Data Bank, 2018, https://databank.worldbank.org/views/reports/reportwidget.aspx?Report_Name=CountryProfile&Id=b450fd57&tbar=y&dd=y&inf=n&zm=n&country=COD

World Bank, Data Bank, GNI per capita, PPP (current international \$) 2018, https://databank.worldbank.org/views/reports/reportwidget.aspx?Report_Name=CountryProfile&Id=b450fd57&tbar=y&dd=y&inf=n&zm=n&country=COD&fbclid=IwAR1Zk3GcpHcig-2VN2rNR2KzqXWT8Qw6LsSWuaeP8pZn6OzsUC0Cz4pL344

World Bank, Data, 2016, <https://data.worldbank.org/indicator/SH.MED.PHYS.ZS?locations=CD>

World Bank, Data, 2019, <https://data.worldbank.org/country/CD>

World Bank, Directions in Development, Democratic Republic of Congo Urbanization Review, 2018, <https://openknowledge.worldbank.org/bitstream/handle/10986/28931/9781464812033.pdf?sequence=2&isAllowed=y>

World Bank, The role of the private sector in improving the performance of the Health System in the Democratic Republic of Congo, 2018, <http://documents1.worldbank.org/curated/en/487571539958646859/pdf/131045-REVISED-23-1-2019-10-49-58-WBDRCPSEnglishWEB.pdf>

World diabetes Foundation, <https://www.worlddiabetesfoundation.org/projects/search>

World diabetes Foundation, Integrated diabetes care, project timeline 2010 - 2015 <https://www.worlddiabetesfoundation.org/projects/congo-kinshasa-wdf07-311>

World diabetes Foundation, Sensitisation and Education Campaign on Diabetes in the Bukavu Health Care District, project timeline 2013 – 2014,

<https://www.worlddiabetesfoundation.org/projects/congo-kinshasa-wdf12-727>

World Federation of Hemophilia, Annual Global Survey 2018, October 2019,

<http://www1.wfh.org/publications/files/pdf-1731.pdf>

World Federation of Hemophilia, Guidelines for the Management of Haemophilia, 2020,

<https://elearning.wfh.org/resource/treatment-guidelines/>

World Food Programme, Democratic Republic of Congo, 2019,

<https://www.wfp.org/countries/democratic-republic-congo>

World Health Organization, Fact Sheet Hepatitis B, 27 July 2020, <https://www.who.int/news-room/fact-sheets/detail/hepatitis-b>

World Hepatitis Alliance, Our Members,

<https://www.worldhepatitisalliance.org/member/association-d%E2%80%99encadrement-des-personnes-infectees-par-lhepatite-epih>

World Life Expectancy, DRC, 2018, <https://www.worldlifeexpectancy.com/dr-congo-coronary-heart-disease>

Yates, R., Hospitals that act as modern-day debtor prisons deny rights and dignity, State news, December 2017, <https://www.statnews.com/2017/12/05/hospitals-medical-debt-prison/>

Yotebieng, M., Thirumurthy, H., Moracco, K., Kawende, B., Chalachala, J.L., Kipula-Wenzi, L., Lantoniaina, N., Ravelomanana, R., Edmonds, A., Thompson, D., Okitolonda, E. and Behets, F., Lancet HIV, February 2016, Conditional cash transfers increase uptake of and retention in PMTCT care: A randomized controlled trial <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5485848/>

Xinhua News Agency, RDC: un malade mental viole et tue sa mère à Kananga, 16 November 2010, http://french.china.org.cn/autreshorizons/2010-11/16/content_21358075.htm

Annex 3: Terms of reference for the MedCOI report on the Democratic Republic of Congo (DRC)

Topical reports:

- HIV
- TB
- Hepatitis B/C
- Psychiatry (depression, anxiety disorders like PTSD, psychotic disorders like schizophrenia, bipolar disorder, sleeping disorders)
- Neurology (epilepsy, CVA)
- Diabetes
- Cardiovascular diseases (hypertension, myocardial infarction, heart failure, heart rhythm disorders)
- Nephrology (kidney diseases; renal failure)
- Pulmonology (asthma, COPD, sleep apnoea)
- Haematology (anaemia; like iron deficiency anaemia and sickle cell anaemia, + blood clotting disorders)

Detailed content instructions topical reports:

General information

- Prevalence and incidence of diseases (epidemiologic data)
- How is the health care organized for this disease?
 - How is the disease treated – at specific centres, in primary health care centres, secondary care / hospitals, tertiary care etc.?
 - Which kinds of facilities can treat the disease (public, private not for profit (e.g. hospitals run by the church), private for profit sector)?
- How are the resources organized in general to treat patients with this disease? Are there sufficient resources available to treat all patients?
- Is treatment of this disease possible in public hospitals?
- Are there any national plans or programmes for this disease?
- Are there any international plans or (donor) programmes for this disease?

Access to treatment:

- Specific treatment programmes?
- Specific state (eg insurance or tax) covered programmes? Are there any factors limiting the access to healthcare for patients? If so, are they economic, cultural, geographical, etc.? Are there any policies to improve access to healthcare and/or to reduce the cost of treatments and/or medication? What is the number of people having access to treatment?
- Is the treatment geographically accessible in all regions?

- What is the 'typical route' for a patient with this disease (after being diagnosed with the disease)? In other words: for any necessary treatment, where can the patient find help and/or specific information? Where can he receive follow-up treatment?
- What must the patient pay and when?
- Is it the same scenario for a citizen returning to the country after having spent a number of years abroad?
- What financial support can a patient expect from the government, social security or a public or private institution? Is treatment covered by social protection or an additional/communal health insurance? If not, how can the patient gain access to a treatment?
- Any occurrences of discrimination for people with this disease?

Insurance and national programmes:

- National coverage (state insurance)
- Programmes funded by international donor programmes, e.g. Global Fund, UNAIDS, Unicef, Gates foundation, Clinton foundation etc
- Include any insurance information that is specific for patients of this disease

Cost and coverage of treatments:

- In the table, indicate the price for inpatient and outpatient treatment in public and private facility and if the treatments are covered by any insurance.
- For inpatient, indicate what is included in the cost (bed/daily rate for admittance, investigations, consultations...).
- Is there a difference with respect to prices between the private and public facilities?
- Are there any geographical disparities?
- Are the official prices adhered to in practice?

Medication costs:

- Are medicines in general accessible in the whole country or are there limitations?
- Are the medicines registered in DRC? If yes, what are the implications of it being registered?
- Indicate in the table:
 - o generic name, brand name, dosage, form, pills per package, official prices, source, insurance coverage:
 - Are (some of the) medicines mentioned on any drug lists like national lists, insurance lists, essential drug lists, hospital lists, pharmacy lists etc.?
 - If so, what does such a list mean specifically in relation to coverage?
 - Are there other kinds of coverage, e.g. from national donor programmes or other actors?

NGOs

- Are any NGOs or international organisations active for patients of this disease? What are the conditions to obtain help from these organisations? What help or support can they offer?



